

1000 M

MOD: Y: BLAST

H.I.





6

MOD U BLAST

1



POWERED BY **ALLREDI**

MOD UBLAST

H.I.

S-SERIES PERFORMANCE

SUPERIOR PERFORMANCE

- Designed to handle a wide range of abrasives and peening medias. We can recommend a Mod-U-Blast® system to manage virtually any blast cleaning application.
- · Our method of manufacturing also allows us to produce dual-station systems in many sizes for larger applications.

OUALITY

- S-Series blast cabinets are constructed with heavy duty 14 gauge steel, external lighting system, safety glass viewing window, and overlapping positive tension doors.
- With Mod-U-Blast's exclusive modular design it is easy to choose the system that best suits your budget and your specific blast cleaning applications.



MEDIA RECLAIMER:

EFFICIENCY

- Precision engineered and designed, the Mod-U-Blast[®] media cyclone reclaimer delivers separation of blast media, oversized foreign matter, and dust. Equipped with replaceable wear plate for reduced long term maintenance costs.
- · Available as an upgrade kit for cabinets without reclaimers.

ELECTRICAL REQUIREMENTS

AIR REQUIREMENTS

			•		
CFM	HORSE POWER	PHASE / AMPS REQUIRED	AIRJET	BORE SIZE	CFM@80PSI
300	1/2 H.P.	1-Phase / 7 Amps	3.5	7/64"	15
600	1 H.P.	1-Phase / 14 Amps	4 (standard)	1/18"	21
900	2 H.P.	1-Phase / 20 Amps	5	5/32"	32
1200	5 H.P.	3-Phase / Customer Specified	6	3/16"	48
			7	7/32"	63





POWERED BY JALLREDI

S-SERIES STANDARD FEATURES



LIGHTING SYSTEM

Mod-U-Blast's external LED lighting system features 2 - 24" tubes in cabinets that are less than 36" in depth, and a dual-fixture system with 4-24" tubes in cabinets 36" or larger in depth.



CONSTRUCTION

- 14 gauge one piece steel construction.
- Powder Coated white interior cabinet and hammertone grey exterior for durability.
- Mod-U-Blast[®] uses overlapping positive tension doors with adjustable hand latch system.

ADDITIONAL FEATURES

- Replaceable reclaim wear plate
- · Adjustable air intakes for clear visibility
- Safety door shut-offs
- · High pure gum content abrasive blast hose
- Strategically rubber lined hopper
- Cabinets are 100% modular and fully upgradeable





1/2" HIGH FLOW, BRASS/STEEL Built for rugged industrial use.

STANDARD WORKING CHAMBER DIMENSIONS (W" X D" X H")



Quick change safety glass window with replaceable protector and trim-Lok window seal.



BLAST GLOVES Coated neoprene glove with fold-sewn vinyl sleeve.



METERING VALVE Optimize the flow of media to get maximum efficiency with Mod-U-Blast's metering valve.



MOISTURE SEPARATOR, REGULATOR & GAUGE CONTROL PANEL



- 30"W x 26"D x 40"H • 36"W x 26"D x 40"H
- 36"W x 36"D x 40"H
- 48"W x 26"D x 40"H
 48"W x 36"D x 40"H
- 60"W x 36"D x 40"H
- 60"W x 48"D x 40"H
- 60"W x 60"D x 40"H
- 48"W x 48"D x 40"H Custom sizes and
 - · Custom sizes and multiple work stations are available









POWERED BY JALLREDI

LIGHTING SYSTEM

External LED lighting system features 2 - 24" tubes in cabinets that are less than 36" in depth, and a dual-fixture system with 4-24" tubes in cabinets 36" or larger in depth

SAFETY GLASS WINDOW

Quick change safety glass window with replaceable protector and trim-Lok window seal.

BLAST GUN

Features a versatile lightweight pistol grip blast gun globally proven to provide comfort. It also offers six (6) nozzle/airjet matchups to meet varying production requirements.

> BLAST GLOVES Coated neoprene glove with fold-sewn vinyl sleeve.

PERFORATED STEEL FLOORING

Enable debris, dust, and other materials generated during the blasting operation to fall through, keeping the work area cleaner.

AIR BLOW OFF GUN





DUST COLLECTION

MULTI-BAG DRY FILTER CABINETS

- Mod-U-Blast® multi-bag dust filter cabinets incorporate either 15, 25, 40 or 50 (300, 600, 900 • and 1200 CFM) cotton sock type filter bags which are tightly mounted into steel housings (top and bottom). Clean air is returned to the outside of the louvered panel door and dust and dirt are contained in bottom.
- Manual Shaker is used to clean dust socks at intervals. Air volume damper control is also standard ٠ on all Mod-U-Blast® filter cabinets. Also available as upgrade kit for machines with dust bag only. Recommended for more frequent use, high production.
- Dust is collected either in a drawer or a hopper with clean-out hatch. The hopper style is recommended and standard configuration unless there is a height restriction. If you require low-profile, the drawer style is available.

REVERSE PULSE CARTRIDGE DUST COLLECTION

S-SERIES CABINET OPTIONS

convenience, comfort and productivity *Custom sizing available

while decreasing glove wear, hand injuries and overall operator

fatigue. Ideal for blast cleaning larger, heavier components. May

be furnished for one (1) or both (2) sides of the blast cabinet.

- Mod-U-Blast[®] reverse pulse cartridge dual collectors are available from 300 CFM to 12000 CFM. They provide optimum clean air environments for blast cabinets, booths and blast rooms. Reverse pulse collectors feature efficiency 280 pleated filter cartridges.
- All models come standard with auto-pulse controls. Hopper Discharge is standard with all reverse pulse collectors.
- · Low profile models also available.

TURNTABLES & TRACK SYSTEMS

Available with inside and/or outside

track assembly or as set-in turntable

only. Standard turntables hold up

to 700 lbs, custom turntables hold

turntable systems will increase worker

up to 2000 lbs. Mod-U-Blast[®]



Wear kits are available for all machine sizes. This option is recommended when harsh blast media is being used. eg: aluminum oxide. A cabinet wear kit will extend the life of any machine regardless of the media being used. Each wear kit includes: 1/16" Natural

gum draping on sides and back of cabinet, H.D. rubber lined return hose, and tungsten carbide blast nozzle.

600 CFM model











POWERED BY **ALLREDI**







S-SERIES CABINET OPTIONS

PASS THROUGH KITS



Custom pass through kits available for new or existing cabinets.

ROLLING CARTS



Save time and discomfort blasting pipe with Mod-U-Blast® pipe rolling carts.



Available with reverse pulse Cartridge dust collector models. 99.99% particulate removal efficiency.

CABINET LIFT KIT (0 TO 12")



Decrease operator fatigue with a cabinet lift kit. Hydraulic rams will be mounted on the inside of the legs on new units.

CUSTOM SUCTION SERIES BLAST CABINETS - ENGINEERED FOR YOUR APPLICATION



Custom (60"W x 60"D x 64"H) Suction Cabinet with Notched Style Door and 48" H.D. Turntable/Track system



Custom (48"W x 48"D x 44"H) Suction Cabinet with 4 Suction Gun Assemblies Mounted on an Adjustable Traversing Arm, Auto Rotating Turntable, and Automation Controls









POWERED BY

Increase your blasting production with an advanced custom engineered blast cabinet solution. Allredi is a leading manufacturer with decades of experience optimizing blasting processes.



800.661.3842











LEDUC, AB 6602 - 45 ST Leduc, AB T9E 7C9 780.468.2588 CALGARY, AB Unit #118 3442 118 Ave SE Calgary, AB T2Z 3X1 403.279.1924 VANCOUVER, BC 101A-81 Golden Dr Coquitlam, BC V3K 6R2 604.464.6979 WINNIPEG, MB 88 De Baets St Winnipeg, MB R2J 3S9 204.256.3324 HAMILTON, ON 500 Sherman Ave N Hamilton, ON L8N 3N9 905.527.6000