





SPRAYMASTER® AIRLESS SPRAY HOSE, FITTINGS & ACCESSORIES



BUILT MARCO TOUGH
MARCO MANUFACTURED

PART NUMBERS AND SCHEMATICS GUIDE

Company Profile

Since 1944, Marco has developed a strong tradition of providing innovative and reliable products and services to the surface preparation and protective coatings industries. We are the world's premier provider of Abrasives, Blasting, Coating, Dust Collectors, Engineered Systems, Rental, Safety, Service, Repair, & Modernization, and Vacuums.

Through innovative designs and a total commitment to quality, Marco manufactures products that increase production rates, create a safer workplace, and reduce maintenance costs. Marco's industry experience, manufacturing capabilities, legendary customer service, product availability, logistics services, and technology leadership is your assurance that we deliver high quality products and services, providing the best value to you, our customer.

The Marco Difference

- **Industry Experience** – With Marco on your team, you have access to expertise which can only come from decades of industry leadership. We have organized our engineering department, production specialists, customer operations, and safety support into a “Center of Competence.” As a Marco customer, you have access to hundreds of years of cumulative experience related to your operations.
- **Manufacturing Excellence** – Marco is a U.S. based, ISO 9001:2008 certified manufacturer of equipment for the Surface Preparation and Protective Coatings industries. Marco's engineers benchmark the industry to ensure that we design and manufacture superior products that set the “Gold Standard” for performance, safety, and quality.
- **Legendary Customer Service** – Marco's legendary customer service team is staffed by friendly, highly-trained individuals who are focused on providing the highest level of product support, order accuracy, and customer satisfaction.
- **Product Availability** – We stock over 10,000 SKU's and have more than 45 shipping locations to serve North American and International markets for all major brands of blasting and coating equipment. As the largest provider of surface preparation and protective coatings equipment in the world, our inventory levels and product availability are unmatched.
- **Logistics Services** – Marco's in-house logistics team is dedicated to moving your shipment anywhere in the world. We move more than 14,000 truckloads every year, allowing you to save on freight costs by leveraging our buying power. Lower your process costs with a single invoice, which includes product and freight.
- **Technology Leadership** – Our website provides: Operator's Manuals, Part Numbers and Schematics Guides, SDS information, and Features & Specifications Guides, providing access to information 24/7. Our Extranet application allows you to receive quotes and place orders online. Our Intranet maintains a complete record of your purchase history to assist with ongoing support of your existing equipment and future purchasing decisions.

Vision Statement

Marco is the world's premier provider of Abrasives, Blasting, Coating, Dust Collectors, Engineered Systems, Rental, Safety, Service, Repair, & Modernization, and Vacuums.

Mission Statement

Marco provides strong leadership and innovation to the surface preparation and protective coatings industries. We dedicate our efforts to the continuous improvement of our products, services, processes, people, and most importantly, the quality of our customer's experience.

Quality Statement

Marco is committed to providing superior quality in the design, manufacturing, distribution, rental, service, and repair of our products. Our ISO 9001:2008 certification extends throughout all operations in all locations. Continuous improvement of our processes and supply chain Integration comprise the core of our business strategy for delivering exceptional quality and value in all Marco products and services.


Management Philosophy



We are a company dedicated to the success of every customer and associate. We discuss, debate, challenge, measure, and test our ideas. We will be boundless and limitless in our passion to improve. Through sound leadership and dedicated associates, we will ensure a long term, profitable future for Marco, our associates, customers, and suppliers.

TABLE OF CONTENTS


Company Profile	2
Table of Contents	3
Airless Spray Hose & Couplings	4-11
1/8" I.D. Airless Spray Hose & Couplings.	4
3/16" I.D. Airless Spray Hose & Couplings.	5
1/4" I.D. Airless Spray Hose & Couplings.	6-7
3/8" I.D. Airless Spray Hose & Couplings.	8
1/2" I.D. Airless Spray Hose & Couplings.	9
3/4" I.D. Airless Spray Hose & Couplings.	10
1" I.D. Airless Spray Hose & Couplings	11
Optional Accessories	12-14
Swivel Couplings	12
Swivel Adaptor Unions	13
Filters	14
Maintenance Notes	15



PART NUMBERS AND SCHEMATICS GUIDE

		1/8" I.D. AIRLESS SPRAY HOSE - COUPLED					
Part Numbers		Working Pressure	Length (feet)	Braid Reinforcement Material	Hose Cover Color	Couplings	U.O.M.
	2000321	5,075 psi	25'	Steel	Yellow	Female x Female	One Each
	2000320	5,075 psi	50'	Steel	Yellow	Female x Female	One Each
	20EFPA12100FTFBE	5,075 psi	100'	Steel	Yellow	Female x Female	One Each

		1/8" I.D. AIRLESS SPRAY HOSE HEX NIPPLES		
Part Numbers		Thread Style	Working Pressure	U.O.M.
	20PFHA24SA0404	1/4" Male x 1/4" Male	6,000 psi	One Each
	2073122	1/4" Male x 1/4" Male	15,000 psi	One Each
	20PFHA24SA0604	1/4" Male x 3/8" Male	6,000 psi	One Each
	2073123	1/4" Male x 3/8" Male	10,000 psi	One Each


PART NUMBERS AND SCHEMATICS GUIDE

		3/16" I.D. AIRLESS SPRAY HOSE - COUPLED						
		Working Pressure	Length (feet)	Braid Reinforcement Material	Hose Cover Color	Couplings	U.O.M.	
	Part Numbers	2000310	5,075 psi	50'	Steel	Yellow	Female x Female	One Each
	20EFPA13100FTFBE	5,075 psi	100'	Steel	Yellow	Female x Female	One Each	



		3/16" I.D. AIRLESS SPRAY HOSE HEX NIPPLES		
		Thread Style	Working Pressure	U.O.M.
	20PFHA24SA0404	1/4" Male x 1/4" Male	6,000 psi	One Each
	2073122	1/4" Male x 1/4" Male	15,000 psi	One Each
	20PFHA24SA0604	1/4" Male x 3/8" Male	6,000 psi	One Each
	2073123	1/4" Male x 3/8" Male	10,000 psi	One Each

PART NUMBERS AND SCHEMATICS GUIDE


1/4" I.D. AIRLESS SPRAY HOSE WITH SPRING GUARD - COUPLED



	Part Numbers	Working Pressure	Length (feet)	Braid Reinforcement Material	Hose Cover Color	Couplings	U.O.M.
	2000006	3,625 psi	15'	Polyester	Blue	Female x Female	One Each
	2000003	3,625 psi	3'	Polyester	Blue	Female x Female	One Each
	2000002	3,625 psi	10'	Polyester	Blue	Female x Female	One Each
	2000001	3,625 psi	25'	Polyester	Blue	Female x Female	One Each
	2000000	3,625 psi	50'	Polyester	Blue	Female x Female	One Each

1/4" I.D. AIRLESS SPRAY HOSE HEX NIPPLES


	Part Numbers	Thread Style	Working Pressure	U.O.M.
	10100523	1/4" Male x 1/4" Male	6,000 psi	One Each
	2073122	1/4" Male x 1/4" Male	15,000 psi	One Each
	20PFHA24SA0604	1/4" Male x 3/8" Male	6,000 psi	One Each
	2073123	1/4" Male x 3/8" Male	10,000 psi	One Each




PART NUMBERS AND SCHEMATICS GUIDE

		1/4" I.D. AIRLESS SPRAY HOSE - COUPLED					
Part Numbers	Working Pressure	Length (feet)	Braid Reinforcement Material	Hose Cover Color	Couplings	U.O.M.	
	2000008	4,000 psi	100'	Nylon	Blue	Female x Male	One Each
	2000023	5,000 psi	3'	Steel	Black	Female x Female	One Each
	20EFPA146FTFBE	5,000 psi	6'	Steel	Black	Female x Female	One Each
	2000022	5,000 psi	10'	Steel	Black	Female x Female	One Each
	2000021	5,000 psi	25'	Steel	Black	Female x Female	One Each
	2000020	5,000 psi	50'	Steel	Black	Female x Female	One Each
	2000024	5,000 psi	100'	Steel	Black	Female x Female	One Each
	1071010	5,000 psi	60'	Steel	Black	Female x Female	One Each
	2000033	6,100 psi	3'	Steel/Polyester	Green	Female x Female	One Each
	2000034	6,100 psi	6'	Steel/Polyester	Green	Female x Female	One Each
	2000032	6,100 psi	10'	Steel/Polyester	Green	Female x Female	One Each
	2000031	6,100 psi	25'	Steel/Polyester	Green	Female x Female	One Each
	2000030	6,100 psi	50'	Steel/Polyester	Green	Female x Female	One Each
	2000035	6,100 psi	100'	Steel/Polyester	Green	Female x Female	One Each
	2000093	9,750 psi	3'	Aramid/Steel	Black	Female x Female	One Each
	2000094	9,750 psi	6'	Aramid/Steel	Black	Female x Female	One Each
	2000092	9,750 psi	10'	Aramid/Steel	Black	Female x Female	One Each
	2000091	9,750 psi	25'	Aramid/Steel	Black	Female x Female	One Each
	2000090	9,750 psi	50'	Aramid/Steel	Black	Female x Female	One Each
	2000095	9,750 psi	100'	Aramid/Steel	Black	Female x Female	One Each


		1/4" I.D. AIRLESS SPRAY HOSE HEX NIPPLES		
Part Numbers	Thread Style	Working Pressure	U.O.M.	
	20PFHA24SA0404	1/4" Male x 1/4" Male	6,000 psi	One Each
	2073122	1/4" Male x 1/4" Male	15,000 psi	One Each
	20PFHA24SA0604	1/4" Male x 3/8" Male	6,000 psi	One Each
	2073123	1/4" Male x 3/8" Male	10,000 psi	One Each



PART NUMBERS AND SCHEMATICS GUIDE

		3/8" I.D. AIRLESS SPRAY HOSE - COUPLED					
Part Numbers		Working Pressure	Length (feet)	Braid Reinforcement Material	Hose Cover Color	Couplings	U.O.M.
	2000043	3,500 psi	3'	Steel	Red	Female x Female	One Each
	2000042	3,500 psi	10'	Steel	Red	Female x Female	One Each
	2000041	3,500 psi	25'	Steel	Red	Female x Female	One Each
	2000040	3,500 psi	50'	Steel	Red	Female x Female	One Each
	2000007	3,500 psi	100'	Steel	Red	Female x Male	One Each
	2000053	5,800 psi	3'	Steel	Navy	Female x Female	One Each
	2000054	5,800 psi	6'	Steel	Navy	Female x Female	One Each
	2000052	5,800 psi	10'	Steel	Navy	Female x Female	One Each
	2000051	5,800 psi	25'	Steel	Navy	Female x Female	One Each
	2000050	5,800 psi	50'	Steel	Navy	Female x Female	One Each
	2000049	5,800 psi	100'	Steel	Navy	Female x Female	One Each
	2000113	8,000 psi	3'	Aramid/Steel	Red	Female x Female	One Each
	2000114	8,000 psi	6'	Aramid/Steel	Red	Female x Female	One Each
	2000112	8,000 psi	10'	Aramid/Steel	Red	Female x Female	One Each
	2000111	8,000 psi	25'	Aramid/Steel	Red	Female x Female	One Each
	2000110	8,000 psi	50'	Aramid/Steel	Red	Female x Female	One Each
2000115	8,000 psi	100'	Aramid/Steel	Red	Female x Female	One Each	


		3/8" I.D. AIRLESS SPRAY HOSE HEX NIPPLES		
Part Numbers		Thread Style	Working Pressure	U.O.M.
	20PFHA24SA0606	3/8" Male x 3/8" Male	7,200 psi	One Each
	2073133	3/8" Male x 3/8" Male	15,000 psi	One Each
	20PFHA24SA0604	1/4" Male x 3/8" Male	6,000 psi	One Each
	2073123	1/4" Male x 3/8" Male	10,000 psi	One Each
	20PFHA24SA0806	3/8" Male x 1/2" Male	6,000 psi	One Each




PART NUMBERS AND SCHEMATICS GUIDE

		1/2" I.D. AIRLESS SPRAY HOSE - COUPLED					
Part Numbers		Working Pressure	Length (feet)	Braid Reinforcement Material	Hose Cover Color	Couplings	U.O.M.
	2000199	5,000 psi	25'	Steel	Black	Female x Female	One Each
	20100347	5,000 psi	50'	Steel	Black	Female x Female	One Each
	20100350	5,000 psi	100'	Steel	Black	Female x Female	One Each
	2000335	7,250 psi	3'	Aramid/Steel	Black	Female x Female	One Each
	2000064	7,250 psi	6'	Aramid/Steel	Black	Female x Female	One Each
	20GH75010	7,250 psi	10'	Aramid/Steel	Black	Female x Female	One Each
	2000339	7,250 psi	25'	Aramid/Steel	Black	Female x Female	One Each
	20GH75025	7,250 psi	25'	Aramid/Steel	Black	Female x Female	One Each
	2000328	7,250 psi	50'	Aramid/Steel	Black	Female x Female	One Each
	20GH75050	7,250 psi	50'	Aramid/Steel	Black	Female x Female	One Each
	2000331	7,250 psi	100'	Aramid/Steel	Black	Female x Female	One Each
	20GH7501X	7,250 psi	100'	Aramid/Steel	Black	Female x Female	One Each


		1/2" I.D. AIRLESS SPRAY HOSE HEX NIPPLES		
Part Numbers		Thread Style	Working Pressure	U.O.M.
	20PFHA24SA0808	1/2" Male x 1/2" Male	6,000 psi	One Each
	20PFHA24SA0806	3/8" Male x 1/2" Male	6,000 psi	One Each
	2073134	3/8" Male x 1/2" Male	10,000 psi	One Each



PART NUMBERS AND SCHEMATICS GUIDE

		3/4" I.D. AIRLESS SPRAY HOSE - COUPLED					
Part Numbers		Working Pressure	Length (feet)	Braid Reinforcement Material	Hose Cover Color	Couplings	U.O.M.
	2000103	6,500 psi	3'	Aramid/Steel	Black	Male x Female	One Each
	2000106	6,500 psi	5'	Aramid/Steel	Black	Female x Female	One Each
	2000102	6,500 psi	10'	Aramid/Steel	Black	Male x Female	One Each
	2000101	6,500 psi	25'	Aramid/Steel	Black	Male x Female	One Each
	2000100	6,500 psi	50'	Aramid/Steel	Black	Male x Female	One Each





		3/4" I.D. AIRLESS SPRAY HOSE HEX NIPPLES		
Part Numbers		Thread Style	Working Pressure	U.O.M.
	20PFHA24SA1612	3/4" Male x 1" Male	4,500 psi	One Each
	20PFHA24SA1212	3/4" Male x 3/4" Male	5,500 psi	One Each
	20PFHA24SA1208	1/2" Male x 3/4" Male	5,500 psi	One Each

PART NUMBERS AND SCHEMATICS GUIDE






		1" I.D. AIRLESS SPRAY HOSE - COUPLED					
Part Numbers		Working Pressure	Length (feet)	Braid Reinforcement Material	Hose Cover Color	Couplings	U.O.M.
	2001100	4,750 psi	50'	Steel	Black	Female x Female	One Each

		1" I.D. AIRLESS SPRAY HOSE HEX NIPPLES		
Part Numbers		Thread Style	Working Pressure	U.O.M.
	20PFHA24SA1616	1" Male x 1" Male	4,500 psi	One Each
	20PFHA24SA1612	3/4" Male x 1" Male	4,500 psi	One Each


OPTIONAL ACCESSORIES


		SWIVEL COUPLINGS			
Part Numbers		Thread Style	Working Pressure	Seal Material	U.O.M.
	20G223341	1/4" Male x 1/4" Female	3,600 psi	Teflon	One Each
	20G223341B	1/4" Male x 1/4" Female	3,600 psi	Teflon	One Each
	20G239663	1/4" Male x 1/4" Female	3,600 psi	Leather	One Each
	20G236987	1/4" Male x 1/4" Female	7,400 psi	Teflon	One Each
	20G189018	1/4" Male x 1/4" Female	7,400 psi	Teflon	One Each
	20G239663B	1/4" Male x 1/4" Female	7,500 psi	Leather	One Each

OPTIONAL ACCESSORIES

SWIVEL ADAPTOR UNIONS				
	Part Numbers	Thread Style	Working Pressure	U.O.M.
	20G155570	1/4" Female x 1/4" Female	5,000 psi	One Each
	20G156823	1/4" Male x 1/4" Female	5,000 psi	One Each
	20G156823B	1/4" Male x 1/4" Female	5,000 psi	One Each
	20G157705	1/4" Male x 3/8" Female	5,000 psi	One Each
	20G157705B	1/4" Male x 3/8" Female	5,000 psi	One Each
	20G159153	3/8" Male x 1/4" Female	5,000 psi	One Each
	20G155665	3/8" Male x 3/8" Female	5,000 psi	One Each
	20G155665B	3/8" Male x 3/8" Female	7,500 psi	One Each

OPTIONAL ACCESSORIES

		INLINE FILTERS		
Part Numbers		Thread Style	Working Pressure	U.O.M.
	20G210500B	1/4" Male x 1/4" Female	3,000 psi	One Each
	20G210500	1/4" Male x 1/4" Female	6,125 psi	One Each

		TIP FILTERS	
Part Numbers		Mesh Size	U.O.M.
	20G205265B	60	One Each
	20G224454	60	5/Package
	20G224453	100	5/Package

CONTACT CENTER

- 3425 East Locust Street
Davenport, IA 52803

ph: 800.BLAST.IT (800.252.7848)
ph: 563.324.2519
fax: 563.324.6258

REGIONAL BRANCH OFFICES

- **Iowa**
Davenport
- **Louisiana**
Gonzales
Lafayette
- **Ohio**
Youngstown
- **Texas**
Beaumont
Corpus Christi
Deer Park



ABRASIVES
BLASTING
COATING
DUST COLLECTORS
ENGINEERED SYSTEMS
RENTAL
SAFETY
SERVICE, REPAIR, & MODERNIZATION
VACUUMS

40+ NATIONWIDE SHIPPING LOCATIONS



★ Marco Regional Branch Offices and Shipping Locations ● Direct Shipping Locations

CONTACT MARCO

800.BLAST.IT
(800.252.7848)
563.324.2519
FAX: 563.324.6258

WWW.MARCO.US
SALES@MARCO.US