

# **BLASTMASTER® 1600 CFM AIR DRYER**





# PART NUMBERS AND SCHEMATICS GUIDE

#### **Company Profile**

Since 1944, Marco has developed a strong tradition of providing innovative and reliable products and services to the surface preparation and protective coatings industries. We are the world's premier provider of Abrasives, Blasting, Coating, Dust Collectors, Engineered Systems, Rental, Safety, Service, Repair, & Modernization, and Vacuums.

Through innovative designs and a total commitment to quality, Marco manufactures products that increase production rates, create a safer workplace, and reduce maintenance costs. Marco's industry experience, manufacturing capabilities, legendary customer service, product availability, logistics services, and technology leadership is your assurance that we deliver high quality products and services, providing the best value to you, our customer.

#### The Marco Difference

- Industry Experience With Marco on your team, you have access to expertise which can only come from decades of industry leadership. We have organized our engineering department, production specialists, customer operations, and safety support into a "Center of Competence." As a Marco customer, you have access to hundreds of years of cumulative experience related to your operations.
- **Manufacturing Excellence** Marco is a U.S. based, ISO 9001:2008 certified manufacturer of equipment for the Surface Preparation and Protective Coatings industries. Marco's engineers benchmark the industry to ensure that we design and manufacture superior products that set the "Gold Standard" for performance, safety, and quality.
- Legendary Customer Service Marco's legendary customer service team is staffed by friendly, highly-trained individuals who are focused on providing the highest level of product support, order accuracy, and customer satisfaction.
- Product Availability We stock over 10,000 SKU's and have more than 45 shipping locations to serve North American and International markets for all major brands of blasting and coating equipment. As the largest provider of surface preparation and protective coatings equipment in the world, our inventory levels and product availability are unmatched.
- Logistics Services Marco's in-house logistics team is dedicated to moving your shipment anywhere in the world. We move more than 14,000 truckloads every year, allowing you to save on freight costs by leveraging our buying power. Lower your process costs with a single invoice, which includes product and freight.
- **Technology Leadership** Our website provides: Operator's Manuals, Part Numbers and Schematics Guides, SDS information, and Features & Specifications Guides, providing access to information 24/7. Our Extranet application allows you to receive quotes and place orders online. Our Intranet maintains a complete record of your purchase history to assist with ongoing support of your existing equipment and future purchasing decisions.

#### **Vision Statement**

Marco is the world's premier provider of Abrasives, Blasting, Coating, Dust Collectors, Engineered Systems, Rental, Safety, Service, Repair, & Modernization, and Vacuums.

#### **Mission Statement**

Marco provides strong leadership and innovation to the surface preparation and protective coatings industries. We dedicate our efforts to the continuous improvement of our products, services, processes, people, and most importantly, the quality of our customer's experience.

#### **Quality Statement**

Marco is committed to providing superior quality in the design, manufacturing, distribution, rental, service, and repair of our products. Our ISO 9001:2008 certification extends throughout all operations in all locations. Continuous improvement of our processes and supply chain Integration comprise the core of our business strategy for delivering exceptional quality and value in all Marco products and services.

#### Management Philosophy

We are a company dedicated to the success of every customer and associate. We discuss, debate, challenge, measure, and test our ideas. We will be boundless and limitless in our passion to improve. Through sound leadership and dedicated associates, we will ensure a long term, profitable future for Marco, our associates, customers, and suppliers.

#### TABLE OF CONTENTS

Company Profile 2
Table of Contents   3
Part Numbers
Specifications 5
Part Numbers & Schematics
Blastmaster <sup>®</sup> 1600 CFM Air Dryer—Pneumatic 6-7
Blastmaster <sup>®</sup> 1600 CFM Air Dryer—Electric8-9
Aftercooler Assembly—Pneumatic 10
Aftercooler Assembly—Electric 11
Transfer Hose Assembly
Inlet Filter Assembly 13
Air Regulator/Lubricator
Inspection Door Assembly 15
Outlet Filter
Desiccant Tablets and Spherical Tower Packing 17
Optional Accessories
Desiccant Tablets
Spherical Tower Packing 17
Airflow Shutoff Kits – Lug Fittings
Airflow Shutoff Kits – Hammerlock Fittings 18
Inlet/Outlet Bushing 19
Pipe Plugs 19
Lubrication

# PART NUMBERS

				В	LASTMASTER®	1600 CFM	AIR DRY	ĒR	
			Inlet		Outlet				
Part Numbers	Inlet Quantity	Inlet Size	Fittings	<b>Outlet Quantity</b>	Outlet Size	Fittings	Power Source	Filter, Regulator, and Lubricator	Electric Starter Box
10101670	1	3"	Not Included	5	(2) 3", (1) 1-1/4", (2) 1"	Not Included	Pneumatic	Included	Not Included
10101671	1	3"	Not Included	5	(2) 3", (1) 1-1/4", (2) 1"	Not Included	230-Volt AC	Not Included	Included

Dessicant tablets not included with Blastmaster® 1600 CFM Air Dryers


## **SPECIFICATIONS**

Lubrication: SAE 10 oil or Air Tool Anti-freeze Lubricant

Empty Weight: 1390 Pounds

Overall Dimensions: A: 91" B: 35"

C: 72"




Pneumatic model shown. Electric model has same dimensions.

# Blastmaster<sup>®</sup> 1600 CFM Air Dryer—Pneumatic

Item #	Part #	Description
Fig. 1		
—	10101670	Blastmaster <sup>®</sup> 1600 CFM Air Dryer – Pneumatic
1	10101033	950-1600 CFM Heat Exchanger Mounting Bracket ( <i>Two Required</i> )
2	10101943	1/2-13 x 1-1/2" Bolt Galvanized <i>(10 Required)</i>
3	10100674	1/2" Flat Washer Galvanized (16 Required)
4	10100675	1/2" Split Lock Washer Galvanized <i>(10 Required)</i>
5	10101941	1/2-13 Hex Nut Galvanized (10 Required)
6	10101166	Heat Exchanger Protective Grate
7	_	Aftercooler Core Assembly - Complete (See Fig.3)
8	10101059	3/8-16 x 1-1/4" Bolt Galvanized <i>(Four Required)</i>
9	10101942	3/8" Flat Washer Galvanized ( <i>Eight Required</i> )
10	10L805015	3/8" Lock Washer Galvanized (Four Required)
11	10101938	3/8-16 Hex Nut Galvanized (Four Required)
12	_	Transfer Hose Assembly (See Fig.5)
13	10101002	1/2" x 1" NPT Reducing Elbow
14	10AH100	1" I.D. Air Hose ( <i>Per Foot</i> )
15	1011902	1-1/4" NPT Plug
16	_	Inspection Door Assembly (See Fig.8)
17	10101688	2" NPT Sight Glass
18	1011801	1" NPT Street Elbow
19	10101064	1" x 12" NPT Pipe Nipple
20	1011601	1" NPT Full Port Ball Valve
21	10101800	Aftercooler Exhaust Muffler – 950 CFM–1600 CFM
22	1011812	1" Male x 1/2" Female Bushing
23	1012151	1" Galvanized Close Nipple
24	10SFE2	1" Female Swivel <i>(Two Required)</i>

ltem #	Part #	Description
25	10AHCL1	Band Clamp (Two Required)
26	_	Outlet Filter Assembly (See Fig.9)
27	10SAP1290	1/2" 90° Swivel <i>(Four</i> <i>Required)</i>
28	20100677	1/2" x 1/2" Nipple <i>(Two Required)</i>
29	10AH012	1/2" I.D. Air Hose ( <i>Per Foot</i> )
30	10L363	Ball Valve
31	10101034	3" NPT Galvanized Pipe Plug
32	10105890	Filter/Regulator/Lubricator with Pressure Gauge ( <i>See</i> <i>Fig.</i> 7)
33	10101170	Moisture Separator Brace
34		Inlet Filter Assembly (See Fig.6)
35	_	Desiccant Tablets - Not Included (See Fig.10)
36	10103922	Spherical Tower Packing (See Fig.10)
37	10101844	3" NPTM x 1" NPTF Bushing
38	10107495	1/2-13 x 1-5/8" Grade 8 Hex Bolt Zinc <i>(Four Required)</i>
39	10107496	1/2-13 Grade 8 Lock Nut Zinc (Four Required)
40	10104711	1/2" Grade 8 Flat Washer Zinc ( <i>Eight Required</i> )
41	10PAF050	1/2" Push-on Hose Fitting (Four Required)
42	10101024	Skid Weldment
43	10109052	U-Bolt (Two Required)
44	10101940	1/4" Flat Washer (12 Required)
45	10108281	Mounting Bracket
46	10105903	1/4-20 x 1-1/4" Hex Bolt (Four Required)
47	10101939	1/4-20 Stainless Steel Lock Nut with Nylon Insert ( <i>Four</i> <i>Required</i> )
48	1094538	1600 CFM Product Sticker
_	106M117	Part Numbers and Schematics Guide – Blastmaster <sup>®</sup> 1600 CFM Air Dryer
_	1090117	Operator's Manual – Blastmaster <sup>®</sup> 1600 CFM Air Dryer
—	1094045	Hazard Identification Tag
	1070517	Pneumatic Tool Oil — 32 oz.


# Figure 1: Blastmaster<sup>®</sup> 1600 CFM Air Dryer—Pneumatic




#### Blastmaster® 1600 CFM Air Dryer—Electric

Item #	Part #	Description	Item #	Part #	Description
Fig. 2	10101671	Blastmaster <sup>®</sup> 1600 CFM	24	_	Inlet Filter Assembly <i>(See Fig. 6)</i>
1	10101033	Air Dryer – Electric 950-1600 CFM Heat	25	_	Desiccant Tablets - Not Included (See Fig.10)
·		Exchanger Mounting Bracket <i>(Two Required)</i>	26	10103922	Spherical Tower Packing (See Fig.10)
2	10101943	1/2-13 x 1-1/2" Bolt Galvanized ( <i>Six Required</i> )	27	10101844	3" NPTM x 1" NPTF Bushing
3	10100674	1/2" Flat Washer Galvanized <i>(16 Required)</i>	28	10107495	1/2-13 x 1-5/8" Grade 8 Hex Bolt Zinc <i>(Four</i>
4	10100675	1/2" Split Lock Washer Galvanized <i>(10 Required)</i>	29	10107496	<i>Required)</i> 1/2-13 Grade 8 Lock Nut
5	10101941	1/2-13 Hex Nut Galvanized (Six Required)	30	10104711	Zinc <i>(Four Required)</i> 1/2" Grade 8 Flat Washer
6	10101166	Heat Exchanger Protective	30	10104711	Zinc (Eight Required)
-		Grate	31	20101197	3/4" NPT Cord Grip
7	—	1600 CFM Aftercooler Core	32	10103304	3/4" Flexible Conduit
0	10101050	Assembly - Complete (See Fig.4)	33	10103303	3/4" Conduit Hub <i>(Two Required)</i>
8	10101059	3/8-16 x 1-1/4" Bolt Galvanized ( <i>Six Required</i> )	34	1012154	1/4-20 x 1" Hex Bolt Zinc (Four Required)
9	10101942	3/8" Flat Washer Galvanized (12 Required)	35	1014017	1/4" Flat Washer Zinc <i>(Eight Required)</i>
10	10L805015	3/8" Lock Washer Galvanized <i>(Six Required)</i>	36	1012323	1/4"-20 Lock Nut Zinc (Four
11	10101938	3/8-16 Hex Nut Galvanized			Required)
		(Six Required)	37	10108830	Motor Starter Bracket
12	—	Transfer Hose Assembly (See Fig.5)	38	20100160	1/2-13 x 4-1/2" Bolt Galvanized ( <i>Four Required</i> )
13	10108792	Electric Motor Starter Box –	39	1094538	1600 CFM Product Sticker
14	1011902	Single Phase 1-1/4" NPT Plug	—	10108799	Thermal Unit - Full Load Current 23.2 - 27.1 Amps
15	—	Inspection Door Assembly (See Fig.8)	—	106M117	Part Numbers and Schematics Guide –
16	10101688	2" NPT Sight Glass			Blastmaster <sup>®</sup> 1600 CFM Air
17	1011801	1" NPT Street Elbow			Dryer
18	10101064	1" x 12" NPT Pipe Nipple	—	1090117	Operator's Manual –
19	1011601	1" NPT Full Port Ball Valve			Blastmaster <sup>®</sup> 1600 CFM Air Dryer
20	—	Outlet Filter Assembly (See Fig.9)	_	1091017	Hazard Identification Tag
21	20PFHA24ST08	1/2" NPT Pipe Plug			
22	10101034	3" NPT Galvanized Pipe Plug			
23	10101170	Moisture Separator Brace			

# Figure 2: Blastmaster® 1600 CFM Air Dryer—Electric




#### Figure 3: Aftercooler Assembly—Pneumatic




Item #	Part #	Description
Fig. 3		
—	10TTAHP16005	1600 CFM Aftercooler Core Assembly – Complete
1	10101804	Air Motor
2	10101808	Fan Guard
3	10101806	Fan Blades (Includes Blades and Hub)
4	10101807	Fan Bushing
5	1014172	Fan Shroud
6	10101803	Aftercooler Core
	1070517	Pneumatic Tool Oil - 32 oz.
-	10101805	Air Motor Service Kit (Includes: shaft seal, drive end bearing, dead end bearing, four vanes, four push pins, four vane springs, shim, end cap gasket, muffler cartridge, and muffler felt)

# Figure 4: Aftercooler Assembly—Electric




Item #	Part #	Description
Fig. 4		
—	10TTAHP16002	1600 CFM Aftercooler Core Assembly - Complete
1	10101809	Electric Motor – (115V/208-230V) – Single Phase
2	10101808	Fan Guard
3	10101806	Fan Blades (Includes Blades and Hub)
4	10101807	Fan Bushing
5	1014172	Fan Shroud
6	10101803	Aftercooler Core
_	1070517	Pneumatic Tool Oil - 32 oz.

#### Figure 5: Transfer Hose Assembly




Item #	Part #	Description
Fig. 5		
1	10101058	5/8-11 x 3" Grade 8 Bolt ( <i>Eight Required</i> )
2	10101060	5/8" Flat Washer (16 Required)
3	10101047	Flange Gasket <i>(Two Required)</i>
4	10103399	5/8" Grade 8 Split Lock Washer (Eight Required)
5	10103393	5/8-11 Grade 8 Hex Nut <i>(Eight Required)</i>
6	10101040	3" NPT Close Nipple
7	10101041	3" NPT Threaded Flange <i>(Three Required)</i>
8	10BU35	3" Boss Clamp <i>(Two Required)</i>
9	10101045	3" x 2-1/2' Steel Reinforced Air Hose ( <i>Per Foot</i> )
10	10101148	3" NPT Street Elbow (Two Required)
11	10101754	3" NPT Hose Stem (Two Required)

# Figure 6: Inlet Filter Assembly




Item #	Part #	Description
Fig. 6		
1	10101058	5/8-11 x 3" Grade 8 Bolt (Four Required)
2	10101060	5/8" Flat Washer ( <i>Eight Required</i> )
3	10101047	Flange Gasket
4	10101041	3" NPT Threaded Flange
5	10103399	5/8" Grade 8 Split Lock Washer (Four Required)
6	10103393	5/8-11 Grade 8 Hex Nut (Four Required)
7	10101040	3" NPT Close Nipple
8	1080050	1/4" NPT Full Port Ball Valve
9	1017019	1/4" NPT Hex Nipple
10	10101049	Inlet Moisture Separator
11	10101238	3" NPT Transport Plug

#### Figure 7: Air Filter/Regulator/Lubricator




Item #	Part #	Description
Fig. 7		
	10105890	Air Filter/Regulator/Lubricator with Pressure Gauge—Pneumatic—Complete
1	10105891	Filter/Regulator
2	10106432	Large O-ring - Lubricator
3	10105894	3/4" x 2" Pipe Nipple
4	10105895	Coupler with 3/4" x 1/2" Reducing Bushing (Two Required)
5	10106507	Lubricator Bowl
6	1028606	Pressure Gauge – 0-160 PSI 1/4" – Back Mount
	1070517	Pneumatic Tool Oil - 32 oz.
	10106504	Diaphragm Kit for Filter/Regulator
	10106505	Bowl, 0-Ring and Site Gauge Kit for Filter/Regulator
_	10106506	Cartridge Kit for Lubricator

# Figure 8: Inspection Door Assembly



Item #	Part #	Description
Fig. 8		
1	10106105	Air Dryer Inspection Door Assembly – Complete Includes Item #2
2	1006201	Inspection Door Gasket


#### Figure 9: Outlet Filter



Item #	Part #	Description
Fig. 9		
1	1011901	1" NPT Galvanized Square Head Pipe Plug (Two Required)
2	10101040	3" NPT Galvanized Close Nipple
3	10101041	3" NPT Threaded Flange
4	10101047	Flange Gasket
5	10103393	5/8-11 Grade 8 Hex Nut (Four Required)
6	10103399	5/8" Lock Washer <i>(Four Required)</i>
7	10101060	5/8" Flat Washer <i>(Eight Required)</i>
8	10101058	5/8-11 x 3" Grade 8 Hex Bolt (Four Required)
9	1080050	1/4" Ball Valve
10	1017019	1/4" Hex Nipple
11	10101686	Outlet Filter Body
12	10101238	3" NPT Transport Plug

# **OPTIONAL ACCESSORIES**

#### Figure 10: Desiccant Tablets and Spherical Tower Packing



Part	DESICCANT TABLETS			
Numbers	Package Weight	Packaging		
10V330311	50 pounds	Bag		
15V330313	50 pounds	Pail		
15V330203	506 pounds	Steel Drum		
15V330284	2000 pounds	Bulk Bag		

Van Air Systems Dry-O-Lite<sup>®</sup> – SDS – 108V116

Part	SPHERICAL TOWER PACKING	
Numbers	Unit of Measure	
10103922	1 Cubic Foot	

# **OPTIONAL ACCESSORIES**

	AIRFLOW SHUTOFF KITS - LUG FITTINGS			
Part Numbers	Pipe String I.D.	Close Nipple	Full Port Ball Valve	Coupling
10103731	1"	1012151	1011601	10ME2
10103732	1-1/4"	1011201 (Quantity of Two)	1011602	10ME3
10103733	1-1/2"	1014015 (Quantity of Two)	1011603	10ME4
10103734	2"	1001806 (Quantity of Two)	1011604	10ME5

	AIRFLOW SHUTOFF KITS – HAMMERLOCK FITTINGS			
Part Numbers	Pipe String I.D.	Close Nipple	Full Port Ball Valve	Coupling Spud
10103830	1"	10102151 (Quantity of Two)	1011601	10DXGB13
10103831	1-1/4"	1011201 (Quantity of Two)	1011602	10DXGB18
10103832	1-1/2"	1014015 (Quantity of Two)	1011603	10DXGB23
10103833	2"	1001806 (Quantity of Two)	1011604	10DXGB28
10103934	3"	10101040 (Quantity of Two)	1011608	10GB38

### **OPTIONAL ACCESSORIES**

Part	INLET/OUTLET BUSHING
Numbers	Size
10101183	Galvanized 3" MNPT x 2" FNPT Bushing

	Part	GALVANIZED SQUARE HEAD PIPE PLUGS
	Numbers	Size
	1011901	1"
٢	1011902	1-1/4"
	1011101	1-1/2"
	1011823	2"
	10101034	3"

Part Numbers	LUBRICATION
1070517	Pneumatic Air Tool Oil - 32 oz. bottle

#### **CONTACT CENTER**

 3425 East Locust Street Davenport, IA 52803

ph: 800.BLAST.IT (800.252.7848) ph: 563.324.2519 fax: 563.324.6258

#### REGIONALBRANCHOFFICES

- lowa Davenport
- Louisiana Gonzales Lafayette
- Ohio Youngstown
- Texas Beaumont Corpus Christi Deer Park



ABRASIVES BLASTING COATING DUST COLLECTORS ENGINEERED SYSTEMS RENTAL SAFETY SERVICE & REPAIR VACUUMS

#### 40+NATIONWIDESHIPPINGLOCATIONS



 Marco Regional Branch Offices and Shipping Locations • Direct Shipping Locations

#### **CONTACT MARCO**

800.BLAST.IT (800.252.7848) 563.324.2519 FAX: 563.324.6258

WWW.MARCO.US SALES@MARCO.US

*Marco*<sup>®</sup> and *Blastmaster*<sup>®</sup> are registered trademarks of Marco Group International Opco, LLC. All other brand names or marks are used for identification purposes and are trademarks of their respective owners.