

# SAFETY DATA SHEET

1. Identification

**Product identifier BROWN FUSED ALUMINUM OXIDE** 

Other means of identification

ALOCAL, ALOMAX, ALOTAB, AR, BT, BTM, BTCAL, MAXCAL, SFAR, SFCW, SFARHT, Synonyms

TB, TBM, SFARBF, BTBF

Recommended use Abrasives, Ceramics, Flooring, Surface Treatment and Refractory.

Recommended restrictions

Manufacturer/Importer/Supplier/Distributor information

ELFUSA GERAL DE ELETROFUSÃO LTDA **Company Identification** 

Julio Michelazzo, 501 - São João da Boa Vista, São Paulo - Brasil - ZIP CODE 13872-900

Telephone +55.19.3634.2300

Personal responsible for the SDS qualidade@elfusa.com.br Commercial comercial@elfusa.com.br Homepage www.elfusa.com.br Contact person Mr. Ruben Sinato **Emergency telephone** +55.11.99973.8421

E-mail ruben.sinato@grupocurimbaba.com.br

2. Hazard(s) identification

**Physical hazards** Not classified. Not classified. **Health hazards OSHA** defined hazards Not classified.

I ahel elements

**Hazard symbol** None. Signal word None.

**Hazard statement** The product does not meet the criteria for classification.

**Precautionary statement** 

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

**Storage** Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None

## 3. Composition/information on ingredients

**Substances** 

Chemical name		Common name and synonyms	CAS number	%
Aluminum oxide		-	1344-28-1	≥ 92
Impurities:SiO2+Fe2O3	+Na2O+CaO+MgO+TiO2	-	N/A	≤ 8
Composition comments	All concentrations are in	percent by weight unless ingredient is a	a gas. Gas concentration	ns are in percent

by volume. For more detailed chemical composition, refer to the certificate of analysis.

4. First-aid measures

Inhalation Move to fresh air. Get medical attention if any discomfort continues.

Skin contact Wash with soap and water. Get medical attention if irritation develops or persists. Eye contact Flush eyes thoroughly with water for at least 15 minutes. Get medical attention if

irritation develops or persists.

Ingestion Immediately rinse mouth and drink plenty of water. Get medical attention if irritation

develops and persists.

Most important symptoms/effects, acute

and delayed

Irritation of eyes and mucous membranes. Irritation of nose and throat.

1/6

Indication of immediate medical attention

and special treatment needed.

Treat symptomatically.

**General information** Get medical attention if any discomfort develops.

ALOCAL, ALOMAX, ALOTAB, AR, BT, BTM, BTCAL, MAXCAL, SFAR, SFCW, SFARHT, TB, TBM, SFARBF, BTBF FS-4120-018 Version #: 03 Revision date: 12-September-2017 Issue date: 10-January-2012



### 5. Fire-fighting measures

Suitable extinguishing media Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media No restrictions known.

Specific hazards arising from the chemical

Special protective equipment and

precautions for firefighters

General fire hazards

Firefighting equipment/instructions

None known.

Self-contained breathing apparatus, operated in positive pressure mode and full

protective clothing must be worn in case of fire.

Move containers from fire area if you can do it without risk.

The product is not flammable.

#### 6. Accidental release measures

Personal precautions, protective equipment

and emergency procedures

Methods and materials for containment and

cleaning up

Ensure adequate ventilation. Avoid inhalation of dust and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet.

Recover and recycle, if practical. Sweep up or vacuum up spillage and collect in suitable container for disposal. Do not vacuum clean unless vacuum cleaners are

equipped with HEPA filter.

Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

### 7. Handling and storage

**Environmental precautions** 

Precautions for safe handling

Provide adequate ventilation. Use work methods which minimize dust production. Avoid inhalation of dust and contact with skin and eyes. Wear appropriate personal protective equipment. Do not add wet alumina to electrolysis cells. Observe good

industrial hygiene practices.

Conditions for safe storage, including any

incompatibilities

Store in a dry place.

## 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)							
Material	Type	Value	Form				
Brown Fused Aluminum Oxide	PEL	5 mg/m3	Respirable fraction.				
		15 mg/m3	Total dust.				
US. ACGIH Threshold Limit Values							

Material	Туре	Value	Form
Brown Fused Aluminum Oxide	TWA	1 mg/m3	Respirable fraction.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

No exposure standards allocated

Appropriate engineering controls

Provide sufficient ventilation for operations causing dust formation. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure

Limit (OEL), suitable respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear goggles/face shield.

Skin protection

Hand protection Skin protection

**Others** Wear suitable protective clothing.

Respiratory protection In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory

Wear protective gloves. Suitable gloves can be recommended by the glove supplier.

equipment with particle filter. Seek advice from local supervisor.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Wash hands after handling. Routinely wash work clothing and protective equipment to remove General hygiene considerations

contaminants. Handle in accordance with good industrial hygiene and safety practice. Follow up

2/6

on any medical surveillance requirements.

### 9. Physical and chemical properties

**Appearance** 

**Physical state** Solid.

**Form** Powder and grains. Color Brown and gray Odor Odorless. Odor threshold Not available. Not applicable Melting point/freezing point 3704°F (2040°C)

ALOCAL, ALOMAX, ALOTAB, AR, BT, BTM, BTCAL, MAXCAL, SFAR, SFCW, SFARHT, TB, TBM, SFARBF, BTBF FS-4120-018 Version #: 03 Revision date: 12-September-2017 Issue date: 10-January-2012



Initial boiling point and boiling range Not available Flash point Not applicable **Evaporation rate** Not applicable Flammability (solid, gas) Non flammable

Upper/lower flammability or explosive limits

Flammability limit-lower (%) Not available Flammability limits-upper (%) Not available Explosive limit-lower (%) Not available Explosive limit-upper (%) Not available Vapor pressure Not applicable Vapor density Not applicable 3.97 at 20°C Relative density

Solubility

Solubility (water) Insoluble Partition coefficient (n-octanol/water) Not applicable **Auto-ignition temperature** Not applicable **Decomposition temperature** Not available **Viscosity** Not applicable

Other information

**Bulk density** Not Applicable Not Applicable **Explosive limit** Not explosive **Explosive properties** Not oxidizing **Oxidizing properties** Not available Percent volatile

## 10. Stability and reactivity

Reactivity The product is stable and non reactive under normal conditions of storage and

transport.

**Chemical stability** Stable at normal conditions.

Possibility of hazardous reactions Hazardous polymerization does not occur. Hazardous reactions do not occur.

Conditions to avoid Moisture. Contact with incompatible materials.

Incompatible materials None known

Hazardous decomposition products Decomposition of this product may yield metallic oxides.

### 11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system.

Skin contact Dust may irritate skin. Eye contact Dust may irritate the eyes.

Ingestion Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical

and toxicological characteristics Information on toxicological effects Irritation of eyes and mucous membranes. Irritation of nose and throat.

3/6

**Acute toxicity** Ingestion may cause irritation and malaise.

**Product Species Test Results** 

Brown Fused Aluminum Oxide

**Acute** Inhalation

LC50 Rat > 2.3 mg/l, 4 hours

Oral

LD50 Rat > 5000 mg/kg Components **Species Test Results** 

Aluminum oxide (CAS 1344-28-1)

Acute Inhalation

LC50 Rat 2.3 mg/l, 4 hours

Oral

LD50 > 5000 ma/ka

Skin corrosion/irritation May cause irritation through mechanical abrasion. Serious eye damage/eye irritation May cause irritation through mechanical abrasion.

ALOCAL, ALOMAX, ALOTAB, AR, BT, BTM, BTCAL, MAXCAL, SFAR, SFCW, SFARHT, TB, TBM, SFARBF, BTBF FS-4120-018 Version #: 03 Revision date: 12-September-2017 Issue date: 10-January-2012



Respiratory or skin sensitization

Respiratory sensitization Not classified.

Skin sensitization Not a skin sensitizer.

Germ cell mutagenicity

Test data conclusive but not sufficient for classification.

Carcinogenicity

Test data conclusive but not sufficient for classification.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity

Test data conclusive but not sufficient for classification.

Specific target organ toxicity-single exposure

Specific target organ toxicity-repeated

Test data conclusive but not sufficient for classification.

Test data conclusive but not sufficient for classification.

exposure

Aspiration hazard Not classified.

Further information Prolonged and repeated overexposure to dust can lead to pneumoconiosis.

12. Ecological information

**Ecotoxicity**The product is not expected to be hazardous to the environment.

Product Species Test Results

Brown Fused Aluminum Oxide

**Aquatic** 

Algae EC50 Green algae (Selenastrum capricornutum) > 100 mg/l 72 hours

Crustacea EC50 Daphnia magna > 100 mg/l, 48 hours

Fish LC50 Salmo trutta > 100 mg/l, 96 hours

Persistence and degradability The product is not biodegradable.

Bioaccumulative potential The product is not bioaccumulating.

Mobility in soil Aluminum oxide is not mobile in the environment, unless it comes into contact with a

n aqueous environment with a pH below 5.5 or above 8.5.

**Mobility in general** The product is insoluble in water.

Other adverse effects Not expected to be harmful to aquatic organisms.

13. Disposal considerations

**Disposal instructions** Dispose in accordance with all applicable regulations.

Hazardous waste code Not regulated.

Waste from residues / unsed products

Contaminated packaging

ducts Recover and recycle, if practical. Dispose of in accordance with local regulations.

Offer rinsed packaging material to local recycling facilities. Dispose of in accordance

4/6

with local regulations.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available.

15. Regulatory information

**US** federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

ALOCAL, ALOMAX, ALOTAB, AR, BT, BTM, BTCAL, MAXCAL, SFAR, SFCW, SFARHT, TB, TBM, SFARBF, BTBF FS-4120-018 Version #: 03 Revision date: 12-September-2017 Issue date: 10-January-2012



Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical - Yes

SARA 313 (TRI reporting)

Chemical name CAS number % by wt. Aluminum oxide 1344-28-1  $\geq 92$ 

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

US state regulations

**US. Massachusetts RTK - Substance List** 

Aluminum oxide (CAS 1344-28-1)

US. New Jersey Worker and Community Right-to-Know Act

Aluminum oxide (CAS 1344-28-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Aluminum oxide (CAS 1344-28-1)

**US. Rhode Island RTK** 

Aluminum oxide (CAS 1344-28-1)

**US. California Proposition 65** 

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country (s).

5/6

#### 16. Other information, including date of preparation or last revision

Issue date10-January-2012Revision date12-September-2017

Version 3

ALOCAL, ALOMAX, ALOTAB, AR, BT, BTM, BTCAL, MAXCAL, SFAR, SFCW, SFARHT, TB, TBM, SFARBF, BTBF FS-4120-018 Version #: 03 Revision date: 12-September-2017 Issue date: 10-January-2012



Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available.

NFPA ratings

100

HMIS ratings Health = 1 Flammability = 0 Physical Hazard = 0

References

**List of Abbreviations** 

IUCLID Chemical safety report.

LD50: Lethal Dose, 50% LC50:Letral Concentration, 50%.

ALOCAL, ALOMAX, ALOTAB, AR, BT, BTM, BTCAL, MAXCAL, SFAR, SFCW, SFARHT, TB, TBM, SFARBF, BTBF FS-4120-018 Version #: 03 Revision date: 12-September-2017 Issue date: 10-January-2012