

Page: 1/10

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 21 July 2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Corr-Ze™ 100

· Other means of identification: No other identifiers

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the mixture:

Surface cleaning

Corrosion inhibitors

· Uses advised against: No further relevant information available.

· 1.3 Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Corrosion Innovations, LLC

4020 Strawberry Road

Pasadena, Texas 77504

Phone: (713) 625-7531

Email: jim@corrinnovations.com Website: www.corrinnovations.com

· 1.4 Emergency telephone number:

ChemTel

(800)255-3924 (North America)

+1 (813)248-0585 (International)

#### SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

#### 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the Globally Harmonized System within the United States.

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





**GHS05 GHS07** 

- · Signal word Danger
- · Hazard-determining components of labelling:

2-dimethylaminoethanol

· Hazard statements

(Cont'd. on page 2)





#### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 21 July 2020

Trade name: Corr-Ze™ 100

(Cont'd. from page 1)

H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

· Precautionary statements

P261 Avoid breathing mist/vapours/spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves / eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310 P332+P313 If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. P362+P364 P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards There are no other hazards not otherwise classified that have been identified.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### · Components:

CAS: 108-01-0 EINECS: 203-542-8

Index number: 603-047-00-0

Reg.nr.: 01-2119492298-24-XXXX

2-dimethylaminoethanol

Flam. Lig. 3, H226

Acute Tox. 3, H331

Skin Corr. 1B, H314; Eye Dam. 1, H318

Acute Tox. 4, H302; Acute Tox. 4, H312; STOT SE 3, H335

· Additional information: For the wording of the listed Hazard Statements refer to section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

(Cont'd. on page 3)

10-25%



Page: 3/10

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 21 July 2020

Trade name: Corr-Ze™ 100

(Cont'd. from page 2)

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Headache

Coughing

Irritating to respiratory system and skin.

Irritating to eyes.

Nausea

Gastric or intestinal disorders when ingested.

· Hazards:

Causes serious eye damage.

Danger of disturbed cardiac rhythm.

4.3 Indication of any immediate medical attention and special treatment needed

Medical supervision for at least 48 hours.

Monitor circulation.

If necessary oxygen respiration treatment.

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.
- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

- **6.2 Environmental precautions** Avoid release to the environment.
- · 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Cont'd. on page 4)





#### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 21 July 2020

Trade name: Corr-Ze™ 100

(Cont'd. from page 3)

#### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Use personal protective equipment as required.

Avoid contact with the eyes and skin.

Avoid breathing mist/vapours/spray.

#### · 7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Use only receptacles specifically permitted for this substance/product.

Do not allow product to freeze.

Store in cool, dry conditions in well sealed receptacles.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with acids.

· 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:			
108-01-0 2-dimethylaminoethanol			
EV (Canada)	Short-term value: 22 mg/m³, 6 ppm Long-term value: 11 mg/m³, 3 ppm		
WEL (Great Britain)	Short-term value: 22 mg/m³, 6 ppm Long-term value: 7,4 mg/m³, 2 ppm		

- · DNELs: No further relevant information available.
- · PNECs: No further relevant information available.

#### 8.2 Exposure controls

#### · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

#### · Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



(Cont'd. on page 5)





#### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 21 July 2020

Trade name: Corr-Ze™ 100

(Cont'd. from page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment:

No further relevant information available.

· Risk management measures: No further relevant information available.

SECTION 9: Physical and che	emical properties			
9.1 Information on basic physical and chemical properties				
· Appearance				
Form:	Liquid			
Colour: · Odour:	Clear Amine-like			
· Odour threshold:	Not determined.			
· pH-value:	~11.9			
· Melting point/freezing point:	5 °C (41 °F)			
Initial boiling point and boiling rang				
· Flash point:	None to boil.			
· Flammability (solid, gas):	Not applicable.			
· Auto/Self-ignition temperature:	>235 °C (>455 °F)			
Decomposition temperature:	Not determined.			
· Explosive properties:	Product does not present an explosion hazard.			
· Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
Oxidising properties	Non-oxidising.			
· Vapour pressure at 20 °C (68 °F):	15 - 20 mmHg			
· Density:				
Relative density:	~1			
Vapour density:	> 1 (Air = 1)			
Evaporation rate:	Not determined.			
Solubility in / Miscibility with				
water:	Fully miscible.			
Partition coefficient: n-octanol/water	er: Not determined.			
· Viscosity				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
		(Cont'd. on page		





#### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 21 July 2020

Trade name: Corr-Ze™ 100

(Cont'd. from page 5)

9.2 Other information

No further relevant information available.

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Exothermic reaction with acids.

Reacts with oxidising agents.

- · 10.4 Conditions to avoid Excessive heat.
- 10.5 Incompatible materials

Strong acids.

Oxidising agents

· 10.6 Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

Nitrogen oxides

Irritant gases/vapours

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:
400.04.0.0 !! (1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.

# 108-01-0 2-dimethylaminoethanol Oral LD50 1182 mg/kg (rat) 1220 mg/kg (rat, female)

Dermal LD50 1370 mg/kg (rabbit) Inhalative LC50/4h 3,25 mg/l (mouse)

- · Primary irritant effect
- · Skin corrosion/irritation:

Causes skin irritation.

· Serious eye damage/irritation:

Causes serious eye damage.

- · Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- Carcinogenic categories
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Probable routes of exposure:

Ingestion.

Inhalation.

Eye contact.

(Cont'd. on page 7)



according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 21 July 2020

Page: 7/10

Trade name: Corr-Ze™ 100

(Cont'd. from page 6)

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure:

May cause respiratory irritation.

- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: Generally not hazardous for water.
- · 12.2 Persistence and degradability Biodegradable
- · 12.3 Bioaccumulative potential Does not accumulate in organisms.
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · **Remark:** After neutralisation, toxicitity cannot be recognised any longer.
- · Additional ecological information:
- · General notes:

Independent environmental testing of this product has been performed to evaluate the environmental impact of product runoff. When thoroughly diluted with water, the environmental impact of product runoff is expected to be minimal.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of larger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

#### **SECTION 14: Transport information**

- · 14.1 UN-Number
- · DOT, ADR/RID/ADN, IMDG, IATA

Not Regulated

(Cont'd. on page 8)





according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 21 July 2020

Trade name: Corr-Ze™ 100

		(Cont'd. from page 7
· 14.2 UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA	Not Regulated	
· 14.3 Transport hazard class(es)		
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not Regulated	
· 14.4 Packing group · DOT, ADR/RID/ADN, IMDG, IATA	Not Regulated	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Aniof Marpol and the IBC Code	nex II  Not applicable.	

#### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed or exempt.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

(Cont'd. on page 9)



Page: 9/10

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Trade name: Corr-Ze™ 100

(Cont'd. from page 8)

Revision: 21 July 2020

· Canadian Domestic Substances List (DSL)

All ingredients are listed or exempt.

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - oral - Category 4

Acute Tox. 3: Acute toxicity - inhalation - Category 3 Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

(Cont'd. on page 10)





# Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 21 July 2020

Trade name: Corr-Ze™ 100

(Cont'd. from page 9)

SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com