

DUST COLLECTOR FILTER CARTRIDGES







PART NUMBERS AND SCHEMATICS GUIDE

Company Profile

Since 1944, Marco has developed a strong tradition of providing innovative and reliable products and services to the surface preparation and protective coatings industries. We are the world's premier provider of Abrasives, Blasting Equipment, Coating Equipment, Engineered Systems, Rental Equipment, Safety Equipment, Service, and Repair.

Through innovative designs and a total commitment to quality, Marco manufactures products that increase production rates, create a safer workplace, and reduce maintenance costs. Marco's industry experience, manufacturing capabilities, legendary customer service, product availability, logistics services, and technology leadership is your assurance that we deliver high quality products and services, providing the best value to you, our customer.

The Marco Difference

- Industry Experience With Marco on your team, you have access to expertise which can only come from decades of industry leadership. We have organized our engineering department, production specialists, customer operations, and safety support into a "Center of Competence." As a Marco customer, you have access to hundreds of years of cumulative experience related to your operations.
- Manufacturing Excellence Marco is a U.S. based, ISO 9001:2008 certified manufacturer of equipment for the Surface Preparation and Protective Coatings industries. Marco's engineers benchmark the industry to ensure that we design and manufacture superior products that set the "Gold Standard" for performance, safety, and quality.
- Legendary Customer Service Marco's legendary customer service team is staffed by friendly, highly-trained individuals who are focused on providing the highest level of product support, order accuracy, and customer satisfaction.
- Product Availability We stock over 10,000 SKU's and have over 45 shipping locations to serve North American
 and International markets for all major brands of blasting and painting equipment. As the largest provider of surface
 preparation and protective coatings equipment in the world, our inventory levels and product availability are
 unmatched.
- Logistics Services Marco's in-house logistics team is dedicated to moving your shipment anywhere in the world. We move over 14,000 truckloads every year, allowing you to save on freight costs by leveraging our buying power. Lower your process costs with a single invoice, which includes product and freight.
- Technology Leadership Our website provides: Operator's Manuals, Part Numbers and Schematics Guides,
 MSDS information, and Features, Advantages, and Benefits Guides, providing access to information 24/7. Our
 Extranet application allows you to receive quotes and place orders online. Our Intranet maintains a complete record
 of your purchase history to assist with ongoing support of your existing equipment and future purchasing decisions.

Vision Statement

Marco is the world's premier provider of Abrasives, Blasting Equipment, Coating Equipment, Engineered Systems, Rental Equipment, Safety Equipment, Service, and Repair.

Mission Statement

Marco provides strong leadership and innovation to the surface preparation and protective coatings industries We dedicate our efforts to the continuous improvement of our products, services, processes, people, and most importantly, the quality of our customer's experience.

Quality Statement

Marco is committed to providing superior quality in the design, manufacturing, distribution, rental, service, and repair of our products. Our ISO 9001:2008 certification extends throughout all operations in all locations. Continuous improvement of our processes and supply chain Integration comprise the core of our business strategy for delivering exceptional quality and value in all Marco products and services.

Management Philosophy

We are a company dedicated to the success of every customer and associate. We discuss, debate, challenge, measure, and test our ideas. We will be boundless and limitless in our passion to improve. Through sound leadership and dedicated associates, we will ensure a long term, profitable future for Marco, our associates, customers, and suppliers.

TABLE OF CONTENTS

| Company Profile | 2 |
|--|---|
| Table of Contents | 3 |
| Dust Collector Filter Cartridges4- | 9 |
| Filter Cartridge Styles | 4 |
| Customer Product Profile | Ę |
| Open Top/Open Bottom Part Numbers | 6 |
| Open Top/Closed Bottom Part Numbers | 7 |
| Open Top with Flange/Closed Bottom Part Numbers. | 8 |
| Polymax Filter Part Numbers | 8 |
| Filter Retreival Kit | ć |
| Optional Accessories | 0 |
| Maintananaa Natas | 4 |

DUST COLLECTOR FILTER CARTRIDGE STYLES

Open Top/Bottom



Closed Top/Bottom



Closed with Bolt Hole Top/Bottom



Open with Bolt Holes Top



Round Flanged Top/Bottom



Rectangle Flanged Top/Bottom



CUSTOMER PRODUCT PROFILE

Please complete the form below so we can better serve your needs and fax it back to your Account Manager at 563.324.6258.

| Name: | |
|---|--|
| Company: | |
| Phone: () | |
| | |
| FILTER END CA | AP ORIENTATION |
| End Cap Description | |
| ☐ Open x Open ☐ Open x Closed ☐ Open Flanged x Closed Flange Size ☐ Height (thickness) ☐ Width ☐ Length | Is there a Bolt Hole? (Closed Only) ☐ Yes ☐ Size: ☐ No |
| FILTER DIMENSIONS 8 | GASKET INFORMATION |
| Filter Inside Diameter □ 8.375" □ 9.5" □ Other | Filter Outside Diameter ☐ 7.875" ☐ 12.75" ☐ 14" ☐ Other |
| Gasket Quantity & Location | Gasket Dimensions – Width x Height |
| Top Bottom Under Flange | ☐ .375" x .5" ☐ .5" x .5" ☐ .375" x 1" ☐ Other |
| Total Height – End Cap to End Cap | Distance from I.D. of End Cap to I.D. of Gasket |
| Not Including Gaskets 26" 30" 36" Other Projected Quantity Per Year | FILTER MEDIA TYPE Media |
| Projected Quantity Purchase at One Time | ☐ Other |

OPEN TOP/OPEN BOTTOM STYLE FILTER CARTRIDGES

| | OPEN TOP/OPEN BOTTOM | | | | | | | | | | | |
|----------|---------------------------------------|----------|----------------|------|--------|--------|--------|-------------|---------------|------------|---------------|------------------|
| | Filter Material | | | | | | | | | | | |
| Numbers | 85% Cellulose/ 15% Polyester Blend | Spunbond | Fire Retardant | НЕРА | Height | I.D. | O.D. | # of Pleats | Bottom Gasket | Top Gasket | Cartridge Top | Cartridge Bottom |
| 10102035 | Х | | | | 25.25" | 9.5" | 13.9" | 354 | X | | Open | Open |
| 10102026 | Х | | | | 26" | 8.375" | 12.75" | 315 | Х | | Open | Open |
| 10102036 | Х | | | | 26" | 9.5" | 13.9" | 354 | Х | | Open | Open |
| 10102037 | Х | | | | 27" | 9.5" | 13.9" | 354 | Х | | Open | Open |
| 10102221 | Х | | | | 28" | 9.75" | 15" | 390 | Х | | Open | Open |
| 10102141 | Х | | | | 30" | 8.375" | 12.75" | 315 | Х | | Open | Open |
| 10102093 | Х | | | | 30" | 9.5" | 13.9" | 354 | Х | | Open | Open |
| 10102245 | | Х | | | 26" | 8.375" | 12.75" | 315 | Х | | Open | Open |
| 10103939 | | Χ | | | 26" | 9.5" | 13.9" | 170 | Х | | Open | Open |
| 10102346 | | X | | | 28" | 9.5" | 13.9" | 170 | Х | | Open | Open |
| 10102347 | | Χ | | | 28" | 9.5" | 13.9" | 170 | Х | X | Open | Open |
| 10102377 | | X | | | 28" | 9.5" | 13.9" | 170 | Х | | Open | Open |
| 10102378 | | Χ | | | 28" | 9.5" | 13.9" | 170 | Х | X | Open | Open |
| 10103301 | | | Х | | 25.25" | 9.5" | 13.90" | 354 | _ | | Open | Open |
| 10102552 | | | Χ | | 26" | 8.375" | 12.75" | 315 | | | | |
| 10101991 | | | Χ | | 26" | 9.5" | 13.9" | 354 | Х | | Open | Open |
| 10102034 | | | Х | | 26" | 9.5" | 13.9" | 354 | Х | | Open | Open |
| 10102092 | | | Χ | | 26" | 9.5" | 13.9" | 354 | Х | | Open | Open |
| 10102000 | | | Χ | | 28" | 9.5" | 13.9" | 354 | X | | Open | Open |

OPEN TOP/CLOSED BOTTOM STYLE FILTER CARTRIDGES

| | OPEN TOP/CLOSED BOTTOM | | | | | | | | | | | |
|-----------------|---------------------------------------|----------|----------------|------|--------|--------|--------|-------------|-----------|---------------|------------------|---------------|
| | Filter Material | | | | | | | | | | | |
| Part Numbers | 85% Cellulose/ 15% Polyester Blend | Spunbond | Fire Retardant | НЕРА | Height | I.D. | O.D. | # of Pleats | Bolt Hole | Cartridge Top | Cartridge Bottom | Bottom Gasket |
| 10102027 | Х | | | | 26" | 8.375" | 12.75" | 315 | .54" | Open | Closed | Х |
| 10102117 | Х | | | | 26" | 9.5" | 13.9" | 354 | _ | Open | Closed | Х |
| 10102119 | Х | | | | 26" | 9.5" | 13.9" | 354 | .54" | Open | Closed | X |
| 10102340 | X | | | | 27" | 9.50" | 13.90" | 354 | .54" | Open | Closed | X |
| 10103598 | X | | | | 30" | | | 315 | | | | |
| 10102230 | Χ | | | | 30" | 8.375" | 12.75" | 315 | .54" | Open | Closed | X |
| 10102238 | Х | | | | 36" | 8.375" | 12.75" | 315 | .875" | Open | Closed | X |
| 10102239 | Χ | | | | 36" | 8.375" | 12.75" | 315 | .75" | Open | Closed | X |
| 10102559 | Х | | | | 36" | 8.375" | 12.75" | 315 | .50" | Open | Closed | X |
| 10103295 | X | | | | 36" | 8.375" | 12.75" | 315 | .54" | Open | Closed | X |
| 10102244 | | Χ | | | 26" | 8.375" | 12.75" | 315 | .54" | Open | Closed | X |
| 10102382 | | Χ | | | 48" | 8.375" | 12.75" | 153 | .54" | Open | Closed | X |
| 10102253 | | | X | | 36" | 8.375" | 12.75" | 315 | .54" | Open | Closed | X |

OPEN TOP WITH FLANGE/CLOSED BOTTOM STYLE FILTER CARTRIDGES

| | OPEN TOP WITH FLANGE/CLOSED BOTTOM | | | | | | | | | | | | |
|------------|---------------------------------------|----------|----------------|------|--------|----------|--------|-------------|-------|--------------|------------------|---------------|------------------------------|
| | F | ilter N | /lateria | ıl | | | | | | | | | |
| Part | 85% Cellulose/ 15% Polyester Blend | Spunbond | Fire Retardant | A | jht | | | # of Pleats | n Top | Bolt Hole(s) | Cartridge Bottom | Bottom Gasket | Gasket Location on Flange |
| Numbers | 85% 15% | Spu | Fire | НЕРА | Height | <u>.</u> | O.D | # of | Open | Bolt | Carl | Boti | Gas on F |
| 10102028 | Х | | | | 26" | 8.375" | 12.75" | 315 | Х | | Closed | Х | Bottom |
| 10105828 | Х | | | | 26" | 8.38" | 12.75" | 315 | Х | | Closed | Х | Bottom |
| 10102334 | Х | | | | 26" | 8.375" | 12.75" | 315 | Х | | Closed | Х | Тор |
| 10104374 | Х | | | | 26" | 8.38" | 12.75" | 315 | Х | | Closed | Х | Тор |
| 10104581 | Х | | | | 26" | 8.38" | 12.75" | 315 | Х | | Closed | Х | Bottom |
| 10105098 | Х | | | | 26" | 8.38" | 12.75" | 315 | Х | | Closed | Х | Тор |
| 10106855 | X | | | | 26" | 8.38" | 12.75" | 315 | Χ | .50" | Closed | Х | Bottom |
| 10103857 | Х | | | | 26" | 8.38" | 12.75" | | Х | .54" | Closed | Х | Тор |
| 10102242 | Х | | | | 30" | 8.375" | 12.75" | 315 | Х | | Closed | Х | Bottom |
| 10105561 | Х | | | | 30" | 8.38" | 12.75" | 315 | Х | | Closed | Х | Bottom |
| 10102033 | Х | | | | 30" | 8.38" | 12.75" | 315 | Χ | .50" | Closed | Х | Bottom |
| 10102031 | X | | | | 34" | 8.375" | 12.75" | 315 | Х | | Closed | X | Тор |
| 10105973 | Х | | | | 35" | 4.87" | 9.22" | 205 | Χ | | Closed | Х | Bottom |
| 10103499 | X | | | | 35" | 8.38" | 12.75" | 315 | Х | | Closed | X | Bottom |
| 10106218 | X | | | | 35" | 4.87 | 9.22" | 158 | Χ | | Closed | Х | Bottom |
| 10105256 | Х | | | | 35" | 8.38" | 12.75" | 240 | Х | | Closed | Х | Bottom |
| 1010002304 | Х | | | | 36" | 8.38 | 12.75" | | Х | .54" | Closed | Х | Тор |
| 10102310 | X | | | | 36" | 3.5" | 7.875" | 115 | Х | | Closed | Х | Тор |
| 10102021 | Х | | | | 36" | 4.375" | 9.22" | 210 | Х | | Closed | _ | _ |
| 10102032 | X | | | | 36" | 8.375" | 12.75" | 315 | Х | | Closed | Х | Тор |
| 10102029 | Х | | | | 36" | 8.375" | 12.75" | 315 | Х | | Closed | Х | Bottom |
| 10102030 | Х | | | | 36" | 8.375" | 12.75" | 315 | Х | | Closed | Х | Тор |
| 10102559 | Х | | | | 36" | 8.38" | 12.75" | 315 | Х | | Closed | Х | Bottom |
| 10102475 | X | | | | 39" | 10.60" | 15.10" | 360 | Х | | Closed | Х | Тор |
| 10102091 | X | | | | 52" | 8.375" | 12.75" | 315 | Х | | Closed | Х | Тор |
| 10102236 | X | | | | 52" | 8.375" | 12.75" | 315 | X | | Closed | X | Тор |

Continued Next Page

OPEN TOP WITH FLANGE/CLOSED BOTTOM STYLE FILTER CARTRIDGES

| | | | O | PEN ' | TOP W | ITH FL | .ANGE | /CLOS | ED B | OTTO | OM CON'T | - | |
|-----------------|---------------------------------------|----------|----------------|-------|--------|--------|--------|-------------|----------|--------------|------------------|---------------|------------------------------|
| | Filter Material | | | | | | | | | | | | |
| Part Numbers | 85% Cellulose/ 15% Polyester Blend | Spunbond | Fire Retardant | НЕРА | Height | I.D. | O.D. | # of Pleats | Open Top | Bolt Hole(s) | Cartridge Bottom | Bottom Gasket | Gasket Location on Flange |
| 10105733 | | Χ | | | 26" | 8.375" | 12.75" | 205 | X | | Closed | Χ | Bottom |
| 10107390 | | Χ | | | 26" | 8.38" | 12.75" | 205 | Х | | Closed | Х | Тор |
| 10105563 | | Χ | | | 30" | 8.38" | 12.75" | 205 | X | | Closed | Х | Bottom |
| 10105980 | | Χ | | | 35" | 4.87" | 9.22" | 100 | Х | | Closed | Χ | Bottom |
| 10103964 | | Χ | | | 35" | 8.38" | 12.75" | 205 | Х | | Closed | Х | Bottom |
| 10102237 | | Χ | | | 36" | 8.375" | 12.75" | 315 | Х | | Closed | Х | Тор |
| 10102389 | | Χ | | | 36" | 3.5" | 7.875" | 54 | Х | | Closed | Х | Тор |
| 10105732 | | | Х | | 26" | 8.375" | 12.75" | | Х | | Closed | Х | Bottom |
| 10105974 | | | Х | | 35" | 4.87" | 9.22" | | Х | | Closed | Х | Bottom |
| 10105562 | | | Х | | 35" | 8.38" | 12.75" | | Х | | Closed | Х | Bottom |
| 10103945 | | | Х | | 35" | 8.38" | 12.75" | | Х | | Closed | Х | Bottom |
| 1010007893 | | | | Х | 26" | 8.38" | 12.75" | | Х | | Closed | Х | Bottom |
| 1010005946 | | | | Χ | 30" | 4.87 | 9.22" | | Х | | Closed | Χ | Bottom |
| 1010008004 | | | | Х | 35" | 8.38" | 12.75" | | Х | | Closed | Х | Bottom |
| 101569046 | | | | Х | 35" | 4.87 | 9.22" | | Х | | Closed | Χ | Bottom |

| OPEN TOP WITH FLANGE/CLOSED BOTTOM – POLYMAX | | | | | | | | |
|--|--------------------|--------|-------|----------|---------------------|------------------|--|--|
| | Filter Material | | | | | | | |
| | Polymax | Height | O.D. | Open Top | Cartridge Bottom | Bottom Gasket | | |
| 10102787 | Х | 42.75" | 7.25" | X | Closed | Х | | |
| 10102788 | Х | 36" | 7.25" | Х | Closed | Х | | |

OPTIONAL ACCESSORIES

| Part | DUST COLLECTOR FILTER CARTIRDGE RETRIEVAL KIT | | | | | | | | |
|----------|---|----------|--|--|--|--|--|--|--|
| Numbers | Description | U.O.M. | | | | | | | |
| 10102534 | Dust Collector Filter Cartridges Retrieval Kit (Includes box and clear polyester bag for returning filter cartridges) | One Each | | | | | | | |

MAINTENANCE NOTES

| DATE | TYPE OF SERVICE | PART NUMBER |
|------|-----------------|-------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | · - |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | - |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

CONTACT CENTER

 3425 East Locust Street Davenport, IA 52803

ph: 800.BLAST.IT (800.252.7848)

ph: 563.324.2519 fax: 563.324.6258

REGIONAL BRANCH OFFICES

lowa

Davenport

Louisiana

Gonzales Lafayette

• Ohio

Youngstown

Texas

Beaumont Corpus Christi Deer Park

Marco

ABRASIVES

BLASTING

COATING

DUST COLLECTORS

RENTAL

SAFETY

SERVICE, REPAIR, & MODERNIZATION VACUUMS

40+ NATIONWIDE SHIPPING LOCATIONS



★ Marco Regional Branch Offices and Shipping Locations

Direct Shipping Locations

CONTACT MARCO

800.BLAST.IT (800.252.7848) 563.324.2519

FAX: 563.324.6258

WWW.MARCO.US SALES@MARCO.US