



ECOQUIP 2™ VAPOR ABRASIVE® BLASTERS



PART NUMBERS AND SCHEMATICS GUIDE

Company Profile

Since 1944, Marco has developed a strong tradition of providing innovative and reliable products and services to the surface preparation and protective coatings industries. We are the world's premier provider of Abrasives, Blasting, Coating, Dust Collectors, Engineered Systems, Rental, Safety, Service, Repair, & Modernization, and Vacuums.

Through innovative designs and a total commitment to quality, Marco manufactures products that increase production rates, create a safer workplace, and reduce maintenance costs. Marco's industry experience, manufacturing capabilities, legendary customer service, product availability, logistics services, and technology leadership is your assurance that we deliver high quality products and services, providing the best value to you, our customer.

The Marco Difference

- **Industry Experience** – With Marco on your team, you have access to expertise which can only come from decades of industry leadership. We have organized our engineering department, production specialists, customer operations, and safety support into a “Center of Competence.” As a Marco customer, you have access to hundreds of years of cumulative experience related to your operations.
- **Manufacturing Excellence** – Marco is a U.S. based, ISO 9001:2008 certified manufacturer of equipment for the Surface Preparation and Protective Coatings industries. Marco's engineers benchmark the industry to ensure that we design and manufacture superior products that set the “Gold Standard” for performance, safety, and quality.
- **Legendary Customer Service** – Marco's legendary customer service team is staffed by friendly, highly-trained individuals who are focused on providing the highest level of product support, order accuracy, and customer satisfaction.
- **Product Availability** – We stock over 10,000 SKU's and have more than 45 shipping locations to serve North American and International markets for all major brands of blasting and coating equipment. As the largest provider of surface preparation and protective coatings equipment in the world, our inventory levels and product availability are unmatched.
- **Logistics Services** – Marco's in-house logistics team is dedicated to moving your shipment anywhere in the world. We move more than 14,000 truckloads every year, allowing you to save on freight costs by leveraging our buying power. Lower your process costs with a single invoice, which includes product and freight.
- **Technology Leadership** – Our website provides: Operator's Manuals, Part Numbers and Schematics Guides, SDS information, and Features & Specifications Guides, providing access to information 24/7. Our Extranet application allows you to receive quotes and place orders online. Our Intranet maintains a complete record of your purchase history to assist with ongoing support of your existing equipment and future purchasing decisions.

Vision Statement

Marco is the world's premier provider of Abrasives, Blasting, Coating, Dust Collectors, Engineered Systems, Rental, Safety, Service, Repair, & Modernization, and Vacuums.

Mission Statement

Marco provides strong leadership and innovation to the surface preparation and protective coatings industries. We dedicate our efforts to the continuous improvement of our products, services, processes, people, and most importantly, the quality of our customer's experience.

Quality Statement

Marco is committed to providing superior quality in the design, manufacturing, distribution, rental, service, and repair of our products. Our ISO 9001:2008 certification extends throughout all operations in all locations. Continuous improvement of our processes and supply chain Integration comprise the core of our business strategy for delivering exceptional quality and value in all Marco products and services.

Management Philosophy

We are a company dedicated to the success of every customer and associate. We discuss, debate, challenge, measure, and test our ideas. We will be boundless and limitless in our passion to improve. Through sound leadership and dedicated associates, we will ensure a long term, profitable future for Marco, our associates, customers, and suppliers.

TABLE OF CONTENTS

Company Profile	2
Table of Contents	3
EcoQuip 2™ Vapor Abrasive® Blasters .	4-9
EQM.	4
EQS	5
EQS Elite	6
EQS2 Elite	7
EQ200T Elite	8
EQ400T Elite	9
Optional Accessories	10-12
Electric Blast Hose Assemblies	10
Pneumatic Blast Hose Assemblies	10
Hoses	11
Pneumatic Control Line	11
Electric Control Line with Plugs	11
Nozzles and Control Switches	12
Coupling Safety Pins, Couplings, and Gaskets	12
Maintenance Notes	13-15

PART NUMBERS AND SCHEMATICS GUIDE

ECOQUIP 2™ EQM VAPOR ABRASIVE® BLASTERS

Part Numbers	Remote Control Line & Remote Control Switch	ATEX*	Abrasive Blasting Hose	Abrasive Blasting Nozzle	Hose Rack	Step and Shelf	Media Strainer Kit	Mobile Unit	Enclosure
20G262950	—		—	—	—	—	—	X	X
20G262953	Electric		X	X	—	—	—	X	X
20G262951	Pneumatic	X	X	X	—	—	—	X	X
20G262952	Pneumatic		X	X	—	—	—	X	X

*ATEX units only allow for 150' of pneumatic blast control

**25 Gallon Water Tank sold separately, part number 20G26A022

Graco® EcoQuip 2™ EQM Vapor Abrasive® Blasters



ECOQUIP 2™ EQM VAPOR ABRASIVE® BLASTERS SPECIFICATIONS

Abrasive Blasting Nozzle (Orifice Size)	7/16"
Blast Pot Capacity	3.5 cu. ft.
Water Tank Capacity**	N/A
Abrasive Blasting Hose	50 ft. 1-1/4" I.D.
Frame	N/A
Enclosure	Coated

PART NUMBERS AND SCHEMATICS GUIDE

ECOQUIP 2™ EQS VAPOR ABRASIVE® BLASTERS

Part Numbers	Remote Control Line & Remote Control Switch	ATEX*	Abrasive Blasting Hose	Abrasive Blasting Nozzle	Hose Rack	Step and Shelf	Media Strainer Kit	Skid with Frame	Enclosure
20G262960	—		—	—	—	—	—	X	X
20G262963	Electric		X	X	—	—	—	X	X
20G262961	Pneumatic	X	X	X	—	—	—	X	X
20G262962	Pneumatic		X	X	—	—	—	X	X

*ATEX units only allow for 150' of pneumatic blast control

Graco® EcoQuip 2™ EQS Vapor Abrasive® Blasters



ECOQUIP 2™ EQS VAPOR ABRASIVE® BLASTERS SPECIFICATIONS

Abrasive Blasting Nozzle (Orifice Size)	1/2"
Blast Pot Capacity	6.5 cu. ft.
Water Tank Capacity	115 gal
Abrasive Blasting Hose	50 ft. 1-1/4" I.D.
Frame	Coated
Enclosure	Coated

PART NUMBERS AND SCHEMATICS GUIDE

ECOQUIP 2™ EQS ELITE VAPOR ABRASIVE® BLASTERS									
Part Numbers	Remote Control Line & Remote Control Switch	ATEX*	Abrasive Blasting Hose	Abrasive Blasting Nozzle	Hose Rack	Step and Shelf	Media Strainer Kit	Skid with Frame	Enclosure
20G262970	—		—	—	X	X	X	X	X
20G262973	Electric		X	X	X	X	X	X	X
20G262971	Pneumatic	X	X	X	X	X	X	X	X
20G262972	Pneumatic		X	X	X	X	X	X	X

*ATEX units only allow for 150' of pneumatic blast control

Graco® EcoQuip 2™ EQS Elite Vapor Abrasive® Blasters



ECOQUIP 2™ EQS ELITE VAPOR ABRASIVE® BLASTERS SPECIFICATIONS	
Abrasive Blasting Nozzle (Orifice Size)	1/2"
Blast Pot Capacity	6.5 cu. ft.
Water Tank Capacity	115 gal
Abrasive Blasting Hose	50 ft. 1-1/4" I.D.
Frame	Stainless Steel
Enclosure	Stainless Steel

PART NUMBERS AND SCHEMATICS GUIDE

ECOQUIP 2™ EQS2 ELITE VAPOR ABRASIVE® BLASTERS

Part Numbers	Remote Control Line & Remote Control Switch	ATEX*	Abrasive Blasting Hose (Quantity of Two)	Abrasive Blasting Nozzle (Quantity of Two)	Hose Rack	Step and Shelf (Quantity of Two)	Media Strainer Kit (Quantity of Two)	Skid with Frame	Enclosure
20G262980	—		—	—	X	X	X	X	X
20G262983	Electric		X	X	X	X	X	X	X
20G262981	Pneumatic	X	X	X	X	X	X	X	X
20G262982	Pneumatic		X	X	X	X	X	X	X

*ATEX units only allow for 150' of pneumatic blast control

Graco® EcoQuip 2™ EQS2 Elite Vapor Abrasive® Blasters



ECOQUIP 2™ EQS2 ELITE VAPOR ABRASIVE® BLASTERS SPECIFICATIONS


Abrasive Blasting Nozzle (Orifice Size)	1/2" (Quantity of Two)
Blast Pot Capacity	6.5 cu. ft. (Quantity of Two)
Water Tank Capacity	N/A
Abrasive Blasting Hose	50 ft. 1-1/4" I.D. (Quantity of Two)
Frame	Stainless Steel
Enclosure	Stainless Steel

PART NUMBERS AND SCHEMATICS GUIDE

ECOQUIP 2™ EQ200T ELITE VAPOR ABRASIVE® BLASTERS

Part Numbers	Remote Control Line & Remote Control Switch	Compressor Engine Emissions Compliance	Compressor Size @ 100 psi	Abrasive Blasting Hose	Abrasive Blasting Nozzle	Media Strainer Kit	Trailer Mount	Enclosure
20G262990	—	Tier 4	210 CFM	—	—	X	X	X
20G262992	Electric	Tier 4	210 CFM	X	X	X	X	X
20G262991	Pneumatic	Tier 4	210 CFM	X	X	X	X	X

Graco® EcoQuip 2™ EQ200T Elite Vapor Abrasive® Blasters



ECOQUIP 2™ EQ200T ELITE VAPOR ABRASIVE® BLASTERS SPECIFICATIONS


Abrasive Blasting Nozzle (<i>Orifice Size</i>)	7/16"
Blast Pot Capacity	6.5 cu. ft.
Water Tank Capacity	100 gal
Abrasive Blasting Hose	50 ft. 1-1/4" I.D.
Brakes	Electric
Enclosure	Stainless Steel

PART NUMBERS AND SCHEMATICS GUIDE

ECOQUIP 2™ EQ400T ELITE VAPOR ABRASIVE® BLASTERS

Part Numbers	Remote Control Line & Remote Control Switch	Compressor Engine Emissions Compliance	Compressor Size @ 100 psi	Abrasive Blasting Hose	Abrasive Blasting Nozzle	Media Strainer Kit	Trailer Mount	Enclosure
20G262996	—	Tier 4	425 CFM	—	—	X	X	X
20G262998	Electric	Tier 4	425 CFM	X	X	X	X	X
20G262997	Pneumatic	Tier 4	425 CFM	X	X	X	X	X

Graco® EcoQuip 2™ EQ400T Vapor Abrasive® Blasters



ECOQUIP 2™ EQ400T ELITE VAPOR ABRASIVE® BLASTERS SPECIFICATIONS


Abrasive Blasting Nozzle (<i>Orifice Size</i>)	1/2"
Blast Pot Capacity	6.5 cu. ft.
Water Tank Capacity	130 gal
Abrasive Blasting Hose	50 ft. 1-1/4" I.D.
Brakes	Electric
Enclosure	Stainless Steel



OPTIONAL ACCESSORIES


ELECTRIC BLAST HOSE ASSEMBLIES						
Part Numbers	Blast Hose I.D. (inches)	Hose	Blast Hose Length (feet)	Power Cord with 2-Prong Plugs (feet)	Coupling	Nozzle Holder
10105763	1-1/4"	10SH114	50'	50'	10QNY2	10NHN250
10105764	1-1/4"	10SH114	50'	50'	10QNY2 <i>(Quantity of Two)</i>	—
10105765	1-1/4"	10SH1141	100'	100'	10QNY2 <i>(Quantity of Two)</i>	—

PNEUMATIC BLAST HOSE ASSEMBLIES						
Part Numbers	Blast Hose I.D. (inches)	Hose	Blast Hose Length (feet)	Remote Control Line Length (feet)	Coupling	Nozzle Holder
10105772	1-1/4"	10SH114	50'	55'	10QBR2 <i>(Quantity of Two)</i>	—
10105771	1-1/4"	10SH114	50'	55'	10QNY2	10NHN250
10105769	1-1/4"	10SH114	50'	55'	10QNY2 <i>(Quantity of Two)</i>	—
10105773	1-1/4"	10SH1141	100'	100'	10QBR2 <i>(Quantity of Two)</i>	—
10105770	1-1/4"	10SH1141	100'	100'	10QNY2 <i>(Quantity of Two)</i>	—






OPTIONAL ACCESSORIES








		HOSES					
	Part Numbers	Blast Hose I.D. (Inches)	Length (feet)	Coupling	Nozzle Holder	Working Pressure	Fabric Reinforcement
			1081213	1-1/4"	50'	10QNY2	10NHN250
10SH114	1-1/4"		50'	—	—	175 psi	2-Ply
10SH1141	1-1/4"		100'	—	—	175 psi	2-Ply

		ELECTRIC CONTROL LINE WITH PLUGS				
	Part Numbers	Length (feet)	Gauge	# of Wires	3-Prong Male Twist-Lock Plug	3-Prong Female Twist-Lock Plug
			1015546	25'	16	2
1015545	50'		16	2	1015555	1015556
1015547	100'		16	2	1015555	1015556
	1015748	13'	16	3	1015555	1015556
	1015745	50'	16	3	1015555	1015556
	1015747	110'	16	3	1015555	1015556

		PNEUMATIC CONTROL LINE							
	Part Numbers	Hose Length (feet)	Working Pressure	Hose I.D.	Hose O.D.	1017012	1017013	1017014	1017015
			1016002	7'	150 psi	3/16"	7/16"	X	X
1016000	55'		150 psi	3/16"	7/16"	X	X	X	X
1016001	110'		150 psi	3/16"	7/16"	X	X	X	X
10TLBK	Per Foot		150 psi	3/16"	7/16"	—	—	—	—

OPTIONAL ACCESSORIES

		NOZZLES AND CONTROL SWITCHES	
Part Numbers		Description	
	10TCW750AN	#7 – 7/16" Tungsten Carbide Liner, 1-1/4" Entry, 50mm Threads, Aluminum Jacket, Aluminum Body	
	10TCW850AN	#8 – 1/2" Tungsten Carbide Liner, 1-1/4" Entry, 50mm Threads, Aluminum Jacket, Aluminum Body	
	10S2263002	Axxiom G2 Pneumatic Control Switch	
	10S2263402	Axxiom G2 Electric Control Switch	
	10GEQ5166	24" Nozzle Extension, 1" I.D.	

		COUPLING SAFETY PINS, COUPLINGS, AND GASKETS	
Part Numbers		Description	
	1018000	Safety Cable	
	1018002	Coupling Lock Pins, Pack of 25	
	10QNY2	Nylon Universal Coupling	
	10QBR2	Brass Universal Coupling	
	10SBGNY2	Coupling Gaskets, Pack of 10	
	10NHN250	Nylon Nozzle Holder, 50mm Threads	
	10NW50	Nozzle Washers for 50mm Nozzle Holder, Pack of 10	

MAINTENANCE NOTES

DATE	TYPE OF SERVICE	PART NUMBER

CONTACT CENTER

- 3425 East Locust Street
Davenport, IA 52803

ph: 800.BLAST.IT (800.252.7848)
ph: 563.324.2519
fax: 563.324.6258

REGIONAL BRANCH OFFICES

- **Iowa**
Davenport
- **Louisiana**
Gonzales
Lafayette
- **Ohio**
Youngstown
- **Texas**
Beaumont
Corpus Christi
Deer Park



ABRASIVES
BLASTING
COATING
DUST COLLECTORS
ENGINEERED SYSTEMS
RENTAL
SAFETY
SERVICE, REPAIR, & MODERNIZATION
VACUUMS

40+ NATIONWIDE SHIPPING LOCATIONS



★ Marco Regional Branch Offices and Shipping Locations ● Direct Shipping Locations

CONTACT MARCO

800.BLAST.IT
(800.252.7848)
563.324.2519
FAX: 563.324.6258

WWW.MARCO.US
SALES@MARCO.US