

GRACO® KING® AIRLESS SPRAYERS



Company Profile

Since 1944, Marco has developed a strong tradition of providing innovative and reliable products and services to the surface preparation and protective coatings industries. We are the world's premier provider of Abrasives, Blasting Equipment, Coating Equipment, Engineered Systems, Rental Equipment, Safety Equipment, Service, and Repair.

Through innovative designs and a total commitment to quality, Marco manufactures products that increase production rates, create a safer workplace, and reduce maintenance costs. Marco's industry experience, manufacturing capabilities, legendary customer service, product availability, logistics services, and technology leadership is your assurance that we deliver high quality products and services, providing the best value to you, our customer.

The Marco Difference

- Industry Experience With Marco on your team, you have access to expertise which can only come from decades of industry leadership. We have organized our engineering department, production specialists, customer operations, and safety support into a "Center of Competence." As a Marco customer, you have access to hundreds of years of cumulative experience related to your operations.
- Manufacturing Excellence Marco is a U.S. based, ISO 9001:2008 certified manufacturer of equipment for the Surface Preparation and Protective Coatings industries. Marco's engineers benchmark the industry to ensure that we design and manufacture superior products that set the "Gold Standard" for performance, safety, and quality.
- Legendary Customer Service Marco's legendary customer service team is staffed by friendly, highly-trained individuals who are focused on providing the highest level of product support, order accuracy, and customer satisfaction.
- Product Availability We stock over 10,000 SKU's and have over 45 shipping locations to serve North American
 and International markets for all major brands of blasting and painting equipment. As the largest provider of surface
 preparation and protective coatings equipment in the world, our inventory levels and product availability are
 unmatched.
- Logistics Services Marco's in-house logistics team is dedicated to moving your shipment anywhere in the world. We move over 14,000 truckloads every year, allowing you to save on freight costs by leveraging our buying power. Lower your process costs with a single invoice, which includes product and freight.
- Technology Leadership Our website provides: Operator's Manuals, Part Numbers and Schematics Guides, MSDS information, and Features and Specifications Guides, providing access to information 24/7. Our Extranet application allows you to receive quotes and place orders online. Our Intranet maintains a complete record of your purchase history to assist with ongoing support of your existing equipment and future purchasing decisions.

Vision Statement

Marco is the world's premier provider of Abrasives, Blasting Equipment, Coating Equipment, Engineered Systems, Rental Equipment, Safety Equipment, Service, and Repair.

Mission Statement

Marco provides strong leadership and innovation to the surface preparation and protective coatings industries We dedicate our efforts to the continuous improvement of our products, services, processes, people, and most importantly, the quality of our customer's experience.

Quality Policy

Marco is committed to providing superior quality in the design, manufacturing, distribution, rental, service, and repair of our products. Our ISO 9001:2008 certification extends throughout all operations in all locations. Continuous improvement of our processes and supply chain Integration comprise the core of our business strategy for delivering exceptional quality and value in all Marco products and services.

Management Philosophy

We are a company dedicated to the success of every customer and associate. We discuss, debate, challenge, measure, and test our ideas. We will be boundless and limitless in our passion to improve. Through sound leadership and dedicated associates, we will ensure a long term, profitable future for Marco, our associates, customers, and suppliers.

TABLE OF CONTENTS

| Company Profile | 2 |
|--|----------|
| Table of Contents | 3 |
| Graco® King® Airless Spray Pumps 4 | -14 |
| Marco Stocked Pumps | .4-5 |
| 30:1 Airless Spray Pumps - XL3400 Motor | 6 |
| 40:1 Airless Spray Pumps - XL3400 Motor | 7 |
| 45:1 Airless Spray Pumps - XL6500 Motor | 8 |
| 50:1 Airless Spray Pumps - XL6500 Motor | 9 |
| 60:1 Airless Spray Pumps - XL6500 Motor | . 10 |
| 70:1 Airless Spray Pumps - XL6500 Motor | 11 |
| 90:1 Airless Spray Pumps - XL6500 Motor | . 12 |
| 47:1 Airless Spray Pumps - XL10000 Motor | . 13 |
| 71:1 Airless Spray Pumps - XL10000 Motor | . 14 |
| 82:1 Airless Spray Pumps - XL10000 Motor | . 15 |
| Optional Accessories | . 16 |
| Fluid Heaters | . 17 |
| High Pressure Ball Valves | .18 |
| Maintenance Notes | . 19 |

MARCO STOCKED UNITS

| | | GRACO® KING® AIRLESS SPRAYERS – XL6500 MOTORS | | | | | | | | | |
|-----------------|------------------|---|-------------------|------------|-------------------|----------------|------------------------------------|---|--|------------|--|
| | | | MOUNT | | LOWER | R TYPE | | HOS | SES | | |
| Part Numbers | Working Pressure | Heavy-Duty Cart | Light-Weight Cart | Wall Mount | Integrated Filter | MaxLife Filter | XTR™ Airless Spray Gun, 519 Tip | 50 Feet x 3/8" I.D. Airless Spray Hose | 6 Feet x 1/4" I.D. Airless Spray Hose | Lubricator | |
| 20GK45FH0 | 4550 psi | Х | | | Х | | | | | | |
| 20GK45FH1 | 4550 psi | X | | | Х | | Х | Х | Х | | |
| 20GK60FH0 | 6000 psi | X | | | Х | | | | | | |
| 20GK60FH1 | 6000 psi | Х | | | Х | | Х | Х | Х | | |
| 20GK70FH0 | 7250 psi | Х | | | Х | | | | | | |
| 20GK70FH1 | 7250 psi | Х | | | Х | | Х | Х | Х | | |

Additional, not-stocked options available. See preceeding pages for part numbers.



*20GK70ML0 Shown

| | | GRACO® KING® 30:1 AIRLESS SPRAYERS | | | | | | | |
|-----------------|-----------------|------------------------------------|------------|-------------------|----------------|------------------------------------|---|--|------------|
| | | MOUNT | | LOWE | R TYPE | HOSES | | SES | |
| Part Numbers | Heavy-Duty Cart | Light-Weight Cart | Wall Mount | Integrated Filter | MaxLife Filter | XTR™ Airless Spray Gun, 519 Tip | 50 Feet x 3/8" I.D. Airless Spray Hose | 6 Feet x 1/4" I.D. Airless Spray Hose | Lubricator |
| 20GK30FH0 | Х | | | Х | | | | | |
| 20GK30FH1 | Х | | | X | | Х | Х | Х | |
| 20GK30FH2 | Х | | | X | | Х | X | Х | Χ |
| 20GK30FL0 | | Х | | Х | | | | | |
| 20GK30FL1 | | Х | | Х | | Х | Х | Х | |
| 20GK30NH0 | Х | | | | | | | | |
| 20GK30NH1 | Х | | | | | Х | Х | Х | |
| 20GK30NH2 | Х | | | | | Х | Х | Х | Х |
| 20GK30NL0 | | Х | | | | | | | |
| 20GK30NL1 | | Х | | | | | | | |
| 20GK30MH2 | Χ | | | | X | Х | X | X | Х |

| GRACO® XTREME® 30:1 AIRLESS SPRAYER – SPECIFICATIONS | | | | | | | |
|--|----------|--|--|--|--|--|--|
| Output Per Cycle | 3150 psi | | | | | | |
| Pump Lower Output per Cycle | 220cc | | | | | | |
| Motor | XL3400 | | | | | | |
| De-Icing Motor | Yes | | | | | | |
| King Sprayer Model | XL30-220 | | | | | | |

| | | GRACO® KING® 40:1 AIRLESS SPRAYERS | | | | | | | | |
|-----------------|-----------------|------------------------------------|------------|-------------------|----------------|------------------------------------|---|--|------------|--|
| | | MOUNT | | LOWE | LOWER TYPE | | HOSES | | | |
| Part Numbers | Heavy-Duty Cart | Light-Weight Cart | Wall Mount | Integrated Filter | MaxLife Filter | XTR™ Airless Spray Gun, 519 Tip | 50 Feet x 3/8" I.D. Airless Spray Hose | 6 Feet x 1/4" I.D. Airless Spray Hose | Lubricator | |
| 20GK40FH0 | Χ | | | Х | | | | | | |
| 20GK40FH1 | Х | | | Х | | Х | Х | Х | | |
| 20GK40FH2 | Х | | | Х | | Х | Х | X | Χ | |
| 20GK40FL0 | | Х | | Х | | | | | | |
| 20GK40FL1 | | Х | | Х | | Х | Х | Х | | |
| 20GK40NH0 | Х | | | | | | | | | |
| 20GK40NH1 | Х | | | | | Х | Х | Х | | |
| 20GK40NH2 | Х | | | | | Х | Х | Х | Χ | |
| 20GK40NL0 | | X | | | | | | | | |
| 20GK40NL1 | | Х | | | | | | | | |
| 20GK40MH2 | Х | | | | Х | Х | Х | Х | Χ | |

| GRACO® XTREME® 40:1 AIRLESS SPRAYER – SPECIFICATIONS | | | | | | | |
|--|----------|--|--|--|--|--|--|
| Output Per Cycle | 3800 psi | | | | | | |
| Pump Lower Output per Cycle | 180cc | | | | | | |
| Motor | XL3400 | | | | | | |
| De-Icing Motor | Yes | | | | | | |
| King Sprayer Model | XL40-180 | | | | | | |

| | GRACO® KING® 45:1 AIRLESS SPRAYERS | | | | | | | | |
|-----------------|------------------------------------|-------------------|------------|-------------------|----------------|------------------------------------|---|--|------------|
| | | MOUNT | | FILT | FILTER | | HOSES | | |
| Part Numbers | Heavy-Duty Cart | Light-Weight Cart | Wall Mount | Integrated Filter | MaxLife Filter | XTR™ Airless Spray Gun, 519 Tip | 50 Feet x 3/8" I.D. Airless Spray Hose | 6 Feet x 1/4" I.D. Airless Spray Hose | Lubricator |
| 20GK45FH0 | Χ | | | Х | | | | | |
| 20GK45FH1 | Х | | | Х | | Х | Х | Х | |
| 20GK45FH2 | X | | | Х | | Х | Х | Х | Χ |
| 20GK45FL0 | | Х | | Х | | | | | |
| 20GK45FL1 | | Х | | Х | | X | Х | Х | |
| 20GK45NH0 | Х | | | | | | | | |
| 20GK45NH1 | Х | | | | | X | Χ | Х | |
| 20GK45NH2 | Х | | | | | Χ | Х | Х | Χ |
| 20GK45NL0 | | X | | | | | | | |
| 20GK45NL1 | | Х | | | | Х | Х | Х | |
| 20GK45MH2 | Χ | | | | X | Χ | X | Χ | Χ |

| GRACO® XTREME® 45:1 AIRLESS SPRAYER – SPECIFICATIONS | | | | | | | |
|--|----------|--|--|--|--|--|--|
| Output Per Cycle | 4550 psi | | | | | | |
| Pump Lower Output per Cycle | 290cc | | | | | | |
| Motor | XL6500 | | | | | | |
| De-Icing Motor | Yes | | | | | | |
| King Sprayer Model | XL45-290 | | | | | | |

| | | GRACO® KING® 50:1 AIRLESS SPRAYERS | | | | | | | |
|-----------------|-----------------|------------------------------------|------------|-------------------|----------------|------------------------------------|---|--|------------|
| | | MOUNT | | LOWER | LOWER TYPE | | HOSES | | |
| Part Numbers | Heavy-Duty Cart | Light-Weight Cart | Wall Mount | Integrated Filter | MaxLife Filter | XTR™ Airless Spray Gun, 519 Tip | 50 Feet x 3/8" I.D. Airless Spray Hose | 6 Feet x 1/4" I.D. Airless Spray Hose | Lubricator |
| 20GK50FH0 | Χ | | | Х | | | | | |
| 20GK50FH1 | Χ | | | Χ | | X | Χ | X | |
| 20GK50FH2 | Χ | | | Χ | | X | Χ | X | Χ |
| 20GK50FL0 | | X | | Χ | | | | | |
| 20GK50FL1 | | X | | Χ | | X | Χ | X | |
| 20GK50NH0 | Χ | | | | | | | | |
| 20GK50NH1 | Χ | | | | | X | Χ | X | |
| 20GK50NH2 | Х | | | | | Х | Х | Х | Х |
| 20GK50NL0 | | Х | | | | | | | |
| 20GK50NL1 | | X | | | | | | | |

| GRACO® XTREME® 50:1 AIRLESS SPRAYER – SPECIFICATIONS | | | | | | | |
|--|----------|--|--|--|--|--|--|
| Output Per Cycle | 5200 psi | | | | | | |
| Pump Lower Output per Cycle | 250cc | | | | | | |
| Motor | XL6500 | | | | | | |
| De-Icing Motor | Yes | | | | | | |
| King Sprayer Model | XL50-250 | | | | | | |

| | | GRACO® KING® 60:1 AIRLESS SPRAYERS | | | | | | | | |
|-----------------|-----------------|------------------------------------|------------|-------------------|----------------|------------------------------------|---|--|------------|--|
| | | MOUNT | | LOWE | LOWER TYPE | | HOSES | | | |
| Part Numbers | Heavy-Duty Cart | Light-Weight Cart | Wall Mount | Integrated Filter | MaxLife Filter | XTR™ Airless Spray Gun, 519 Tip | 50 Feet x 3/8" I.D. Airless Spray Hose | 6 Feet x 1/4" I.D. Airless Spray Hose | Lubricator | |
| 20GK60FH0 | Χ | | | Х | | | | | | |
| 20GK60FH1 | Х | | | Х | | Х | Х | Х | | |
| 20GK60FH2 | Х | | | Х | | Χ | Х | Х | Χ | |
| 20GK60FL0 | | Х | | Х | | | | | | |
| 20GK60FL1 | | Х | | Х | | Χ | Х | X | | |
| 20GK60NH0 | Х | | | | | | | | | |
| 20GK60NH1 | Х | | | | | Х | Х | Х | | |
| 20GK60NH2 | Х | | | | | Х | Х | Х | Х | |
| 20GK60NL0 | | X | | | | | | | | |
| 20GK60NL1 | | Х | | | | | | | | |
| 20GK60MH2 | Х | | | | X | Х | Х | Х | Х | |

| GRACO® XTREME® 60:1 AIRLESS SPRAYER – SPECIFICATIONS | | | | | | | |
|--|----------|--|--|--|--|--|--|
| Output Per Cycle | 6000 psi | | | | | | |
| Pump Lower Output per Cycle | 220cc | | | | | | |
| Motor | XL6500 | | | | | | |
| De-Icing Motor | Yes | | | | | | |
| King Sprayer Model | XL60-220 | | | | | | |

| | GRACO® KING® 70:1 AIRLESS SPRAYERS | | | | | | | | |
|-----------------|------------------------------------|-------------------|------------|-------------------|----------------|------------------------------------|---|--|------------|
| | | MOUNT | | LOWER TYPE | | | HOSES | | |
| Part Numbers | Heavy-Duty Cart | Light-Weight Cart | Wall Mount | Integrated Filter | MaxLife Filter | XTR™ Airless Spray Gun, 519 Tip | 50 Feet x 3/8" I.D. Airless Spray Hose | 6 Feet x 1/4" I.D. Airless Spray Hose | Lubricator |
| 20GK70FH0 | Х | | | Х | | | | | |
| 20GK70FH1 | Х | | | X | | Х | Х | Х | |
| 20GK70FH2 | Χ | | | X | | Χ | Χ | X | Χ |
| 20GK70FL0 | | Х | | Х | | | | | |
| 20GK70FL1 | | Х | | Х | | Х | Х | Х | |
| 20GK70NH0 | Х | | | | | | | | |
| 20GK70NH1 | Χ | | | | | Х | X | Х | |
| 20GK70NH2 | Х | | | | | Х | Х | Х | Х |
| 20GK70NL0 | | X | | | | | | | |
| 20GK70NL1 | | Х | | | | | | | |
| 20GK70MH2 | Χ | | | | X | X | X | X | X |

| GRACO® XTREME® 70:1 AIRLESS SPRAYER – SPECIFICATIONS | | | | | |
|--|----------|--|--|--|--|
| Output Per Cycle | 7250 psi | | | | |
| Pump Lower Output per Cycle | 180cc | | | | |
| Motor | XL6500 | | | | |
| De-Icing Motor | Yes | | | | |
| King Sprayer Model | XL70-180 | | | | |

| | | GRACO® KING® 90:1 AIRLESS SPRAYERS | | | | | | | | |
|-----------------|-----------------|------------------------------------|------------|-------------------|----------------|------------------------------------|---|--|------------|--|
| | | MOUNT | | LOWE | LOWER TYPE | | HOSES | | | |
| Part Numbers | Heavy-Duty Cart | Light-Weight Cart | Wall Mount | Integrated Filter | MaxLife Filter | XTR™ Airless Spray Gun, 519 Tip | 50 Feet x 3/8" I.D. Airless Spray Hose | 6 Feet x 1/4" I.D. Airless Spray Hose | Lubricator | |
| 20GK90FH0 | Х | | | Х | | | | | | |
| 20GK90FH1 | Х | | | Х | | Х | Х | Х | | |
| 20GK90FH2 | Х | | | Х | | Χ | Х | Х | Χ | |
| 20GK90FL0 | | Х | | Х | | | | | | |
| 20GK90FL1 | | Х | | Х | | Χ | Х | Х | | |
| 20GK90NH0 | Х | | | | | | | | | |
| 20GK90NH1 | Х | | | | | Х | Х | Х | | |
| 20GK90NH2 | Χ | | | | | Χ | Х | Х | Х | |
| 20GK90NL0 | | Х | | | | | | | | |
| 20GK90NL1 | | Х | | | | | | | | |
| 20GK90MH2 | Х | | | | X | Х | Х | Х | Х | |

| GRACO® XTREME® 90:1 AIRLESS SPRAYER – SPECIFICATIONS | | | | | |
|--|----------|--|--|--|--|
| Output Per Cycle | 7250 psi | | | | |
| Pump Lower Output per Cycle | 145cc | | | | |
| Motor | XL6500 | | | | |
| De-Icing Motor | Yes | | | | |
| King Sprayer Model | XL90-145 | | | | |

| | | GRACO® KING® 47:1 AIRLESS SPRAYERS | | | | | | | |
|-----------------|-----------------|------------------------------------|------------|-------------------|----------------|------------------------------------|---|--|------------|
| | | MOUNT | | LOWER TYPE | | | НО | SES | |
| Part Numbers | Heavy-Duty Cart | Light-Weight Cart | Wall Mount | Integrated Filter | MaxLife Filter | XTR™ Airless Spray Gun, 519 Tip | 50 Feet x 3/8" I.D. Airless Spray Hose | 6 Feet x 1/4" I.D. Airless Spray Hose | Lubricator |
| 20GK47FH0 | Χ | | | Х | | | | | |
| 20GK47FH1 | Х | | | Х | | Х | Х | Х | |
| 20GK47FH2 | Х | | | Х | | Х | Х | Х | Х |
| 20GK47FW0 | | | Х | Х | | | | | |
| 20GK47FW1 | | | Х | Х | | X | X | X | |

| GRACO® XTREME® 47:1 AIRLESS SPRAYER – SPECIFICATIONS | | | | | |
|--|----------|--|--|--|--|
| Output Per Cycle | 4800 psi | | | | |
| Pump Lower Output per Cycle | 430cc | | | | |
| Motor | XL10000 | | | | |
| De-Icing Motor | Yes | | | | |
| King Sprayer Model | XL45-430 | | | | |

| | GRACO® KING® 71:1 AIRLESS SPRAYERS | | | | | | | | |
|-----------------|------------------------------------|-------------------|------------|-------------------|----------------|------------------------------------|---|--|------------|
| | | MOUNT | | LOWER | ER TYPE | | HOSES | | |
| Part Numbers | Heavy-Duty Cart | Light-Weight Cart | Wall Mount | Integrated Filter | MaxLife Filter | XTR™ Airless Spray Gun, 519 Tip | 50 Feet x 3/8" I.D. Airless Spray Hose | 6 Feet x 1/4" I.D. Airless Spray Hose | Lubricator |
| 20GK71FH0 | Χ | | | Х | | | | | |
| 20GK71FH1 | Х | | | Х | | Х | Х | Х | |
| 20GK71FH2 | Х | | | Х | | Х | Х | Х | Х |
| 20GK71FW0 | | | Х | Х | | | | | |
| 20GK71FW1 | | | Х | Х | | Х | Х | Х | |
| 20GK71NH0 | Χ | | | | | | | | |
| 20GK71NH1 | Χ | | | | | Χ | Χ | X | |
| 20GK71NH2 | X | | | | | X | Χ | X | Х |

| GRACO® XTREME® 71:1 AIRLESS SPRAYER – SPECIFICATIONS | | | | | | |
|--|----------|--|--|--|--|--|
| Output Per Cycle | 7250 psi | | | | | |
| Pump Lower Output per Cycle | 290cc | | | | | |
| Motor | XL10000 | | | | | |
| De-Icing Motor | Yes | | | | | |
| King Sprayer Model | XL70-290 | | | | | |

| | | GRACO® KING® 82:1 AIRLESS SPRAYERS | | | | | | | | |
|-----------------|-----------------|------------------------------------|------------|-------------------|----------------|------------------------------------|---|--|------------|--|
| | | MOUNT | | LOWER TYPE | | | HOSES | | | |
| Part Numbers | Heavy-Duty Cart | Light-Weight Cart | Wall Mount | Integrated Filter | MaxLife Filter | XTR™ Airless Spray Gun, 519 Tip | 50 Feet x 3/8" I.D. Airless Spray Hose | 6 Feet x 1/4" I.D. Airless Spray Hose | Lubricator | |
| 20GK82FH0 | Х | | | Х | | | | | | |
| 20GK82FH1 | Х | | | Х | | Х | Х | Х | | |
| 20GK82FH2 | Х | | | Х | | X | Х | Х | Χ | |
| 20GK82FW0 | | | Х | Х | | | | | | |
| 20GK82FW1 | | | X | Χ | | X | Χ | X | | |
| 20GK82NH0 | Χ | | | | | | | | | |
| 20GK82NH1 | Χ | | | | | X | X | X | | |
| 20GK82NH2 | Χ | | | | | X | X | X | Χ | |

| GRACO® XTREME® 82:1 AIRLESS SPRAYER – SPECIFICATIONS | | | | | | |
|--|----------|--|--|--|--|--|
| Output Per Cycle | 7250 psi | | | | | |
| Pump Lower Output per Cycle | 250cc | | | | | |
| Motor | XL10000 | | | | | |
| De-Icing Motor | Yes | | | | | |
| King Sprayer Model | XL80-250 | | | | | |

| Part Numbers | KING SPRAYER ACCESSORIES Description |
|-----------------|---|
| 20G24X552 | DataTrak kit for XL3400, XL6500, XL10000 motors, no runaway solenoid |
| 20G24X550 | DataTrak kit for XL3400, XL6500, XL10000 motors, with runaway solenoid |
| 20G116635 | Air Filter Element |
| 20G244841 | King Cart Lubricator Kit |
| 20G202659 | Air Motor Lubricator Oil |
| 20G17V322 | Low Noise Motor Conversion Kit for XL3400 and XL6500 Motors |
| 20G24X570 | Graco® 10 Gallon Stainless Steel Hopper Kit with Mounting Bracket |
| 20101239 | Spraymaster® 10 Gallon Stainless Steel Hopper Kit with Mounting Bracket |
| 20G17V587 | 4-Gun Spray Line Manifold with Ball Valves, no independent flush |
| 20G262826 | Gun Splitter, 2 guns, with independent flush |
| 20G206994 | Throat Seal Liquid |

| Part | KING SPRAYER HEATER KIT |
|-----------|--|
| Numbers | Description |
| 20G17V573 | Kit, Heater Installation Includes: Mounting hardware for any VIscon HP or HF fluid heater to a King Heavy-Duty Cart |

| | VISCON HP FLUID HEATERS | | | |
|-----------------|------------------------------|-------|------|-----------------------|
| Part Numbers | Power Source | Wafts | Amps | Hazardous Location |
| 20G245848 | 120-Volt AC, Single Phase | 2300 | 19.2 | X |
| 20G245862 | 200-Volt AC, Single Phase | 4000 | 20 | × |
| 20G245863 | 240-Volt AC, Single Phase | 4000 | 16.7 | X |
| 20G246254 | 380-Volt AC, SIngle Phase | 4000 | 10.5 | X |
| 20G245864 | 480-Volt AC, Single Phase | 4000 | 8.3 | X |

| | VISCON HF FLUID HEATERS (cleanable) | | | |
|-----------------|-------------------------------------|-------|------|-----------------------|
| Part Numbers | Power Source | Wafts | Amps | Hazardous Location |
| 20G24W248 | 240-Volt AC, Single Phase | 5400 | 22.5 | X |

| | | HIGH PRESSURE BALL VALVES | | |
|---|-----------------|---------------------------|------------------|---------------------|
| | Part Numbers | Thread Size | Seal Material | Working Pressure |
| | 20G210657B | 1/4" Male x 1/4" Male | Viton | 5,000 psi |
| | 20G210658B | 3/8" Male x 3/8" Male | Viton | 5,000 psi |
| | 20G210659B | 1/4" Male x 3/8" Male | Viton | 5,000 psi |
| | 20G214037 | 1/4" Male x 1/4" Male | Teflon | 5,000 psi |
| | 20G223959B | 3/8" Male x 1/4" Male | Teflon | 5,000 psi |
| 3 | 20G210658B | 3/8" Male x 3/8" Male | Teflon | 5,000 psi |
| | 20DQVAE2AO14 | 1/4" Female x Female | Nitrile | 7,000 psi |
| | 20DQVAE2AO38 | 3/8" Female x Female | Nitrile | 7,000 psi |
| | 20DQVAE2AO12 | 1/2" Female x Female | Nitrile | 7,000 psi |

MAINTENANCE NOTES

| DATE | TYPE OF SERVICE | PART NUMBER |
|------|-----------------|-------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

GLOBAL HEADQUARTERS

 3425 East Locust Street Davenport, IA 52803

ph: 800.BLAST.IT (800.252.7848)

ph: 563.324.2519 fax: 563.324.6258

REGIONAL BRANCH OFFICES

- Iowa Davenport
- Louisiana
 Gonzales
 Harvey
 Lafayette
- Ohio Youngstown
- Texas
 Beaumont
 Corpus Christi
 Deer Park

Магсо

ABRASIVES

BLASTING

COATING

DUST COLLECTORS

ENGINEERED SYSTEMS

RENTAL

SAFETY

SERVICE, REPAIR, & MODERNIZATION VACUUMS

40+ NATIONWIDE SHIPPING LOCATIONS



- ★ Marco Regional Branch Offices and Shipping Locations
- Direct Shipping Locations

CONTACT MARCO

800.BLAST.IT (800.252.7848) 563.324.2519

FAX: 563.324.6258

WWW.MARCO.US SALES@MARCO.US