

# SURE/CUT Edge

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).  
Revision Date: 08/11/2021 Date of Issue: 03/18/2021 Version: 2.0

### SECTION 1: IDENTIFICATION

#### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** SURE/CUT Edge

#### 1.2. Intended Use of the Product

Raw Material - Industrial Uses

#### 1.3. Name, Address, and Telephone of the Responsible Party

##### Company

Harsco Corporation

Harsco Environmental

350 Poplar Church Road

Camp Hill, PA 17011

Phone: 1-888-733-3646

E-Mail: [reedcs@harsco.com](mailto:reedcs@harsco.com)

#### 1.4. Emergency Telephone Number

**Emergency Number** : Verisk 3E

855-393-9889 (Access Code: 13793)

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture

##### GHS-US/CA Classification

Not classified

#### 2.2. Label Elements

##### GHS-US/CA Labeling

No labeling applicable according to 29 CFR 1910.1200 and the Hazardous Products Regulations (HPR) SOR/2015-17.

#### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

#### 2.4. Unknown Acute Toxicity (GHS-US/CA)

No data available

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Synonyms	Product Identifier	% *	GHS Ingredient Classification
Silica, amorphous	Amorphous silica / Silica / Silica, amorphous, fumed / Silica, colloidal / Silicon dioxide / Silicon dioxide, amorphous / SILICA / Silicon(IV) oxide / Un-crystalline silica / Pigment White 27 / Silicon dioxide (amorphous) / Silicon dioxide amorphous / Silicon(IV)oxide / Silica amorphous / Silicon dioxide containing crystalline and amorphous / Fumed silica / SOLUM DIATOMEAE / silicon dioxide	(CAS-No.) 7631-86-9	50 – 55	Not classified
Magnesium oxide (MgO)	Calcined magnesite / Magnesium oxide / MAGNESIUM OXIDE / Magnesia	(CAS-No.) 1309-48-4	30 – 35	Not classified
Iron oxide (FeO)	Ferrous oxide / Iron(II) oxide / C.I. 77489 / CI 77489 / Ferrous	(CAS-No.) 1345-25-1	10 – 15	Not classified

# SURE/CUT Edge

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> )	monoxide / Iron oxide Aluminum oxide / .alpha.- Alumina / Alumina / Aluminium oxide / Aluminium oxide (Al <sub>2</sub> O <sub>3</sub> ) / .alpha.- Aluminum oxide / Alundum / ALUMINA / Dialuminium trioxide / Dialuminium trioxide	(CAS-No.) 1344-28-1	1 – 4	Not classified
Chromium oxide (Cr <sub>2</sub> O <sub>3</sub> )	C.I. 77288 / C.I. Pigment Green 17 / Chromic oxide / Chromium Oxide Green / Chromium(3+) oxide / Dichromium trioxide / Chromium(III) oxide / Chromium sesquioxide / CHROMIUM OXIDE GREENS / Pigment Green 17 / Chromium(III) oxide (Cr <sub>2</sub> O <sub>3</sub> ) / Dichromium(III) trioxide / Chromium oxide green / Cr 77288 / Chromium oxide / Chromium (III) oxide (Cr <sub>2</sub> O <sub>3</sub> )	(CAS-No.) 1308-38-9	< 2	Not classified
Manganese oxide (MnO)	Cassel Green / Manganese monoxide / Manganous oxide / Manganese(II) oxide / Manganese(2+) oxide / Manganese oxide / Manganese monooxide / MANGANESE OXIDE	(CAS-No.) 1344-43-0	< 1	Not classified
Calcium oxide	Lime / Quicklime / CALCIUM OXIDE / Quicklime (CaO) / Calcium oxide (CaO) / Lime (calcium oxide)	(CAS-No.) 1305-78-8	< 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Quartz	Quartz (SiO <sub>2</sub> ) / Silica, crystalline, quartz / Crystalline silica, quartz / .alpha.-Quartz / Silica, crystalline, .alpha.- quartz / QUARTZ / Crystalline silica in the form of quartz / Quartz, silica / Quartz (respirable fraction) / Silica dust / Silica, crystalline- .alpha.quartz / Silica, .alpha.- quartz / Silicon dioxide / Silica, quartz / Silica, crystalline / Quartz (crystalline silica) / Silica dust, crystalline / QUARTZ POWDER / Silica, crystalline (quartz)	(CAS-No.) 14808-60-7	< 0.1	Carc. 1A, H350 STOT SE 3, H335 STOT RE 1, H372
Nickel	Nickel metal / Nickel, elemental / Nickel, metallic / Nickel, metal / C.I. 77775	(CAS-No.) 7440-02-0	< 0.1	Skin Sens. 1, H317 Carc. 2, H351 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 Comb. Dust

Full text of H- and EUH-statements: see section 16

\*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

# SURE/CUT Edge

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.

**Eye Contact:** Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**General:** Not expected to present a significant hazard under anticipated conditions of normal use.

**Inhalation:** Prolonged exposure may cause irritation.

**Skin Contact:** Prolonged exposure may cause skin irritation. May cause sensitisation of susceptible persons by skin contact.

**Eye Contact:** May cause slight irritation to eyes.

**Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** Repeated or prolonged inhalation of dust particles may cause effects on the lungs. This may result in fibrosis (pneumoconiosis).

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not flammable.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Metal oxides.

### 5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid prolonged contact with eyes, skin and clothing. Avoid breathing dust.

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Recover the product by vacuuming, shoveling or sweeping. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

# SURE/CUT Edge

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing dust.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

**Incompatible Materials:** Strong acids, strong bases, strong oxidizers.

### 7.3. Specific End Use(s)

Raw Material - Industrial Uses

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Silica, amorphous (7631-86-9)		
USA OSHA	OSHA PEL (TWA) [1]	6 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) [2]	20 mppcf (80mg/m <sup>3</sup> /%SiO <sub>2</sub> )
USA NIOSH	NIOSH REL (TWA)	6 mg/m <sup>3</sup>
USA IDLH	IDLH	3000 mg/m <sup>3</sup>
Yukon	OEL TWA	300 particle/mL (as measured by Konimeter instrumentation (Silica) 20 mppcf (as measured by Impinger instrumentation (Silica) 2 mg/m <sup>3</sup> (respirable mass (Silica)
Magnesium oxide (MgO) (1309-48-4)		
USA ACGIH	ACGIH OEL TWA	10 mg/m <sup>3</sup> (inhalable particulate matter)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA OSHA	OSHA PEL (TWA) [1]	15 mg/m <sup>3</sup> (fume, total particulate)
USA IDLH	IDLH	750 mg/m <sup>3</sup> (fume)
Alberta	OEL TWA	10 mg/m <sup>3</sup> (fume)
British Columbia	OEL STEL	10 mg/m <sup>3</sup> (respirable dust and fume)
British Columbia	OEL TWA	10 mg/m <sup>3</sup> (fume, inhalable) 3 mg/m <sup>3</sup> (respirable dust and fume)
Manitoba	OEL TWA	10 mg/m <sup>3</sup> (inhalable particulate matter)
New Brunswick	OEL TWA	10 mg/m <sup>3</sup> (fume)
Newfoundland & Labrador	OEL TWA	10 mg/m <sup>3</sup> (inhalable particulate matter)
Nova Scotia	OEL TWA	10 mg/m <sup>3</sup> (inhalable particulate matter)
Nunavut	OEL STEL	20 mg/m <sup>3</sup> (inhalable fraction)
Nunavut	OEL TWA	10 mg/m <sup>3</sup> (inhalable fraction)
Northwest Territories	OEL STEL	20 mg/m <sup>3</sup> (inhalable fraction)
Northwest Territories	OEL TWA	10 mg/m <sup>3</sup> (inhalable fraction)
Ontario	OEL TWA	10 mg/m <sup>3</sup> (inhalable particulate matter)
Prince Edward Island	OEL TWA	10 mg/m <sup>3</sup> (inhalable particulate matter)
Québec	VEMP (OEL TWA)	10 mg/m <sup>3</sup> (inhalable dust)
Saskatchewan	OEL STEL	20 mg/m <sup>3</sup> (inhalable fraction)
Saskatchewan	OEL TWA	10 mg/m <sup>3</sup> (inhalable fraction)

# SURE/CUT Edge

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Yukon	OEL STEL	10 mg/m <sup>3</sup> (fume)
Yukon	OEL TWA	10 mg/m <sup>3</sup> (fume)
<b>Aluminum oxide (Al<sub>2</sub>O<sub>3</sub>) (1344-28-1)</b>		
USA ACGIH	ACGIH OEL TWA	10 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) [1]	15 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable fraction)
Alberta	OEL TWA	10 mg/m <sup>3</sup>
New Brunswick	OEL TWA	10 mg/m <sup>3</sup> (particulate matter containing no Asbestos and <1% Crystalline silica)
Nunavut	OEL STEL	20 mg/m <sup>3</sup>
Nunavut	OEL TWA	10 mg/m <sup>3</sup>
Northwest Territories	OEL STEL	20 mg/m <sup>3</sup>
Northwest Territories	OEL TWA	10 mg/m <sup>3</sup>
Québec	VEMP (OEL TWA)	10 mg/m <sup>3</sup> (containing no Asbestos and <1% Crystalline silica-total dust)
Saskatchewan	OEL STEL	20 mg/m <sup>3</sup>
Saskatchewan	OEL TWA	10 mg/m <sup>3</sup>
Yukon	OEL STEL	20 mg/m <sup>3</sup> (Al <sub>2</sub> O <sub>3</sub> )
Yukon	OEL TWA	30 mppcf (Al <sub>2</sub> O <sub>3</sub> ) 10 mg/m <sup>3</sup> (Al <sub>2</sub> O <sub>3</sub> )
<b>Chromium oxide (Cr<sub>2</sub>O<sub>3</sub>) (1308-38-9)</b>		
USA ACGIH	ACGIH OEL TWA	0.05 mg/m <sup>3</sup> 0.5 (Cr II & Cr III Compounds) 0.05 (Cr VI Water Soluble)
USA OSHA	OSHA PEL (TWA) [1]	1 mg/m <sup>3</sup> (metal) 0.5 (Cr II & Cr III Compounds) 0.005 (Cr VI Compounds)
<b>Quartz (14808-60-7)</b>		
USA ACGIH	ACGIH OEL TWA	0.025 mg/m <sup>3</sup> (respirable particulate matter)
USA ACGIH	ACGIH chemical category	A2 - Suspected Human Carcinogen
USA OSHA	OSHA PEL (TWA) [1]	50 µg/m <sup>3</sup> (Respirable crystalline silica)
USA OSHA	OSHA PEL (TWA) [2]	(250)/(%SiO <sub>2</sub> +5) mppcf TWA (respirable fraction) (10)/(%SiO <sub>2</sub> +2) mg/m <sup>3</sup> TWA (respirable fraction) (For any operations or sectors for which the respirable crystalline silica standard, 1910.1053, is stayed or otherwise not in effect, See 20 CFR 1910.1000 TABLE Z-3)
USA NIOSH	NIOSH REL (TWA)	0.05 mg/m <sup>3</sup> (respirable dust)
USA IDLH	IDLH	50 mg/m <sup>3</sup> (respirable dust)
Alberta	OEL TWA	0.025 mg/m <sup>3</sup> (respirable particulate)
British Columbia	OEL TWA	0.025 mg/m <sup>3</sup> (respirable)
Manitoba	OEL TWA	0.025 mg/m <sup>3</sup> (respirable particulate matter)
New Brunswick	OEL TWA	0.1 mg/m <sup>3</sup> (respirable fraction)
Newfoundland & Labrador	OEL TWA	0.025 mg/m <sup>3</sup> (respirable particulate matter)
Nova Scotia	OEL TWA	0.025 mg/m <sup>3</sup> (respirable particulate matter)
Nunavut	OEL TWA	0.05 mg/m <sup>3</sup> (respirable fraction (Silica - crystalline))
Northwest Territories	OEL TWA	0.05 mg/m <sup>3</sup> (respirable fraction (Silica - crystalline))
Ontario	OEL TWA	0.1 mg/m <sup>3</sup> (designated substances regulation-respirable fraction (Silica, crystalline))
Prince Edward Island	OEL TWA	0.025 mg/m <sup>3</sup> (respirable particulate matter)
Québec	VEMP (OEL TWA)	0.1 mg/m <sup>3</sup> (respirable dust)
Saskatchewan	OEL TWA	0.05 mg/m <sup>3</sup> (Trydimite removed-respirable fraction (Silica - crystalline (Trydimite removed)))
Yukon	OEL TWA	300 particle/mL (Silica - Quartz, crystalline)
<b>Nickel (7440-02-0)</b>		

# SURE/CUT Edge

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

USA ACGIH	ACGIH OEL TWA	1.5 mg/m <sup>3</sup> (inhalable particulate matter)
USA ACGIH	ACGIH chemical category	Not Suspected as a Human Carcinogen
USA ACGIH	BEI (BLV)	5 µg/l Parameter: Nickel - Medium: urine - Sampling time: post-shift at end of workweek (background)
USA OSHA	OSHA PEL (TWA) [1]	1 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (TWA)	0.015 mg/m <sup>3</sup>
USA IDLH	IDLH	10 mg/m <sup>3</sup>
Alberta	OEL TWA	1.5 mg/m <sup>3</sup>
British Columbia	OEL TWA	0.05 mg/m <sup>3</sup>
Manitoba	OEL TWA	1.5 mg/m <sup>3</sup> (inhalable particulate matter)
New Brunswick	OEL TWA	1 mg/m <sup>3</sup>
Newfoundland & Labrador	OEL TWA	1.5 mg/m <sup>3</sup> (inhalable particulate matter)
Nova Scotia	OEL TWA	1.5 mg/m <sup>3</sup> (inhalable particulate matter)
Nunavut	OEL STEL	3 mg/m <sup>3</sup> (inhalable fraction)
Nunavut	OEL TWA	1.5 mg/m <sup>3</sup> (inhalable fraction)
Northwest Territories	OEL STEL	3 mg/m <sup>3</sup> (inhalable fraction)
Northwest Territories	OEL TWA	1.5 mg/m <sup>3</sup> (inhalable fraction)
Ontario	OEL TWA	1 mg/m <sup>3</sup> (inhalable fraction)
Prince Edward Island	OEL TWA	1.5 mg/m <sup>3</sup> (inhalable particulate matter)
Québec	VEMP (OEL TWA)	1.5 mg/m <sup>3</sup> (inhalable dust)
Saskatchewan	OEL STEL	3 mg/m <sup>3</sup> (inhalable fraction)
Saskatchewan	OEL TWA	1.5 mg/m <sup>3</sup> (inhalable fraction)
Yukon	OEL STEL	3 mg/m <sup>3</sup>
Yukon	OEL TWA	1 mg/m <sup>3</sup>

<b>Calcium oxide (1305-78-8)</b>		
USA ACGIH	ACGIH OEL TWA	2 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) [1]	5 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (TWA)	2 mg/m <sup>3</sup>
USA IDLH	IDLH	25 mg/m <sup>3</sup>
Alberta	OEL TWA	2 mg/m <sup>3</sup>
British Columbia	OEL TWA	2 mg/m <sup>3</sup>
Manitoba	OEL TWA	2 mg/m <sup>3</sup>
New Brunswick	OEL TWA	2 mg/m <sup>3</sup>
Newfoundland & Labrador	OEL TWA	2 mg/m <sup>3</sup>
Nova Scotia	OEL TWA	2 mg/m <sup>3</sup>
Nunavut	OEL STEL	4 mg/m <sup>3</sup>
Nunavut	OEL TWA	2 mg/m <sup>3</sup>
Northwest Territories	OEL STEL	4 mg/m <sup>3</sup>
Northwest Territories	OEL TWA	2 mg/m <sup>3</sup>
Ontario	OEL TWA	2 mg/m <sup>3</sup>
Prince Edward Island	OEL TWA	2 mg/m <sup>3</sup>
Québec	VEMP (OEL TWA)	2 mg/m <sup>3</sup>
Saskatchewan	OEL STEL	4 mg/m <sup>3</sup>
Saskatchewan	OEL TWA	2 mg/m <sup>3</sup>
Yukon	OEL STEL	4 mg/m <sup>3</sup>
Yukon	OEL TWA	2 mg/m <sup>3</sup>

### 8.2. Exposure Controls

**Appropriate Engineering Controls:** Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

# SURE/CUT Edge

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Personal Protective Equipment:** Gloves. Protective clothing. Protective goggles.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Hand Protection:** Wear protective gloves.

**Eye and Face Protection:** Chemical safety goggles.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	: Solid
Appearance	: Green, granular
Odor	: Odorless
Odor Threshold	: Not available
pH	: Not available
Evaporation Rate	: Not available
Melting Point	: > 1500 °C (2732 °F)
Freezing Point	: Not available
Boiling Point	: > 2000 °C (3632 °F)
Flash Point	: Not available
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not available
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 20°C	: Not available
Relative Density	: Not available
Density	: 1.3 – 1.5 g/cm <sup>3</sup> (10.85-12.52 lbs/gal)
Specific Gravity	: Not available
Solubility	: Water: Not miscible or difficult to mix. Insoluble.
Partition Coefficient: N-Octanol/Water	: Not available
Viscosity	: Not available

## SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers.
- 10.6. Hazardous Decomposition Products:** Thermal decomposition may produce: Metal oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on Toxicological Effects - Product

**Acute Toxicity (Oral):** Not classified

**Acute Toxicity (Dermal):** Not classified

# SURE/CUT Edge

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Acute Toxicity (Inhalation):** Not classified

**LD50 and LC50 Data:** Not available

**Skin Corrosion/Irritation:** Not classified

**Eye Damage/Irritation:** Not classified

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation. May cause sensitisation of susceptible persons by skin contact.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** Repeated or prolonged inhalation of dust particles may cause effects on the lungs. This may result in fibrosis (pneumoconiosis).

### 11.2. Information on Toxicological Effects - Ingredient(s)

**LD50 and LC50 Data:**

<b>Silica, amorphous (7631-86-9)</b>	
LD50 Oral Rat	7900 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg (No deaths)
<b>Magnesium oxide (MgO) (1309-48-4)</b>	
LD50 Oral Rat	3870 mg/kg
<b>Iron oxide (FeO) (1345-25-1)</b>	
LD50 Oral Rat	> 15 g/kg
<b>Aluminum oxide (Al2O3) (1344-28-1)</b>	
LD50 Oral Rat	> 15900 mg/kg
LC50 Inhalation Rat	> 2.3 mg/l/4h
<b>Chromium oxide (Cr2O3) (1308-38-9)</b>	
LD50 Oral Rat	> 5000 mg/kg
LC50 Inhalation Rat	> 5.41 mg/l/4h
<b>Manganese oxide (MnO) (1344-43-0)</b>	
LC50 Inhalation Rat	> 5.35 mg/l/4h
<b>Quartz (14808-60-7)</b>	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rat	> 5000 mg/kg
<b>Nickel (7440-02-0)</b>	
LD50 Oral Rat	> 9000 mg/kg
LC50 Inhalation Rat	> 10.2 mg/l (Exposure time: 1 h)
<b>Calcium oxide (1305-78-8)</b>	
LD50 Oral Rat	> 2000 mg/kg
LD50 Dermal Rabbit	> 2500 mg/kg
LC50 Inhalation Rat	> 6.04 mg/l/4h
<b>Silica, amorphous (7631-86-9)</b>	
IARC Group	3
<b>Chromium oxide (Cr2O3) (1308-38-9)</b>	
IARC Group	3
<b>Quartz (14808-60-7)</b>	



# SURE/CUT Edge

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

<b>IARC Group</b>	1
<b>National Toxicology Program (NTP) Status</b>	Known Human Carcinogens.
<b>OSHA Hazard Communication Carcinogen List</b>	In OSHA Hazard Communication Carcinogen list.
<b>Nickel (7440-02-0)</b>	
<b>IARC Group</b>	2B
<b>National Toxicology Program (NTP) Status</b>	Reasonably anticipated to be Human Carcinogen.
<b>OSHA Hazard Communication Carcinogen List</b>	In OSHA Hazard Communication Carcinogen list.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Ecology - General: Not classified.

<b>Silica, amorphous (7631-86-9)</b>	
<b>LC50 Fish 1</b>	5000 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
<b>EC50 - Crustacea [1]</b>	7600 mg/l (Exposure time: 48 h - Species: Ceriodaphnia dubia)
<b>Aluminum oxide (Al2O3) (1344-28-1)</b>	
<b>LC50 Fish 1</b>	> 100 mg/l
<b>EC50 - Crustacea [1]</b>	> 100 mg/l
<b>ErC50 algae</b>	> 100 mg/l
<b>NOEC (Acute)</b>	> 50 mg/l
<b>Chromium oxide (Cr2O3) (1308-38-9)</b>	
<b>LC50 Fish 1</b>	> 10000 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
<b>NOEC Chronic Fish</b>	1000 mg/l (Species: Brachydanio rerio - Duration: 30 d)
<b>Nickel (7440-02-0)</b>	
<b>LC50 Fish 1</b>	100 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)
<b>EC50 - Crustacea [1]</b>	121.6 µg/l (Exposure time: 48h - Species: Ceriodaphnia dubia [static])
<b>LC50 Fish 2</b>	15.3 mg/l
<b>EC50 - Crustacea [2]</b>	1 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
<b>EC50 Other Aquatic Organisms 2</b>	0.174 (0.174 – 0.311) mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata [static])
<b>Calcium oxide (1305-78-8)</b>	
<b>LC50 Fish 1</b>	50.6 mg/l

### 12.2. Persistence and Degradability

<b>SURE/CUT Edge</b>	
<b>Persistence and Degradability</b>	Not established.

### 12.3. Bioaccumulative Potential

<b>SURE/CUT Edge</b>	
<b>Bioaccumulative Potential</b>	Not established.
<b>Silica, amorphous (7631-86-9)</b>	
<b>BCF Fish 1</b>	(no bioaccumulation expected)
<b>Calcium oxide (1305-78-8)</b>	
<b>BCF Fish 1</b>	(no bioaccumulation)

**12.4. Mobility in Soil** Not available

### 12.5. Other Adverse Effects

**Other Information:** Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

**Ecology - Waste Materials:** Avoid release to the environment.

# SURE/CUT Edge

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

### SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 14.1. In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport
- 14.4. In Accordance with TDG Not regulated for transport


### SECTION 15: REGULATORY INFORMATION

#### 15.1. US Federal Regulations

<b>Silica, amorphous (7631-86-9)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Magnesium oxide (MgO) (1309-48-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Iron oxide (FeO) (1345-25-1)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Aluminum oxide (Al2O3) (1344-28-1)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Subject to reporting requirements of United States SARA Section 313	
<b>SARA Section 313 - Emission Reporting</b>	1 % (fibrous forms)
<b>Chromium oxide (Cr2O3) (1308-38-9)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Manganese oxide (MnO) (1344-43-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Quartz (14808-60-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Nickel (7440-02-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	100 lb (only applicable if particles are < 100 µm)
<b>SARA Section 313 - Emission Reporting</b>	0.1 %
<b>Calcium oxide (1305-78-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

#### 15.2. US State Regulations

##### California Proposition 65

 **WARNING:** This product can expose you to Quartz, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Chemical Name (CAS No.)	Carcinogenicity	Developmental Toxicity	Female Reproductive Toxicity	Male Reproductive Toxicity
Quartz (14808-60-7)	X			
Nickel (7440-02-0)	X			

<b>Silica, amorphous (7631-86-9)</b>	
U.S. - Pennsylvania - RTK (Right to Know) List	
U.S. - Massachusetts - Right To Know List	
<b>Magnesium oxide (MgO) (1309-48-4)</b>	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) List	
U.S. - Massachusetts - Right To Know List	
<b>Aluminum oxide (Al2O3) (1344-28-1)</b>	
U.S. - New Jersey - Right to Know Hazardous Substance List	

# SURE/CUT Edge

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Massachusetts - Right To Know List  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

### Chromium oxide (Cr2O3) (1308-38-9)

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Massachusetts - Right To Know List

### Quartz (14808-60-7)

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Massachusetts - Right To Know List

### Nickel (7440-02-0)

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Massachusetts - Right To Know List  
U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

### Calcium oxide (1305-78-8)

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Massachusetts - Right To Know List

## 15.3. Canadian Regulations

### Silica, amorphous (7631-86-9)

Listed on the Canadian DSL (Domestic Substances List)

### Magnesium oxide (MgO) (1309-48-4)

Listed on the Canadian DSL (Domestic Substances List)

### Iron oxide (FeO) (1345-25-1)

Listed on the Canadian DSL (Domestic Substances List)

### Aluminum oxide (Al2O3) (1344-28-1)

Listed on the Canadian DSL (Domestic Substances List)

### Chromium oxide (Cr2O3) (1308-38-9)

Listed on the Canadian DSL (Domestic Substances List)

### Manganese oxide (MnO) (1344-43-0)

Listed on the Canadian DSL (Domestic Substances List)

### Quartz (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List)

### Nickel (7440-02-0)

Listed on the Canadian DSL (Domestic Substances List)

### Calcium oxide (1305-78-8)

Listed on the Canadian DSL (Domestic Substances List)

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 08/11/2021

### Other Information

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

### GHS Full Text Phrases:

Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3

# SURE/CUT Edge

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Carc. 1A	Carcinogenicity Category 1A
Carc. 2	Carcinogenicity Category 2
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H335	May cause respiratory irritation
H350	May cause cancer
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

NA GHS SDS 2015 (Can, US)