**SDS Revision Date: 06/22/2017** 

## 1. Identification

**1.1. Product identifier**Marco Hard Rock Garnet

Product Identity Product Code: 70GAR80, 70GAR30X60,

Alternate Names 70GAR20X40, 70GAR12X20 Chemical Name: Garnet

Synonyms/Common Name: Garnet Abrasive Grains

and Powder

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Abrasive Blasting Applications.
Application Method Abrasive Blasting Applications.

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name Marco Group International

3425 East Locust Street Davenport, IA 52803

**Emergency** 

24 hour Emergency Telephone No.800-252-7848Customer Service: Marco Group InternationalPH: 800-252-7848

FX: 800-735-6849

## 2. Hazard Identification

#### 2.1. Classification of the substance or mixture

Carc. 1A; H350 May cause cancer from repeated inhalation exposure to

crystalline silica.

STOT RE 1; H372 Product contains silica: Prolonged or repeated inhalation

exposure to crystalline silica causes lung effects including silicosis, lung cancer, and breathing problems, immune

system effects, and kidney effects.

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



#### Danger

H350 May cause cancer from repeated inhalation exposure to crystalline silica.

H372 Prolonged or repeated inhalation exposure to crystalline silica causes lung effects including silicosis, lung cancer, and breathing problems, immune system effects, and kidney effects.

SDS Revision Date: 06/22/2017

[Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust / fumes.

P281 Use personal protective equipment as required.

[Response]:

P308+313 IF exposed or concerned: Get medical advice / attention.

P314 Get Medical advice / attention if you feel unwell.

[Storage]:

P405 Store locked up.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

# 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification *	Notes
Almandine (Al2Fe3(SiO4)3) CAS Number: 0001302-62-1	85 - 100	Not Classified	[1]
<b>Quartz</b> CAS Number: 0014808-60-7	<1	Acute Tox. 4; H332 STOT RE 1; H372 Carc. 1A; H350	[1][2][3]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

- [1] Substance classified with a health or environmental hazard.
- [2] Substance with a workplace exposure limit.
- [3] Prolonged or repeated inhalation of crystalline silica (quartz) causes lung effects including silicosis, lung cancer, and breathing problems, immune system effects, and kidney effects.

## 4. First-aid measures

#### 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or

stopped, give artificial respiration. If unconscious, roll the person onto his or her side (the recovery position) if there are no obvious signs of injury and

obtain immediate medical attention. Give nothing by mouth.

<sup>\*</sup>The full texts of the phrases are shown in Section 16.

SDS Revision Date: 06/22/2017

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the

eyelids apart and seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or

use a recognized skin cleanser.

**Ingestion** If swallowed and patient is symptomatic obtain immediate medical attention.

Keep at rest. Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

**Overview** Inhalation: May cause irritation of nasal and respiratory tract.

Skin Contact: May cause irritation

Eye Contact: May cause irritation or abrasions

Ingestion: No known effect.

Delayed Effects: None known.

Medical Conditions Aggravated by Exposure: Chronic respiratory disease may be

aggravated by exposure to nuisance dust

Possible cancer hazard. Contains an ingredient which may cause cancer based on human data (See Section 3 for each ingredient). Risk of cancer depends on

duration and level of exposure.

See section 2 for further details.

# 5. Fire-fighting measures

#### 5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray.

Do not use: water jet.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Do not breathe dust / fume.

## 5.3. Advice for fire-fighters

No special procedures required. Use appropriate nuisance dust protection while extinguishing

surrounding fire.

ERG Guide No. ----

## 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet.

Promptly remove soiled clothing and wash thoroughly before reuse.

SDS Revision Date: 06/22/2017

#### 6.3. Methods and material for containment and cleaning up

Sweep or vacuum material for disposal or recovery. Material may be wetted with water to reduce dust and collected for reprocessing or disposal

## 7. Handling and storage

### 7.1. Precautions for safe handling

Use good housekeeping practices to reduce dust; use approved hand, eye and **respiratory protection** when handling. See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Incompatible with strong oxidizing agents and strong acids.

Avoid conditions of extreme humidity. Store locked-up (see section 2 for further details. - [Storage])

#### 7.3. Specific end use(s)

No data available.

# 8. Exposure controls and personal protection

#### 8.1. Control parameters

**Exposure** 

 CAS No. I
 ngredient
 Source
 Value

 0001302-62-1
 Almandine (Al2Fe3(SiO4)3)
 OSHA
 No Esta

Almandine (Al2Fe3(SiO4)3)

OSHA

OSHA

No Established Limit

A CGIH

No Established Limit

NIOSH No Established Limit Supplier No Established Limit

0014808-60-7 Quartz OSHA 0.05 mg/m³ TWA (respirable)

ACGIH TWA: 0.025 mg/m3 (respirable)
NIOSH 0.05 mg/m3 TWA (respirable)

Supplier No Established Limit

The exposure limits for nuisance dust (particles not otherwise regulated):

OSHA PEL: 15 mg/m3 TWA (total dust)

5 mg/m3 TWA (respirable fraction)

ACGIH TLV: 10 mg/m3 TWA (inhalable fraction)

3 mg/m3 TWA (respirable fraction)

## 8.2. Exposure controls

Respiratory

If the respirable particulate exposure limit is exceeded, wear NIOSH-approved respiratory protection. According to OSHA, only a Type CE NIOSH-certified blasting airline respirator with positive pressure blasting helmet should be used for abrasive blasting (<a href="https://www.osha.gov/Publications/OSHA3697.pdf">https://www.osha.gov/Publications/OSHA3697.pdf</a> )..

SDS Revision Date: 06/22/2017

**Eyes** When mechanically working this product, safety glasses with side shields or

Coverall goggles are recommended for airborne dust exposures in excess of the

applicable limits.

**Skin** Wear protective gloves and clothing to prevent skin contact.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be

achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking,

smoking or using toilet. Promptly remove soiled clothing and wash thoroughly

before reuse.

See section 2 for further details. - [Prevention]:

# 9. Physical and chemical properties

Appearance Red, Pink, White or Grey Solid

**Odor** Odorless

Odor threshold

PH

Not Applicable

Melting point / freezing point

1250°C to 1315°C

Initial boiling point and boiling range

Not Applicable

Flash Point

Not Applicable

Evaporation rate (Ether = 1)

Not Applicable

Flammability (solid, gas)

Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Applicable

Upper Explosive Limit: Not Applicable

Vapor pressure (Pa)Not MeasuredVapor DensityNot ApplicableSpecific Gravity3.9-4.1 (Water=1)

Solubility in Water

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature

Not Measured

Not Measured

Not Measured

Viscosity (cSt)

Not Applicable

Solubility in other solvents Not soluble in oil and acetone

**9.2. Other information**No other relevant information

SDS Revision Date: 06/22/2017

# 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

## 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

No data available.

#### 10.5. Incompatible materials

Incompatible with strong oxidizing agents and strong acids.

#### 10.6. Hazardous decomposition products

No hazardous decomposition data available.

# 11. Toxicological information

Acute toxicity Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust LC50 mg/L/4hr	Inhalation Gas LC50 ppm
Almandine (Al <sub>2</sub> Fe <sub>3</sub> (SiO <sub>4</sub> ) <sub>3</sub> ) (1302-62-1)	No data	Not	Not	No data	Not
	available	applicable	applicable	available	applicable
Quartz –	No data	Not	Not	No data	Not
(14808-60-7)	available	applicable	applicable	available	applicable

## Carcinogenicity

<u>Ingredient</u>	Source	<u>Evaluation</u>
Almandine (Al <sub>2</sub> Fe <sub>3</sub> (SiO <sub>4</sub> ) <sub>3</sub> )	OSHA	Not evaluated or listed
(1302-62-1)	NTP	Not evaluated or listed
	IARC	Not evaluated or listed
Quartz (14808-60-7)	OSHA NTP IARC ACGIH	Human carcinogen Known to be a human carcinogen Carcinogenic to humans (Group 1) Suspected human carcinogen (A2)

<u>Classification</u>	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable

**SDS Revision Date: 06/22/2017** 

	Not Applicable
1A	Contains silica, a human carcinogen
	Not Applicable
	Not Applicable
1	Contains silica: May cause damage to
	lungs, respiratory tract, immune system
	and kidneys through prolonged and
	repeated inhalation.
	Not Applicable
	 1A   1

# 12. Ecological information

#### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

#### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	Er C50 algae, m g/l
Almandine (Al2Fe3(SiO4)3) - (1302-62-1)	Not Available	Not Available	Not Available
Quartz - (14808-60-7)	Not Available	Not Available	Not Available

## 12.2. Persistence and degradability

There is no data available on the preparation itself.

#### 12.3. Bioaccumulative potential

Not Measured

#### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

# 13. Disposal considerations

### 13.1. Waste treatment methods

Follow local, state and federal guidelines for disposal of inert solid waste.

MATERIAL CONTAMINATED IN USE MAY REQUIRE SPECIAL HANDLING.

SDS Revision Date: 06/22/2017

# 14. Transport information

DOT (Domestic Surface

Transportation)

IMO / IMDG (Ocean Transportation)

ICAO/IATA

14.1 UN number

Not Applicable

Not Regulated

Not Regulated

14.2 UN proper shipping

ing

Not Regulated

Not Regulated

Not Regulated

name

14.3 Transport hazard class(es)

**DOT Hazard Class:** 

**IMDG:** Not Applicable

Air Class: Not Applicable

14.4 Packing group

Not Applicable

Not Applicable

Not Applicable

14.5 Environmental hazards

IMDG: Marine Pollutant: No

14.6 Special Precautions for user

No further information

# 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

**Toxic Substance** All components of this material are either listed or exempt from listing on the

Control Act (TSCA) TSCA Inventory.

WHMIS Classification D2A

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No

Reactive: No Immediate (Acute): No Delayed (Chronic): Yes

#### EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 313 Toxic Chemicals:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Carcinogens (>0.0%): Quartz

#### Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

SDS Revision Date: 06/22/2017

#### **Proposition 65 - Male Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### New Jersey RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Pennsylvania RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H332 Harmful if inhaled.

H350 May cause cancer through repeated inhalation exposure to crystalline silica.

H372 Causes damage to lungs, immune system and kidneys through prolonged or repeated inhalation exposure to crystalline silica.

End of Document