

POWERED AIR PX5® PAPR

Respiratory protection reimagined.

The RPB PX5 changes the way people experience clean filtered air across multiple industries – from medical and chemical settings, through to the profoundly harsh environments of foundries.

The PX5 is the result of years of product refinement, designed with new functional capabilities, increasing performance while enhancing the way you experience comfort. The PX5 redefines what it means to be a powered air purifying respirator.

Boasting a robust yet compact design, the PX5 weighs just 2.55lbs as a complete system. With strategic weight distribution through its vertical mounting position and support from our flexi-belt system, the PX5 contours to the user to maximize comfort and stability.

Designed with sleek considered surfaces, and a quick release mount lock system for ease of decontamination, the PX5 is certified to IP65 rating in use and IP67 rating with cleaning kit in place.

Protecting you for life's best moments.



Features & Benefits

Weighing just 2.55lbs, the sleek and compact design maximizes comfort, vertically mounting to contour to the wearer and is supported by our flexi-belt system.

Visual, audible and vibrating alarms alert you when the battery level is low, or when airflow falls below the minimum requirements due to the filter needing replacing or when airflow is obstructed.

Intuitive LED user interface indicates airflow, fan speed, and battery level.



The PX5 unit attaches to our flexi-belt (fitted with either standard or FR rated belt) via our intuitive mount lock system. The unit is easily detached for cleaning and storage.

Protecting you for life's best moments.



■ **Filter Safety** - The filter door cannot mount to the unit unless a filter is fixed in place.

■ **Ingress Protection** - With a completely sealed housing, the PX5 has been certified to IP65 rating in use and certified to IP67 rating with cleaning kit in place.

■ **HE Filter** – Manufactured from ULPA media which removes up to 99.97% of particulates down to 0.12 microns. **Replace the pre-filter daily and install spark arrestor to protect and extend the life of the main filter.**

■ **Sealed inside the unit during operation**, the long-life lithium-ion battery is protected from moisture and will not disconnect or bump off while operating.



For more information visit rpbsafety.com/px5

Certifications

ISO9001
CERTIFIED COMPANY

NIOSH
National Institute for Occupational Safety and Health
Only in conjunction with approved respirator.

CE 2797
EN12941:1998
+A2:2008 TH3 P R SL
RESPIRATORY PROTECTION
Only in conjunction with approved respirator.

BSI Certified Product
AS/NZS 1716:2012
BMP# 714303
RESPIRATORY PROTECTION

MADE IN THE USA
*From local & globally sourced components

rpb

WANT TO KNOW MORE? CONTACT US

rpbsafety.com/industrial

Request a quote rpbsafety.com/industrial/request-a-quote

Start your 30 day trial rpbsafety.com/industrial/buy-to-try

Or call us toll-free at 1-866-494-4599

 youtube.com/rpbsafety

 linkedin.com/company/rpbsafety

WARNING PRODUCT SELECTION

- 1. Determine what type of protection is required for your activity.** As applicable, check your workplace safety program, respiratory protection program, and standards and regulations for your activity or industry.
 - 2. Check product specifications.** Contact RPB® or check the product instruction manual (downloadable from rpbsafety.com) for complete specifications, including approvals, standards, and regulations to which the product conforms.
 - 3. Make sure you have a complete system.** Verify that you have or are purchasing all required components. System requirements are available from RPB® or in product instruction manuals.
- Selecting inappropriate or incomplete equipment, including the use of counterfeit or non-RPB® parts, can result in inadequate protection and will void the NIOSH approval of the entire respirator.**

Copyright ©2020 RPB IP, LLC. All rights reserved.

All materials contained in this publication are protected by United States copyright law and may not be reproduced, distributed, transmitted, displayed, published or broadcast without the prior written permission of RPB IP, LLC. You may not alter or remove any trademark, copyright or other notice from copies of the content.

Trademarks and Other Intellectual Property

All trademarks, service marks, and logos used in this publication, both registered and unregistered, are the trademarks, service marks, or logos of their respective owners. The green and gray color combination is a registered trademark of RPB IP, LLC. All rights in the RPB Intellectual Property contained in this publication, including copyright, trademarks, service marks, trade secret, and patent rights are reserved. RPB Intellectual Property means any patent, patented articles, patent applications, designs, industrial designs, copyrights, software, source code, database rights, moral rights, inventions, techniques, technical data, trade secrets, know-how, brands, trademarks, trade names, slogans, logos, and any other common law and proprietary rights, whether registered or unregistered anywhere in the world, that are owned by, developed in whole or in part by, or licensed by RPB IP, LLC.

Dupont™ Tyvek® and Tychem® are registered trademarks of E.I. du Pont de Nemours and Company or its affiliates.

Protecting you for life's best moments.



rpb