




New Products Update



NEW PRODUCTS



HVD1844IMP

Comfortable 18 Gauge, ANSI CUT 4 liner with TPR on fingers and back of the palm.

Reinforced Thumb Crotch

ANSI Abrasion Level 4 & ANSI Cut Level 4 & ANSI Puncture Level 4

ANSI 138 Level 1 - Knuckle Impact Protection

ANSI 138 Level 2 - Finger and Thumb Impact Protection



HV4IMP

Quality 13 Gauge Impact glove with low profile TPR protection

Black Nitrile palm for dexterity, gripping and oil handling

Nitrile reinforced thumb saddle for durability

ANSI 138 Level 1 - Impact

ANSI A4 Cut

ANSI 4 Puncture

EN388:2016 4X43DP



GBN5

High dexterity 13 Gauge Impact glove with TPR protection on back of the hand and fingers

Black sandy nitrile palm, foam padded with reinforced thumb crotch for added protection

ANSI Cut A5

ANSI 138 Level 1 - Knuckle Impact Protection

ANSI 138 Level 2 - Finger and Thumb Impact Protection

NEW PRODUCTS



HV182IMP

Nap-In corded double palm

High-Vis back and palm

ANSI CUT Level A2 , ANSI/ISEA

Impact Level 1 TPR protection

One size fits most



HGLP5

Superior Goatskin Impact Glove with TPR Fingers and back of the hand.

360 cut protection with Aramid Liner, Velcro Wrist

ANSI cut rated A5

ANSI 138 Level 1 - Knuckle Impact Protection

ANSI 138 Level 2 - Finger and Thumb Impact Protection



CR773K-IMP

Deluxe Goatskin Cut Resistant Welding Glove with full Kevlar lining and thread, with TPR Protection.

Ansi Cut 6

ANSI 138 – Level 1 Knuckle Impact Protection

ANSI 138 Level 2 – Finger and Thumb Impact Protection



CR73YB

Premium Goatskin Impact Glove with TPR Fingers and back of the hand.

ANSI Cut 7 A7

ANSI 138 Level 3 – Knuckle Impact Protection

ANSI 138 Level 3 - Finger and Thumb Impact Protection

NEW PRODUCTS



9-BL134

13 Gauge Blue fully coated
microform latex coating

ANSI CUT 4 terry liner

Water Resistant to keep
hands warm and dry



9-ORL134

13 Gauge Orange fully coated
microform latex coating

ANSI CUT 4 terry liner

Water Resistant to keep
hands warm and dry



9-5464C100

Premium Deerskin Driver
Glove with 100 grams of
3M Thinsulate

Leather hem, goes up to
2XL



9-NE407G

High Visibility Acrylic Liner
with latex dipped

EN511: X2X

EN388: 2231B

NEW PRODUCTS



ARC134

4 levels of protection: Cut-level A4, Arc Flash resistant, flame resistant and contact heat resistant.

Anti-static, tough-screen design with high dexterity

ATPV rating= 10,3 cal/cm2 as per ASTM F2675 / F2675M : 2019

EN407: 2004 Heat Protection tests



D84-12

100% PVC coating over full cotton lining.

Cut, abrasion, puncture and heat resistant (Contact Heat tested for level 1)

ANSI Cut rated 1



GNF812

Green PVC glove with interlock lining

Sandy Nitrile exterior

Designed to prevent oil penetration

Odor suppression minimizes generation of odor.

NEW PRODUCTS



SBN718

18 Gauge High Performance
ANSI Cut 8 liner with a black
sandy form nitrile coated palm

Ergonomic liner design
enhances comfort and reduces
hand fatigue

Liner offers breathability,
softness and ultimate second
skin tactility

Reinforced thumb crotch

Touch Screen Compatible



GMB-T15454

Ultra Thin and dexterous 15
Gauge ANSI Cut 5 liner with
black PU coating

Filament fiber knitted liner,
lint-free surface

Free from Steel fiber and fi-
berglass

Touch Screen Compatible



LX15R

Comfortable 15 Gauge Red
Nylon Shell with black latex
coating

Abrasion level 3 (EN388)

Tear level 3 (EN388)



SPG-T133

High dexterity and
comfortable 13 gauge ANSI
Cut 3 liner with grey PU
coating

Touch Screen Compatible

NEW PRODUCTS



V905MPF

5.5 Mil FDA medical
examination grade

Nitrile

Protection against
Fentanyl

Chemo rated



V908ONPF

8 Mil Powder free industrial
grade nitrile

Raised diamond texture
surface



V900MPF

3.5 Mil FDA medical
examination grade

Nitrile

Textured surface with
prominent texture on
fingertips



SHCVRPP6

Polypropylene Shoe Cover

32 Gram weight, Elastic closure,
Non-latex, Non-Skid Tread



SLVPP18

Polypropylene Arm Sleeves

26 gram weight, Elastic
closure, Non-latex