




## SPRAY BOOTH FILTERS



**PART NUMBERS AND SCHEMATICS GUIDE**

## Company Profile

Since 1944, Marco has developed a strong tradition of providing innovative and reliable products and services to the surface preparation and protective coatings industries. We are the world's premier provider of Abrasives, Blasting Equipment, Coating Equipment, Engineered Systems, Rental Equipment, Safety Equipment, Service, and Repair.

Through innovative designs and a total commitment to quality, Marco manufactures products that increase production rates, create a safer workplace, and reduce maintenance costs. Marco's industry experience, manufacturing capabilities, legendary customer service, product availability, logistics services, and technology leadership is your assurance that we deliver high quality products and services, providing the best value to you, our customer.

## The Marco Difference

- **Industry Experience** – With Marco on your team, you have access to expertise which can only come from decades of industry leadership. We have organized our engineering department, production specialists, customer operations, and safety support into a "Center of Competence." As a Marco customer, you have access to hundreds of years of cumulative experience related to your operations.
- **Manufacturing Excellence** – Marco is a U.S. based, ISO 9001:2008 certified manufacturer of equipment for the Surface Preparation and Protective Coatings industries. Marco's engineers benchmark the industry to ensure that we design and manufacture superior products that set the "Gold Standard" for performance, safety, and quality.
- **Legendary Customer Service** – Marco's legendary customer service team is staffed by friendly, highly-trained individuals who are focused on providing the highest level of product support, order accuracy, and customer satisfaction.
- **Product Availability** – We stock over 10,000 SKU's and have over 45 shipping locations to serve North American and International markets for all major brands of blasting and painting equipment. As the largest provider of surface preparation and protective coatings equipment in the world, our inventory levels and product availability are unmatched.
- **Logistics Services** – Marco's in-house logistics team is dedicated to moving your shipment anywhere in the world. We move over 14,000 truckloads every year, allowing you to save on freight costs by leveraging our buying power. Lower your process costs with a single invoice, which includes product and freight.
- **Technology Leadership** – Our website provides: Operator's Manuals, Part Numbers and Schematics Guides, MSDS information, and Features, Advantages, and Benefits Guides, providing access to information 24/7. Our Extranet application allows you to receive quotes and place orders online. Our Intranet maintains a complete record of your purchase history to assist with ongoing support of your existing equipment and future purchasing decisions.

## Vision Statement

Marco is the world's premier provider of Abrasives, Blasting Equipment, Coating Equipment, Engineered Systems, Rental Equipment, Safety Equipment, Service, and Repair.

## Mission Statement

Marco provides strong leadership and innovation to the surface preparation and protective coatings industries. We dedicate our efforts to the continuous improvement of our products, services, processes, people, and most importantly, the quality of our customer's experience.

## Quality Statement

Marco is committed to providing superior quality in the design, manufacturing, distribution, rental, service, and repair of our products. Our ISO 9001:2008 certification extends throughout all operations in all locations. Continuous improvement of our processes and supply chain Integration comprise the core of our business strategy for delivering exceptional quality and value in all Marco products and services.

## Management Philosophy

We are a company dedicated to the success of every customer and associate. We discuss, debate, challenge, measure, and test our ideas. We will be boundless and limitless in our passion to improve. Through sound leadership and dedicated associates, we will ensure a long term, profitable future for Marco, our associates, customers, and suppliers.

# TABLE OF CONTENTS

|                                  |             |
|----------------------------------|-------------|
| <b>Company Profile</b> .....     | <b>2</b>    |
| <b>Table of Contents</b> .....   | <b>3</b>    |
| <b>Spray Booth Filters</b> ..... | <b>4-14</b> |
| Exhaust/Overspray Filters .....  | 4-9         |
| Pre-Filters .....                | 10          |
| Intake/HVAC Filters .....        | 11          |
| Grids and Tracks .....           | 12          |
| Floor Coverings .....            | 13          |
| Booth Coats .....                | 14          |
| <b>Maintenance Notes</b> .....   | <b>15</b>   |

## EXHAUST/OVERSPRAY FILTERS



### Part Numbers

| DUO FILTERS  |                       |   |                 |            |        |           |        |
|--------------|-----------------------|---|-----------------|------------|--------|-----------|--------|
| Part Numbers | Style                 | Description   | Color           | DIMENSIONS |        |           | U.O.M. |
|              |                       |   |                 | Width      | Length | Thickness |        |
| 20CH202050PD | Exhaust/<br>Overspray | Fiberglass Filter;<br>Provides Longevity and Efficiency for<br>Most Painting Applications | Green/<br>White | 20"        | 20"    | 2"        | 50/Box |
| 20CHGROLLDUO | Exhaust/<br>Overspray | Fiberglass Filter;<br>Provides Longevity and Efficiency for<br>Most Painting Applications | Green/<br>White | 20"        | 300'   | 2"        | Roll   |



### Part Numbers

| PD MEDIA FILTERS |                       |  |       |            |        |           |             |
|------------------|-----------------------|--|-------|------------|--------|-----------|-------------|
| Part Numbers     | Style                 | Description  | Color | DIMENSIONS |        |           | U.O.M.      |
|                  |                       |  |       | Width      | Length | Thickness |             |
| 20CH2020100PD    | Exhaust/<br>Overspray | Thicker Version of the Duo;<br>Provides Longevity and Efficiency<br>for Most Painting Applications | Green | 20"        | 20"    | 2"        | 100/<br>Box |
| 20CH202550PD     | Exhaust/<br>Overspray | Thicker Version of the Duo;<br>Provides Longevity and Efficiency<br>for Most Painting Applications | Green | 20"        | 25"    | 2"        | 100/<br>Box |
| 20CH48GROLLPD    | Exhaust/<br>Overspray | Thicker Version of the Duo;<br>Provides Longevity and Efficiency<br>for Most Painting Applications | Green | 48"        | 300'   | 2"        | Roll        |
| 20CH60GROLLPD    | Exhaust/<br>Overspray | Thicker Version of the Duo;<br>Provides Longevity and Efficiency<br>for Most Painting Applications | Green | 60"        | 300'   | 2"        | Roll        |

## EXHAUST/OVERSPRAY FILTERS



### Part Numbers

| HS-2 FILTERS |                       |   |                 |        |           |        |             |
|--------------|-----------------------|---|-----------------|--------|-----------|--------|-------------|
| Style        | Description           | Color   | DIMENSIONS      |        |           | U.O.M. |             |
|              |                       |   | Width           | Length | Thickness |        |             |
| 2070266      | Exhaust/<br>Overspray | Layered Fiberglass Filter;<br>Provides Longevity and Efficiency for<br>Most Painting Applications | Green/<br>White | 20"    | 20"       | 2"     | 100/<br>Box |



### Part Numbers

| BTO FILTERS    |                       |  |                |        |           |        |             |
|----------------|-----------------------|--|----------------|--------|-----------|--------|-------------|
| Style          | Description           | Color  | DIMENSIONS     |        |           | U.O.M. |             |
|                |                       |  | Width          | Length | Thickness |        |             |
| 20CH20BROLLBTP | Exhaust/<br>Overspray | Specialized Fiberglass Filter;<br>Tackified for use with<br>Higher Efficiency Applications,<br>Rapid Air-Dry Paints and Dust | Blue/<br>White | 20"    | 300'      | 2-1/2" | One<br>Each |



### Part Numbers

| SLIM FILTERS |                       |   |                  |        |           |        |      |
|--------------|-----------------------|---|------------------|--------|-----------|--------|------|
| Style        | Description           | Color   | DIMENSIONS       |        |           | U.O.M. |      |
|              |                       |   | Width            | Length | Thickness |        |      |
| 2070268      | Exhaust/<br>Overspray | Fiberglass Filter;<br>Provides Longevity and Efficiency<br>for Most Painting Applications and<br>Serves as Pre-Filter | Orange/<br>White | 96"    | 300'      | 1"     | Roll |

## PART NUMBERS & SCHEMATICS GUIDE



### Part Numbers

| FMP-18 FILTERS   |                       |  |            |        |           |        |      |
|------------------|-----------------------|--|------------|--------|-----------|--------|------|
| Style            | Description           | Color  | DIMENSIONS |        |           | U.O.M. |      |
|                  |                       |  | Width      | Length | Thickness |        |      |
| 20CH25NROLLFMP18 | Exhaust/<br>Overspray | Fiberglass Filter; Unique Open Weave Construction for Increased Air Flow | Yellow     | 25"    | 300'      | 2"     | Roll |



### Part Numbers

| GPF ULTRA FILTERS |                       |  |                  |        |           |        |             |
|-------------------|-----------------------|--|------------------|--------|-----------|--------|-------------|
| Style             | Description           | Color  | DIMENSIONS       |        |           | U.O.M. |             |
|                   |                       |  | Width            | Length | Thickness |        |             |
| 20CH2020100GPPF   | Exhaust/<br>Overspray | Fiberglass Filter;<br>Provides High Paint Holding Capacity | Green/<br>Yellow | 20"    | 20"       | 1-5/8" | 100/<br>Box |
| 20CH60ROLLGPF     | Exhaust/<br>Overspray | Fiberglass Filter;<br>Provides High Paint Holding Capacity | Green/<br>Yellow | 60"    | 300'      | 1-5/8" | Roll        |



### Part Numbers

| MONO FILTERS |                       |   |            |        |           |        |             |
|--------------|-----------------------|---|------------|--------|-----------|--------|-------------|
| Style        | Description           | Color   | DIMENSIONS |        |           | U.O.M. |             |
|              |                       |   | Width      | Length | Thickness |        |             |
| 20CH202050MP | Exhaust/<br>Overspray | Fiberglass Filter Pad; Eliminates Face Loading and Ensures Longevity and Efficiency | White      | 20"    | 20"       | 2"     | 100/<br>Box |

## EXHAUST/OVERSPRAY FILTERS



**Part Numbers**

| MAXGUARD FILTERS |                   |                                      |            |        |           |        |
|------------------|-------------------|--------------------------------------|------------|--------|-----------|--------|
| Part Numbers     | Style             | Description                          | DIMENSIONS |        |           | U.O.M. |
|                  |                   |                                      | Width      | Length | Thickness |        |
| 20CH202050MPB    | Exhaust/Overspray | 2 Layer Fiberglass with Poly Backing | 20"        | 20"    | 2"        | 50/Box |
| 20C30ROLLMPB     | Exhaust/Overspray | 2 Layer Fiberglass with Poly Backing | 30"        | 200'   | 2"        | Roll   |
| 20C53ROLLMPB     | Exhaust/Overspray | 2 Layer Fiberglass with Poly Backing | 53"        | 200'   | 2"        | Roll   |
| 20CH60ROLLMPB    | Exhaust/Overspray | 2 Layer Fiberglass with Poly Backing | 60"        | 200'   | 2"        | Roll   |



**Part Numbers**

| T-33 FILTERS |                   |   |       |            |        |           |         |
|--------------|-------------------|---|-------|------------|--------|-----------|---------|
| Part Numbers | Style             | Description   | Color | DIMENSIONS |        |           | U.O.M.  |
|              |                   |   |       | Width      | Length | Thickness |         |
| 20CH2020T33  | Exhaust/Overspray | Fiberglass Filter; Ideal for High Efficiency and High Holding Capacity Applications | White | 20"        | 20"    | 3"        | 100/Box |



**Part Numbers**

| RIGI-PAK, FINAL 95% EFFICIENCY |                 |   |            |        |           |          |
|--------------------------------|-----------------|---|------------|--------|-----------|----------|
| Part Numbers                   | Style           | Description   | DIMENSIONS |        |           | U.O.M.   |
|                                |                 |   | Width      | Length | Thickness |          |
| 20COSV24241295RPAK             | Final / Exhaust | Multi-Cell Filter; Plastic Separators to Hold Pleats in Place | 24"        | 24"    | 12"       | One Each |

## EXHAUST/OVERSPRAY FILTERS



| Part Numbers   | PAPER FILTERS     |                                 |            |        |           |        |
|----------------|-------------------|---------------------------------|------------|--------|-----------|--------|
|                | Style             | Description                     | DIMENSIONS |        |           | U.O.M. |
|                |                   |                                 | Width      | Length | Thickness |        |
| 20C91181       | Exhaust/Overspray | 5 Layer Paper with Poly Backing | 20"        | 20"    | Varies    | 50/Box |
| 20C91171       | Exhaust/Overspray | 6 Layer Paper with Poly Backing | 20"        | 20"    | Varies    | 50/Box |
| 20C91172       | Exhaust/Overspray | 6 Layer Paper with Poly Backing | 20"        | 25"    | Varies    | 50/Box |
| 20C91183       | Exhaust/Overspray | 5 Layer Paper with Poly Backing | 45"        | 30'    | Varies    | Roll   |
| 20CH4530BLKPS2 | Exhaust/Overspray | 6 Layer Paper with Poly Backing | 45"        | 30"    | Varies    | Roll   |
| 2070187        | Exhaust/Overspray | 6 Layer Paper                   | 45"        | 40'    | Varies    | Roll   |
| 20CH4540BLKPS2 | Exhaust/Overspray | 6 Layer Paper with Poly Backing | 45"        | 40'    | Varies    | Roll   |



| Part Numbers   | ACCORDIAN FILTERS |   |            |        |           |          |
|----------------|-------------------|---|------------|--------|-----------|----------|
|                | Style             | Description                                 | DIMENSIONS |        |           | U.O.M.   |
|                |                   |   | Width      | Length | Thickness |          |
| 20BK2921863    | Exhaust/Overspray | AF Paper, Accordion-Style                   | 36"        | 30'    | 1"        | 3/PKG    |
| 20CH3630BLKAF  | Exhaust/Overspray | AF Paper, Accordion-Style                   | 36"        | 30'    | 1"        | One Each |
| 20CH3630BLKAFP | Exhaust/Overspray | AF Paper, Accordion-Style with Poly Backing | 36"        | 30'    | 1"        | One Each |



## EXHAUST/OVERSPRAY FILTERS



### Part Numbers

| PAINT POCKETS®  |                       |  |                 |            |        |           |            |
|-----------------|-----------------------|--|-----------------|------------|--------|-----------|------------|
| Part Numbers    | Style                 | Description                              | Color           | DIMENSIONS |        |           | U.O.M.     |
|                 |                       |  |                 | Width      | Length | Thickness |            |
| 20CH202030PPW   | Exhaust/<br>Overspray | 2 Layer Polyester Pockets with Mesh Back | White           | 20"        | 20"    | 2"        | 30/<br>Box |
| 20CH202040PPG   | Exhaust/<br>Overspray | 2 Layer Polyester Pockets with Mesh Back | Green/<br>White | 20"        | 20"    | 2"        | 40/<br>Box |
| 20COSV202530PPW | Exhaust/<br>Overspray | 2 Layer Polyester Pockets with Mesh Back | White           | 20"        | 25"    | 2"        | 30/<br>Box |
| 20PP045050001   | Exhaust/<br>Overspray | 2 Layer Polyester Pockets with Mesh Back | White           | 45"        | 50'    | 2"        | Roll       |
| 20C91165        | Exhaust/<br>Overspray | 2 Layer Polyester Pockets with Mesh Back | Green/<br>White | 48"        | 60'    | 2"        | Roll       |



### Part Numbers

| MACH III FILTERS |       |  |            |        |           |        |  |
|------------------|-------|--|------------|--------|-----------|--------|--|
| Part Numbers     | Style | Description  | DIMENSIONS |        |           | U.O.M. |  |
|                  |       |  | Width      | Length | Thickness |        |  |
| 20C1224MACH3H    | Bag   | 3 Stage Arrestor System; Ideal For Extremely High Paint Capture Efficiency | 12"        | 24"    | 15"       | Box    |  |
| 20C2424MACH3H    | Bag   | 3 Stage Arrestor System; Ideal For Extremely High Paint Capture Efficiency | 24"        | 24"    | 15"       | Box    |  |



### Part Numbers

| ONE LAYER TACKY, 2 POCKET FILTERS |  |  |            |        |           |        |  |
|-----------------------------------|--|--|------------|--------|-----------|--------|--|
| Part Numbers                      | Style  | Description  | DIMENSIONS |        |           | U.O.M. |  |
|                                   |  |  | Width      | Length | Thickness |        |  |
| 20CH202015BAFGT                   | 3 Stage Paint Arrestor/<br>Exhaust/Overspray | 2-Pocket Bag Self Sealing Extended Surface Area Filter; Primarily used in Wet Spray Applications | 20"        | 20"    | 15"       | Box    |  |

## PRE-FILTERS



### Part Numbers

|                        | N-POLY FILTERS |   |            |           |    |        |
|------------------------|----------------|---|------------|-----------|----|--------|
|                        | Style          | Description   | DIMENSIONS |           |    | U.O.M. |
| Width                  |                |   | Length     | Thickness |    |        |
| <b>20CH40NROLLPOLY</b> | Pre-Filter     | Medium-Loft Single Layer;<br>Provides maximum efficiency,<br>optimal air flow | 40"        | 90'       | 1" | Roll   |
| <b>20CH48NROLLPOLY</b> | Pre-Filter     | Medium-Loft Single Layer;<br>Provides maximum efficiency,<br>optimal air flow | 48"        | 90'       | 1" | Roll   |
| <b>20CH50NROLLPOLY</b> | Pre-Filter     | Medium-Loft Single Layer;<br>Provides maximum efficiency,<br>optimal air flow | 50"        | 90'       | 1" | Roll   |



### Part Numbers

|                | CHEMLOFT FILTERS |  |            |           |    |        |
|----------------|------------------|--|------------|-----------|----|--------|
|                | Style            | Description  | DIMENSIONS |           |    | U.O.M. |
| Width          |                  |  | Length     | Thickness |    |        |
| <b>1070402</b> | Pre-Filter       | High-Loft Filter with Extended Service Life and Efficiency. Serves as Liquid Paint Arrestor and Powder Coating Pre-Filter. | 48"        | 60'       | 2" | Roll   |

# INTAKE/HVAC FILTERS







**Part Numbers**

20COSV2048PAFIF


| PAFIF FILTERS |   |            |        |           |        |  |
|---------------|---|------------|--------|-----------|--------|--|
| Style         | Description                               | DIMENSIONS |        |           | U.O.M. |  |
|               |   | Width      | Length | Thickness |        |  |
| Intake        | Polyester with Internal Wire Frame Filter | 20"        | 48"    | 2"        | 10/Box |  |

# GRIDS AND TRACKS


| <b>BOOTH FILTER GRIDS AND TRACKS</b>  |              |             |                  |               |  |
|---|--------------|-------------|------------------|---------------|--|
| <b>Part Numbers</b>   | <b>Style</b> | <b>Size</b> | <b>Material</b>  | <b>U.O.M.</b> |  |
|  2070012 | Grid         | 20" x 20"   | Wire             | One Each      |  |
|  20C1152 | Grid         | 20" x 20"   | Wire             | One Each      |  |
|  2070014 | Track        | 5'          | Extruded Plastic | One Each      |  |

| <b>GASKETS</b>   |              |               |                 |               |  |
|--|--------------|---------------|-----------------|---------------|--|
| <b>Part Numbers</b>  | <b>Style</b> | <b>Size</b>   | <b>Material</b> | <b>U.O.M.</b> |  |
|  20CMGSK170 | Gasket       | 3/8" x 30 Ft. | Door Gasket     | One Each      |  |

## FLOOR COVERINGS





| <b>Part Numbers</b> | <b>PAINT BOOTH FLOOR PAPER</b>  |                        |              |               |
|---------------------|---------------------------------|------------------------|--------------|---------------|
|                     | <b>Paper Weight<br/>(Pound)</b> | <b>Flame Retardant</b> | <b>Color</b> | <b>U.O.M.</b> |
| <b>25CH36NTFRP</b>  | 70                              | X                      | White        | 36" x 500'    |
| <b>20BK29863</b>    | 80                              | X                      | White        | 36" x 300'    |
| <b>20BK29864</b>    | 80                              | X                      | White        | 42" x 300'    |
| <b>20CH7280FRP</b>  | 80                              | X                      | White        | 72" x 300'    |
| <b>20CH8480FRP</b>  | 80                              | X                      | White        | 84" x 300'    |
| <b>20CH72SKFRP</b>  | 100                             | X                      | White        | 72" x 300'    |
| <b>20C9196</b>      | Tear-Resistant                  |                        | White        | 60" x 300'    |
| <b>20CH72HSFRP</b>  | Tear-Resistant                  |                        | White        | 72" x 300'    |



| <b>Part Numbers</b> | <b>LIGHT FIXTURE COVERS</b> |                       |                        |                           | <b>U.O.M.</b> |
|---------------------|-----------------------------|-----------------------|------------------------|---------------------------|---------------|
|                     | <b>Material</b>             | <b>DIMENSIONS</b>     |                        |                           |               |
|                     |                             | <b>Width (Inches)</b> | <b>Length (Inches)</b> | <b>Thickness (Inches)</b> |               |
| <b>1070137</b>      | Lexan                       | 8"                    | 13"                    | 0.015"                    | 42/Pack       |
| <b>1070138</b>      | Lexan                       | 8"                    | 13"                    | 0.020"                    | 42/Pack       |
| <b>1070139</b>      | Lexan                       | 8"                    | 13"                    | 0.040"                    | 40/Pack       |
| <b>1070201</b>      | Lexan                       | 14"                   | 24"                    | 0.236"                    | 12/Pack       |
| <b>1070109</b>      | Lexan                       | 24"                   | 48"                    | 0.060"                    | 4/Pack        |

## BOOTH COATS

| BOOTH COATS  |                     |                 |             |               |
|--|---------------------|-----------------|-------------|---------------|
|  | <b>Part Numbers</b> | <b>Material</b> | <b>Size</b> | <b>U.O.M.</b> |
|  | <b>25BK29248</b>    | Peelable Clear  | 1 Gal       | One Each      |
|  | <b>25BK29249</b>    | Peelable White  | 5 Gal       | One Each      |
|  | <b>25CH55CL791</b>  | Clear           | 55 Gal      | One Each      |
|  | <b>25CH55WH791</b>  | White           | 55 Gal      | One Each      |



## GLOBAL HEADQUARTERS

- 3425 East Locust Street  
Davenport, IA 52803

ph: 800.BLAST.IT (800.252.7848)

ph: 563.324.2519

fax: 563.324.6258

## GULF STATES HEADQUARTERS

- 701 East Boulevard  
Deer Park, TX 77536

ph: 800.BLAST.IT (800.252.7848)

ph: 281.930.0905

fax: 281.542.0736

## REGIONAL BRANCH OFFICES

- **Iowa**  
Davenport
- **Louisiana**  
Gonzales  
Harvey  
Lafayette
- **Ohio**  
Youngstown
- **Texas**  
Beaumont  
Corpus Christi  
Deer Park



ABRASIVES

BLASTING

COATING

DUST

ENGINEERED SYSTEMS

RENTAL

SAFETY

SERVICE & REPAIR

VACUUMS

## 40+ NATIONWIDE SHIPPING LOCATIONS



★ Marco Regional Branch Offices  
and Shipping Locations

● Direct Shipping Locations

## CONTACT MARCO

**800.BLAST.IT**

**(800.252.7848)**

**563.324.2519**

**FAX: 563.324.6258**

**WWW.MARCO.US**

**SALES@MARCO.US**