

Page 1/9

Safety Data Sheet acc. to OSHA HCS

Printing date 12/26/2022 Reviewed on 11/08/2022

1 Identification

Product identifier

Trade name: AMACAST

Application of the substance / the mixture blasting agent

Details of the supplier of the safety data sheet

Manufacturer/Supplier:
Ervin Industries, Inc.
3893 Reserch Park Drive
Ann Arbor, MI 48108-2217
Phone: (734)-769-4600/Fax: (734)-663-0136
sales @ervinindustries.com
http://www.ervinindustries.com
Information department:
Quality Assurance Department

(mo-thu: 8 a.m.-4 p.m., fr: 8 a.m. - 1 p.m.)

Emergency telephone number: Phone: (734)-769-4600/Fax: (734)-663-0136

EUPCS: PC-TEC-12

2 Hazard(s) identification

Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

Additional information: CLP-Verordnung, Anhang VI, 1.1.3.2, Anmerkung erfüllt. Siehe Abschnitt 11.

Label elements

GHS label elements Void Hazard pictograms Void Signal word Void Hazard statements Void

Classification system:

NFPA ratings (scale 0 - 4)

Health = 0Fire = 0Reactivity = 0HMIS-ratings (scale 0 - 4) Health = 0

Reactivity = 0
Other hazards

= 0

Fire

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: *Mixture:* consisting of the following components.

Dangerous components:		
7440-47-3	chromium	<20%
7440-02-0	Nickel	<10%
7440-21-3	silicon	<3%

(Contd. on page 2)



Page 2/9

Safety Data Sheet acc. to OSHA HCS

Printing date 12/26/2022 Reviewed on 11/08/2022

Trade name: AMACAST

	(Contd. of page 1)
7439-96-5 manganese	<2%
7440-44-0 carbon	<0.25%

4 First-aid measures

Description of first aid measures

General information: Take affected persons out into the fresh air. **After inhalation:** Supply fresh air; consult doctor in case of complaints.

After skin contact:

Generally the product does not irritate the skin.

Rinse with warm water.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed Irritation from dust:

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

CO2, sand, extinguishing powder. Do not use water.

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid formation of dust.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Product forms Slippery Coverings with Water.

Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up: Pick up mechanically.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)



Page 3/9

Safety Data Sheet acc. to OSHA HCS

Printing date 12/26/2022 Reviewed on 11/08/2022

Trade name: AMACAST

(Contd. of page 2)

Protective Action Criteria for Chemicals

PAC-1:			
7439-89-6	iron	3.2 mg/m ³	
7440-47-3	chromium	1.5 mg/m³	
7440-21-3	silicon	45 mg/m ³	
7439-96-5	manganese	3 mg/m³	
7440-44-0	carbon	6 mg/m³	
PAC-2:	PAC-2:		
7439-89-6	iron	35 mg/m³	
7440-47-3	chromium	17 mg/m³	
7440-21-3	silicon	100 mg/m ³	
7439-96-5	manganese	5 mg/m³	
7440-44-0	carbon	330 mg/m³	
PAC-3:	PAC-3:		
7439-89-6	iron	150 mg/m³	
7440-47-3	chromium	99 mg/m³	
7440-21-3	silicon	630 mg/m³	
7439-96-5	manganese	1,800 mg/m³	
7440-44-0	carbon	2,000 mg/m³	

7 Handling and storage

Handling:

Precautions for safe handling

Provide suction extractors if dust is formed.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Use appropriate industrial vacuum cleaners or central vacuum systems for dust removal.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: Store in dry conditions.

Storage class: 13

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

(Contd. on page 4)



Page 4/9

Safety Data Sheet acc. to OSHA HCS

Printing date 12/26/2022 Reviewed on 11/08/2022

Trade name: AMACAST

(Contd. of page 3)

7440	0-47-3 chromium
PEL	Long-term value: 1 mg/m³
REL	Long-term value: 0.5* mg/m³ *metal+inorg.compds.as Cr;See Pocket Guide App. C
TLV	Long-term value: 0.003* 0.5** mg/m³ inh. fraction, *as Cr(III): A4,**metal
7440	0-21-3 silicon
PEL	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
TLV	TLV withdrawn
7439	9-96-5 manganese
PEL	Ceiling limit value: 5 mg/m³ as Mn
REL	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ fume, as Mn
TLV	Long-term value: 0.02* 0.1** mg/m³ as Mn; A4, *respirable **inhalable fraction

Regulatory information

PEL: Guide to Occupational Exposure Values (OSHA PELs) REL: Guide to Occupational Exposure Values (NIOSH RELs)

TLV: Guide to Occupational Exposure Values (TLV)

Ingredients with biological limit values:

7440-47-3 chromium

BEI 0.7 μg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Total chromium (population based)

Regulatory information BEI: Guide to Occupational Exposure Values (BEI)

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Breathing protection required In the event Of Dust development.

Filter P2

Protection of hands:

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Leather gloves.

Recommended thickness of the material: \geq - mm

Penetration time of glove material Value for the permeation: Level ≤ -

(Contd. on page 5)



Page 5/9

Safety Data Sheet acc. to OSHA HCS

Printing date 12/26/2022 Reviewed on 11/08/2022

Trade name: AMACAST

(Contd. of page 4)

Eye protection:



Tightly sealed goggles

Body protection: Protective clothing according to DIN EN 374

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form: Solid Color: Dark grey Odor: Odorless Odor threshold: Not determined.

pH-value: Not applicable.

Change in condition

Melting point/Melting range: 1,371-1,483 °C (34.571-34.783 °F) Boiling point/Boiling range: 2,650-3,150 °C (36.850-37.750 °F)

Flash point: Not applicable. Flammability (solid, gaseous): Not determined. **Decomposition temperature:** Not determined.

Auto igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined. Upper: Not determined. Vapor pressure: Not applicable.

Density at 20 °C (68 °F): >7.6 g/cm³ (>63.42 lbs/gal)

Relative density Not determined. Vapor density Not applicable. **Evaporation rate** Not applicable.

Solubility in / Miscibility with

Water: Soluble.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dvnamic: Not applicable. Kinematic: Not applicable.

Solvent content:

VOC content: 0.00 % Solids content: 100.0 %

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

(Contd. on page 6)



Page 6/9

Safety Data Sheet acc. to OSHA HCS

Printing date 12/26/2022 Reviewed on 11/08/2022

Trade name: AMACAST

(Contd. of page 5)

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions *No dangerous reactions known.* **Conditions to avoid** *No further relevant information available.*

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: No irritant effect. on the eye: No irritating effect.

Sensitization:

Examination nickel release in accordance with DIN EN 1811: 2012-10: done

Sample Number 2016-00916 <0.1 µg per cm2 and week therefore no sensitization detected.

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Carcinogenic categories

IARC (International Agency for Research on Cancer)	
7440-47-3 chromium	3
7440-02-0 Nickel	1
NTP (National Toxicology Program)	
7440-02-0 Nickel	R
OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

Carcinogenicity

Classification on H351 and H372 according to CSR REACH registration only when exposed by inhalation.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Results of PBT and vPvB assessment

PBT: Not applicable.

(Contd. on page 7)



Page 7/9

Safety Data Sheet acc. to OSHA HCS

Printing date 12/26/2022 Reviewed on 11/08/2022

Trade name: AMACAST

(Contd. of page 6)

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation: Contact manufacturer for recycling information.

Waste disposal key:

Disposal must be made according to official regulations.

completely emptied packaging in 25kg paper bag: paper recycling.

completely emptied packaging in big bags: commercial waste disposal.

completely emptied packaging in steel barrels: metal recycling.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

UN-Number DOT, ADR, ADN, IMDG, IATA	Void
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA Class	Void
Packing group DOT, ADR, IMDG, IATA	Void
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	Void

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Sectio	Section 355 (extremely hazardous substances):		
None of the	e ingredient is listed.		
Sectio	Section 313 (Specific toxic chemical listings):		
7440-47-3	chromium		
7440-02-0	Nickel		

(Contd. on page 8)



Page 8/9

Safety Data Sheet acc. to OSHA HCS

Printing date 12/26/2022 Reviewed on 11/08/2022

Trade name: AMACAST

(Contd. of page 7)

		(Conta. or page r)	
7439-96-5	manganese		
TSCA (TSCA (Toxic Substances Control Act):		
7439-89-6	iron	ACTIVE	
7440-47-3	chromium	ACTIVE	
7440-21-3	silicon	ACTIVE	
7439-96-5	manganese	ACTIVE	
7440-44-0	carbon	ACTIVE	
Hazaro	Hazardous Air Pollutants		
7439-96-5	7439-96-5 manganese		

Proposition 65

Warning: This product can expose you to chemicals including Nickel, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Chemicals known to cause cancer:

7440-02-0 Nickel

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Cancerogenity categories

EPA (E	Environmental Protection Agency)		
7440-47-3	chromium	D	
7439-96-5	manganese	D	
TLV (T	TLV (Threshold Limit Value)		
7440-47-3	chromium	A4	
7440-02-0	Nickel	A5	
NIOSH	NIOSH-Ca (National Institute for Occupational Safety and Health)		
7440-02-0 Nickel			

GHS label elements Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

National regulations:

Information about limitation of use: Employment restrictions concerning young persons must be observed.

Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Motivo da mudança:

05/26/2015: Adaptation to EU/453/2010 Annex II 09/09/2015: Adaptation to EU/830/2015 and EU/18/2012



Page 9/9

Safety Data Sheet acc. to OSHA HCS

Printing date 12/26/2022 Reviewed on 11/08/2022

Trade name: AMACAST

(Contd. of page 8)

04/20/2016: Section 11 - Skin Sensitization (Nickel)

04/20/2018: Section 13

09/19/2020: Section 1, 3, 8, 13, 15 11/23/2021: Section 1, 15

11/08/2022: Section 15

Contact:

Date of preparation / last revision 12/26/2022

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of

Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Safety Data Sheet: AMACAST

- us —