

VACMASTER® 15T TIER 4 DIESEL ABRASIVE VACUUMS





PART NUMBERS AND SCHEMATICS GUIDE

Company Profile

Since 1944, Marco has developed a strong tradition of providing innovative and reliable products and services to the surface preparation and protective coatings industries. We are the world's premier provider of Abrasives, Blasting, Coating, Dust Collectors, Engineered Systems, Rental, Safety, Service, Repair, & Modernization, and Vacuums.

Through innovative designs and a total commitment to quality, Marco manufactures products that increase production rates, create a safer workplace, and reduce maintenance costs. Marco's industry experience, manufacturing capabilities, legendary customer service, product availability, logistics services, and technology leadership is your assurance that we deliver high quality products and services, providing the best value to you, our customer.

The Marco Difference

- Industry Experience With Marco on your team, you have access to expertise which can only come from decades of industry leadership. We have organized our engineering department, production specialists, customer operations, and safety support into a "Center of Competence." As a Marco customer, you have access to hundreds of years of cumulative experience related to your operations.
- Manufacturing Excellence Marco is a U.S. based, ISO 9001:2008 certified manufacturer of equipment for the Surface Preparation and Protective Coatings industries. Marco's engineers benchmark the industry to ensure that we design and manufacture superior products that set the "Gold Standard" for performance, safety, and quality.
- Legendary Customer Service Marco's legendary customer service team is staffed by friendly, highly-trained individuals who are focused on providing the highest level of product support, order accuracy, and customer satisfaction.
- Product Availability We stock over 10,000 SKU's and have more than 45 shipping locations to serve North
 American and International markets for all major brands of blasting and coating equipment. As the largest provider of
 surface preparation and protective coatings equipment in the world, our inventory levels and product availability are
 unmatched.
- Logistics Services Marco's in-house logistics team is dedicated to moving your shipment anywhere in the world. We move more than 14,000 truckloads every year, allowing you to save on freight costs by leveraging our buying power. Lower your process costs with a single invoice, which includes product and freight.
- **Technology Leadership** Our website provides: Operator's Manuals, Part Numbers and Schematics Guides, SDS information, and Features & Specifications Guides, providing access to information 24/7. Our Extranet application allows you to receive quotes and place orders online. Our Intranet maintains a complete record of your purchase history to assist with ongoing support of your existing equipment and future purchasing decisions.

Vision Statement

Marco is the world's premier provider of Abrasives, Blasting, Coating, Dust Collectors, Engineered Systems, Rental, Safety, Service, Repair, & Modernization, and Vacuums.

Mission Statement

Marco provides strong leadership and innovation to the surface preparation and protective coatings industries. We dedicate our efforts to the continuous improvement of our products, services, processes, people, and most importantly, the quality of our customer's experience.

Quality Statement

Marco is committed to providing superior quality in the design, manufacturing, distribution, rental, service, and repair of our products. Our ISO 9001:2008 certification extends throughout all operations in all locations. Continuous improvement of our processes and supply chain Integration comprise the core of our business strategy for delivering exceptional quality and value in all Marco products and services.

Management Philosophy

We are a company dedicated to the success of every customer and associate. We discuss, debate, challenge, measure, and test our ideas. We will be boundless and limitless in our passion to improve. Through sound leadership and dedicated associates, we will ensure a long term, profitable future for Marco, our associates, customers, and suppliers.

TABLE OF CONTENTS

Company Profile
Table of Contents
Part Numbers3
Specifications4
Assembly Part Numbers and Schematics 5
Front Assembly
Rear Assembly
Right Side Front Assembly 9
Center Assembly11
Right Side Rear Assembly
Left Side Front Assembly
Left Side Rear Assembly
Double Lock Valve Assembly 19
Fuel Tank
Fan Belt Assembly
Intake Filter Housing
Vacuum Light Bar
Pneumatic Piston Vibrators 24
Pulser System Assembly
Filter Bag Pulsers
Emergency-Stop Station
Compressor Assembly 29
Vacuum Hose Support Bracket
Trailer
Wear Plates and Baffles
Hydraulic Hoses
Hazard Identification Decals
Optional Accessories43
iterature References45

PART NUMBERS

	VACMASTER® 1	5T TIER 4 DIESEL ABRAS	SIVE VACUUMS
	Engine Type	Filter Cartridge Style	
Part Numbers	Tier 4	Acrylic-Coated Filter Bags	Filter Bags Quantity
10106515	X	X	37



SPECIFICATIONS

Performance: MAX 2367 CFM

Filter Cartridge Style: Acrylic-Coated Filter Bags

37 Required

Filter Cleaning: Pulse System, 25–30 second intervals. Pulse Duration: 200–350 millisecond

Vacuum 27" Hg

Ducting Connections: 6" I.D. Inlet with 4" adapter

Inspection Ports:One 10" Viewable to Filters with access ports to hopper

Material Removal: Automatic Direct Dump

Blower: Rotary lobe, positive displacement with jet inlet

Engine: Diesel, Tier 4 Final, 174 Horsepower

Fuel Capacity: Capacity: 116 Gallons Type: Diesel

Air Compressor: On Board 13 CFM

Electrical System: 12-Volt DC

Engine Protection: Engine Monitoring System with automatic shutdown

Fluid Specifications: Hydraulic Oil: H46 or equivalent, 2 gallon capacity

Diesel Fuel: See Engine Operator's Manual for type

Grease/Lubricator: Shell Alvania Grease EP or equivalent Alcohol Evaporator: Alcohol 99 Isopropyl, 32 oz. capacity

Vibrator Lubricator: 4 oz. pneumatic air tool oil

DEF: BlueDEF Diesel Exhaust Fluid

Blower Oil: ROOTS™ synthetic lubricating oil

Unit Dimensions: Weight: 11,250 pounds (empty)


Length: 19' 7"
Width: 7' 10"
Height: 11' 6"
Raised Height: 19'
Dump Clearance: 8'

ASSEMBLY PART NUMBERS AND SCHEMATICS

Front Assembly

Item #	Part #	Description
Fig. 1	'	
1	10106485	Perkins Engine 174 Hp Tier 4
2	10104455	Trailer (See Figure 20)
3	10103986	Clutch
4	1015552	Female Twist Lock Plug Two Prong
5	10104071	E-Stop Control Station
6	10104821	Wema Analog Fuel Level Gauge
7	1015551	Male Twist Lock Plug Two Prong
8	10104703	Cord Grip Nylon 1/2"-NPT .247 Diameter
9	10104063	Legend Plate - Emergency Stop
10	1015540	16/2 Xtreme Duty Power Cord - Red
11	10104820	Panel Mount Pressure Gauge 0-160 PSI
12	10104001	Shifting Lever
_	10103959	Oil Filter
	10106701	Primary Fuel Filter
_	10107271	Secondary Fuel Filter
_	10107272	Outer Air Filter
_	10107273	Inner Air Filter

Figure 1: Front Assembly



Rear Assembly

Item #	Part #	Description	Item #	Part #	Description
Fig. 2			27	1012323	1/4-20 Zinc Lock Nut
1	10104673	0-50" Differential Pressure Gauge			with Nylon Insert (Two Required)
2	10101938	3/8-16 Hex Nut GALV.	28	10104670	Solenoid
		(12 Required)	29	1019024	Breather Vent
3	10104665	APV Series Piston Vibrator	30	10104676	Series MPR Mini Pressure Relief
4	10104506	Dump Door	31	10L803035	1/2" Close Nipple
5	10104411	Vacuum Hopper Cone	32	1019025	1/2" Straight Conduit
6	10106511	Vacuum Wear Door			Body
7	10104638	Bulldog Trailer Jack	33	10104703	Cord Grip, 1/2" Nylon
8	10104439	Hatch		404040=0	.247 Diameter
9	10105334	Vacuum Light Bar	34	10104678	1/8" Pressure Gauge 100
10	10104498	Vacuum Header	25	1000050	PSI
11	10104459	Blower Exhaust Silencer	35	1080050	1/4" Ball Valve
12 13	10104461 20PFHA60UA0406	Blower Intake Silencer 1/4" (M) x 3/8" (F) 90°	36	20PFHA60SG0406	1/4" (F) x 3/8" (F) Swivel Union (Two Required)
		Swivel (Two Required)	37	20PFHA24SA0404	1/4" Hex Nipple (Three Required)
14	10104667	2.5" Pneumatic Cylinder	38	1014239	1/8" x 1/8" 90° Fitting
15	10104668	Piston Rod Clevis	39	1011210	1/4" NPT x 1 1/2" Nipple
16	10104507	Dump Arm	40	20PFHA60SA0806	1/2" (M) x 3/8" (F) Swivel
17	10104234	3/8-16 x 1-1/4" Hex Bolt Zinc (Four Required)			Union
18	10101942	3/8" Flat Washer -	41	1011819	1/2" Street Elbow
		Galvanized (20 Required)	42	20100571	1/2" NPT 3-Way Brass Ball Valve
19	10101936	3/8" Lock Washer - Zinc (16 Required)	43	1011818	1/2" x 1/4" Galvanized Bushing
20	1012318	3/8-16 Hex Nut (Four	44	10104486	Vacuum Lid Overcenter Clamp (12 Required)
24	10104510	Required)	45	10104479	Lid Weldment
21 —	10104512 10104511	Dump Door Gasket Dump Door Internal Plate	46	10104705	3/8-16 x 1" Bolt Zinc (12 Required)
22	20100160	1/2-13 x 4-1/2" Zinc Hex	47	10105189	Wear Door Liner
	20100100	Bolt	48	10105190	Wear Door
23	10100674	1/2" Flat Washer (Two Required)	49	10104679	3/8" (M) Swivel Recoil AH 225 PSI
24	20100124	1/2-13 Hex Lock Nut -	50	10104637	6" Bandlock Clamp
		Zinc	51	10104636	6" 90° Elbow
25	20PFHA25UA0404	1/4" Male 90° Elbow	52	10104502	Dump Section Gasket
26	1019044	1/4-20 x 1-3/4" Zinc Bolt	53	10104503	Vacuum Discharge Tube
		(Two Required)	54	10104426	Vacuum Hopper Section Gasket
			_	10106513	6" Gasket


Figure 2: 45 50 10 49 -12. 11, 8 18,19,2,46 18,19,2 3 13 26,27 - 14 28 29 30 31 32 33 25 43 34 13 -42 35 52 22,23,24 41 - 15 53-36 37 37 21 40 --38 -37 36 39 29 16

17,18,19,20

Right Side Front Assembly

Item #	Part #	Description
Fig. 3		
1	_	Pulse Timer Control Box
2	10104559	Vacuum Butterfly Cover
3	10104493	Vacuum Aux Header
4	10104456	Blower Top Shaft Left Discharge
5	10104071	E-Stop Control Station
6	10104579	Vacuum Belt Guard Cover
7	10104673	0—50" Differential Pressure
8	10104614	10" x 8" x 4" Nema 4 Enclosure
9	10104615	8" x 4" x 5" Fiberglass Latch Enclosure
10	10104610	Horizontal Pressure Tank - 15 Gallon
11	10104674	Lubricator 1/2" NPT 156 CFM
12	10VH620B	6" I.D. Vacuum Hose 20' Section
13	20RCG5050	1/2" NPT x .5—.625 Diameter Cord Grip
14	20100125	1/4-20 x 3/4" Zinc Hex Bolt (Eight Required)
15	10104703	1/2" NPT x .2—.47 Diameter Nylon Cord Grip (Three Required)
16	20RST9050	90° Liquid Tite Connection Fitting
17	10104692	12-Volt Pilot Light - Red
18	20RST50	Straight Liquid Tite Connection Fitting (Two Required)
19	10104686	10 Amp Circuit Breaker
20	10103305	Selector Switch - 2-Way (Three Required)
21	10106818	Vacuum Control Timer
22	10104109	6 Amp 50-Volt Rectifier
23	10105193	Enclosure Panel
24	20PFHA25VJ02	1/8" Female Tee (Two Required)
25	10104672	Differential Pressure Switch
26	20100579	1/4" O.D. Tube x 1/8" NPT PTC Swivel (Four Required)
27	20PFBA31095614	1/4" Tube x 1/4" NPT 90° Fitting (Two Required)
28	10104677	Liquid Filled Vacuum Gauge
29	1011844	1/4" Pipe Tee - Galvanized
30	10104073	Panel Lock Nut - 1/2"
31	10101940	1/4" Flat Washer - Galvanized (Four Required)
32	10101939	1/4-20 Stainless Steel Lock Nut with Nylon Insert (Four Required)
33	20PFHA60UA0606	
34	10103631	3/8" Barb x 3/8" NPTF Brass (Seven Required)
35	1011809	3/8" NPT Tee (Two Required)
36	1011209	3/8 NPT Close Nipple
37	1011747	3/8-16 x 1" Bolt - Zinc (Four Required)
38	10101942	3/8" Flat Washer - Galvanized (Four Required)
39	10101936	3/8" Lock Washer - Zinc (Four Required)
40	10101938	3/8-16 Hex Nut - Galvanized (Four Required)
41	20PFHA60SA0606	, ,
42	10108373	1/8" NPT Inline Air Filter


Figure 3: Right Side Front Assembly



Center Assembly

Item #	Part #	Description	Item #	Part #	Description
Fig. 4			27	1011217	1/4" x 2" Nipple
1	10104703	Nylon Cord Grip	28	1011832	1/4" 90° Elbow
2	20000031	(Two Required) 8-32 x 1-1/2" Machine	29	10SME025	1/4" NPT x 1/4" (F) Straight Swivel
_	20000001	Screw (Two Required)	30	20PFHA60SA0606	3/8" (M) x 3/8" (F) Swivel
3	10105897	Terminal Box	00	20111111000110000	Union
4	10101943	1/2-13 x 1-3/4" Hex Bolt (Eight Required)	31	20100195	3/8-16 x 1" Bolt (12 Required)
5	10100674	1/2" Flat Washer (16 Required)	32	20PFHA24SB0806	1/2" x 3/8" Reducing Bushing
6	10100675	1/2" Lock Washer	00	40404044	(Three Required)
_		(Eight Required)	33	10104611	Air Dryer
7	10101941	1/2-13 Hex Nut (Eight Required)	34	1012326	1/4" (M) x 1/4" (F) 90° Swivel Union
8	10104774	10-3/4" I.D. Hose (Two Required)	35	20PFHA60SA0806	1/2" (M) x 3/8" (F) Swivel Union
9	10103416	Banding Clamp	36	10104612	Alcohol Evaporator
		(Four Required)	37	10105838	1/2" x 168" Stainless Steel
10	10104715	7/8-9 x 2" Grade 5 Bolt			Braided Hose Assembly
11	10104716	7/8" Flat Washer - Zinc			with 1/2" (M) NPT Ends
12	10104717	7/8" Lock Washer - Zinc	38	10104684	3/8" x 2' Braided Hose
13	20100195	3/8-16 x 1" Bolt	39	10104683	3/8" x 4-1/2' Braided Hose
		(Two Required)	40	20PFHA60UA0808	1/2" (M) x 1/2" (F) 90°
14	10103400	3/8-16 x 3/4" Bolt (Four Required)	41	10105779	Swivel Union Hydraulic Power Unit
15	1035045	5/16-18 x 1" Bolt	42	10105775	SAE 6 x JIC 8 Elbow
		(Six Required)			(Two Required)
16	10103235	Cover	43	10104714	3/4-10 x 1-5/8" Bolt
17	10104610	Compressed Air Tank			(Eight Required)
18	20PFHA60UA0606	3/8" (M) x 3/8" (F) 90° Swivel Union (Three Reg)	44	10100596	3/4" Lock Washer (Eight Required)
19	10104618	Pressure Manifold	45	10100704	3/4" Flat Washer
20	20PFHA60SA0604	3/8" (M) x 1/4" (F) Swivel			(Eight Required)
21	1028617	Union (Two Required) 3/8-16 x 1-3/4" Shoulder	46	10107990	Blower Intake Silencer Adapter
		Bolt (Four Required)	47	10107985	Silencer Ehaust Elbow
22	10101942	3/8" Flat Washer (48 Required)	_	10106896	Blower Oil 100 For below 0° F
23	10101936	3/8" Lock Washer - Zinc (15 Required)	_	10106897	Blower Oil 150 For 0 – 32° F
24	1012318	3/8-16 Hex nut (15 Required)	_	10105254	Blower Oil 220 For 32 – 90° F
25	10104681	1/2" NPT Pressure Relief Valve	_	10106898	Blower Oil 320 For above 90° F
26	10DSHP75	3/4" Square Head Pipe	_	10105292	Alcohol 99 Isopropyl
	-	Plug (Two Required)	_	10106512	Desiccant Element Kit
11 \	/acmaster® 15T Tier 4	Diesel Abrasive Vacuums			


Figure 4: Center Assembly



Right Side Rear Assembly

Item #	Part #	Description	Item #	Part #	Description
Fig. 5			26	1080060	3/8" NPT Full Port Brass
1	10104559	Vacuum Butterfly Cover			Ball Valve
2	10101942	3/8" Flat Washer - Galvanized (Five Required)	27	10103624	(Two Required) 1" Rubber Cushioned Loop Clamp
3	10103400	3/8-16 x 3/4" Bolt (Four Required)	28	1028617	3/8-16 x 1-3/4" Shoulder Bolt
4	10104554	Butterfly Cover Mount Weldment	29	10101936	3/8" Lock Washer - Zinc (Five Required)
5	10104537	12" Butterfly	30	1012318	3/8-16 Hex Nut
6	10107175	6.5" Extension Spring	31	10104597	Airline Drain
7	10104668	Piston Rod Clevis	32	20RCG5050	1/2" NPT x .5—.625
8	10104538	Vacuum Butterfly Cylinder Weldment			Diameter Cord Grip (Two Required)
9	10104543	Butterfly Actuating Arm	33	10104671	Vibrator Solenoid
10	20100125	1/4-20 x 3/4" Zinc Hex Bolt	34	20PFHA60UA0406	1/4" (M) x 3/8" (F) 90° Swivel <i>(Two Required)</i>
11	10104667	2.5" Pneumatic Cylinder	35	10104703	1/2" NPT x .2—.47
12	1011824	1/4" Street Elbow			Diameter Nylon Cord
13	1011217	1/4" x 2" Nipple - Galvanized	36	10101939	Grip (Three Required) 1/4-20 Stainless Steel
14	10104669	Solenoid For Butterfly			Lock Nut with Nylon Insert (Four Required)
15	20PFHA60UA0406	1/4" (M) x 3/8" (F) 90° Swivel	37	10101940	1/4" Flat Washer - Galvanized
16	10105287	Din Connector			(Four Required)
17	10104706	3/8-16 x 2-1/2" Thread Stud	38	20100125	1/4-20 x 3/4" Zinc Hex Bolt (Four Required)
18	10100674	1/2" Flat Washer (Eight Required)	39	10101942	3/8" Flat Washer - Galvanized
19	20100124	1/2-13 Hex Lock Nut			(Eight Required)
20	20PFHA60UA0606	(Eight Required) 3/8" (M) x 3/8" (F) 90°	40	10101938	3/8-16 Hex Nut Galvanized
21	20PFHA60SA0606	Swivel Union Union Swivel 3/8" (M) x	41	1011747	(Four Required) 3/8-16 x 1" Bolt - Zinc
00	4044000	3/8" (F) (Three Required)			(13 Required)
22	1011209	3/8" NPT Close Nipple	42	10104546	Vacuum Inlet Elbow
23	20PFHA25UG0606	3/8" Street Elbow	43	10104496	Vacuum Inlet Insert
24	20PFHA24SB0806	1/2" x 3/8" Reducing Bushing (Two Required)	44	10104550	Vacuum Inlet Adapter
25	10104674	Lubricator, 1/2" NPT 156	45	10107797	4" Quick Disconnect Coupling Assembly
		CFM	46	10107176	6.5" Long Extension Spring - Zinc
			47	10107204	Remote Control Pendant


Figure 5: Right Side Rear Assembly



Left Side Front Assembly

Item #	Part #	Description
Fig. 6		
1	10104457	Intake Filter Housing (See Figure 11)
2	10104640	6" Double Bolt Clamp
3	10104704	116 Gallon Rectangle Fuel Tank (See Figure 9)
4	10104082	Jack Stand (Four Required)
5	10103342	Battery Box
6	10104273	Document Holder
7	10104608	Support Arm
8	10105896	Tool Box
9	10103440R	3/4-10 UNC GR8 Draw Bolt (Two Required)
10	10103418	Washer - 3/4" - Grade 8 (Four Required)
11	10103420	3/4-10 UNC Grade 8 Nut (Four Required)
12	10101943	1/2-13 x 1-3/4" Hex Bolt (12 Required)
13	10100674	1/2" Flat Washer (24 Required)
14	10100675	1/2" Lock Washer (12 Required)
15	10101941	1/2-13 Hex Nut - (12 Required)
16	10101927	1/2-13 x 3" Galvanized Hex Bolt (Four Required)
17	10104584	Silencer Mount Weldment
18	10104708	1/4-28 Straight Grease Zerk
19	10106402	5/8-11 Grease Zerk Thru Bolt
20	10106403	3/16" x 5/8" Dowel Pin
21	10101061	5/8" Lock Washer
22	10104600	Vacuum Pin Cap
23	10104602	Vacuum Shoulder Pin
24	10104824	8" Raincap
_	10103343	Battery Cables, 156" Long
_	10103341	Battery (not shown)

Figure 6: Left Side Front Assembly



Left Side Rear Assembly

Item #	Part #	Description
Fig. 7		
1	10104234	3/8-16 x 1-1/4" Hex Bolt Zinc (Eight Required)
2	10101942	3/8" Flat Washer - Galvanized (40 Required)
3	10101936	3/8" Lock Washer - Zinc (11 Required)
4	1012318	3/8-16 Hex Nut (11 Required)
5	10104472	Vacuum Lid Lift
6	10104434	Vacuum Top Section
7	10104638	Bulldog Trailer Jack
8	10104728	Lift Arm Support Bracket (Two Required)
9	10104729	Lift Arm Support Bracket Pin (Two Required)
10	10104608	Support Arm Outer (Two Required)
_	10104605	Support Arm Inner (Two Required) (not shown)
11	10103308	Elbow - 90° - JIC 8 x SAE 10 (Four Required)
12	10104645	Hopper Lift Cylinders (Two Required)
13	10104646	Lift Cylinder Clevis (Two Required)
14	10104647	1" x 3-1/8" Pin (Two Required)
15	10105290	3/16" x 1-5/8" Pin
16	10104486	Over Center Clamp (12 Required)

Figure 7: Left Side Rear Assembly




Figure 8: Double Lock Valve Assembly

Fig. 8		
1 1	10104650	Double Lock Valve
2 1	10103309	Elbow - 90° - JIC 8 x SAE 8 (Two Required)
3 1	10105081	JIC 8 Tee (Two Required)
4 1	10104651	Union - Straight SAE 8 x JIC 8 (Two Required)
5 1	10103613	Union - Straight SAE 8 x SAE 8
6 1	10105288	Flow Restrictor SAE 8
7 1	10105286	5/16-18 x 2-1/2" Grade 5 Zinc Bolt (Two Required)
8 1	10L805014	5/16" Lock Washer (Two Required)
9 1	1035046	5/16-18 Nut (Two Required)






Figure 9: Fuel Tank




Item #	Part #	Description
Fig. 9		
1	10104704	116 Gallon Rectangle Fuel Tank
2	10103423	3/8" I.D. Fuel Hose (Per Foot)
3	10106484	Fuel Return Adapter
4	10106466	3/8" NPT x 18" Pipe Nipple - 304 Stainless Steel
5	10103617	Withdraw Tube - 16"
6	10106470	3/8" NPT Street Elbow - 304 Stainless Steel
7	10106469	3/8" Hose Barb x 3/8" NPT - 304 Stainless Steel
8	10106503	3/8" NPT x 1/2" Hose Barb - 304 Stainless Steel
9	10103619	1/2" Flexible Fuel Line (Per Foot)
10	10106502	3/8" NPT Plug - 304 Stainless Steel
11	10103968	Locking Fuel Cap with Keys
12	10104234	3/8-16 x 1-1/4" Hex Bolt Zinc (Two Required)
13	10101942	3/8" Flat Washer - Galvanized (Two Required)
14	10101938	3/8-16 Hex Nut - Galvanized
15	10103620	3/8" Inline Filter
16	20PFHA60UA0606	3/8" (M) x 3/8" (F) 90° Swivel Union
_	10104631	Fuel Tank Rubber Cushioning Pad (not shown)

Figure 10:Fan Belt Assembly




Item #	Part #	Description
Fig. 10		
1	1012318	3/8" Galvanized Hex Nut (Four Required)
2	10101936	3/8" Zinc Lock Washer (Four Required)
3	10101942	3/8" Galvanized Flat Washer (15 Required)
4	10104573	Vacuum Belt Guard Mount
5	10104576	Belt Guard Clamp
6	1028617	3/8-16 x 1-3/4" Shoulder Bolt (Two Required)
7	1011747	3/8-16 x 1" Bolt (Four Required)
8	10104641	12.5" 5V 5 Groove Sheave
9	10104642	8.5" 5V 5 Groove Sheave
10	10104644	5VX 1180 Banded Belt
11	10103485	Bushing 2.5" Bore
12	10104643	Bushing 2" Bore
13	10103643	5/8" Key Cut (Two Required)
14	10100675	1/2" Lock Washer (Six Required) (Included with Item 12)
15	10102820	1/2-13 x 2-3/4" Gade 5 Bolt (Six Required) (Included with Item 12)
16	10103400	3/8-16 x 3/4" Bolt (Three Required)
17	10104579	Belt Guard Cover
18	10104577	Belt Guard Back

Figure 11:Intake Filter Housing




Item #	Part #	Description
Fig. 12		
1	10104234	3/8-16 x 1-1/4" Hex Bolt Zinc (Six Required)
2	10106508	Intake Filter Housing Cap
3	10104727	Air Filter Housing Gasket
4	10101936	3/8" Lock Washer - Zinc (Four Required)
5	10101938	3/8-16 Hex Nut - Galvanized (Four Required)
6	10107984	Intake Filter Housing
7	10100704	3/4" Flat Washer (Six Required)
8	10100596	3/4" Lock Washer (Six Required)
9	10104714	3/4-10 x 1-5/8" Zinc Bolt (Six Required)
10	10L363	1/2" NPT Full Port Ball Valve
11	10L803035	1/2" Close Nipple Galvanized
12	10100674	1/2" Flat Washer
13	10102005	Rubber Washer 1.25 O.D. x .375 I.D. x .13
14	10101941	1/2-13 Hex Nut - Galvanized
15	1011820	1-1/4" x 1/2" Bushing - Galvanized
	10102253	Filter Cartridge

Figure 12: Vacuum Light Bar



Item :	# Part #	Description
Fig. 1	12	
1	10105334	Vacuum Light Bar (Includes Item #2)
2	10104086	2" Round LED Red Clearance Light (Three Required)
3	10104703	Cord Grip, Nylon 1/2" NPT .247 Diameter
4	10101942	3/8" Flat Washer - Galvanized (Four Required)
5	10101936	3/8" Lock Washer - Zinc (Two Required)
6	1011747	3/8-16 x 1" Bolt (Two Required)
7	1012318	3/8-16 Hex Nut (Two Required)

Figure 13: Pneumatic Piston Vibrators



Item #	Part #	Description		
Fig. 1	Fig. 13			
1	20100124	1/2-13 Hex Lock Nut - Zinc (Two Required)		
2	10100674	1/2" Flat Washer (Two Required)		
3	20PFHA60UA0406	1/4" (M) x 3/8" (F) 90° Swivel Union		
4	10104665	APV Series Piston Vibrator		

Pulser System Assembly

Item #	Part #	Description
Fig. 14		
1	10101942	3/8" Flat Washer - Galvanized (Eight Required)
2	10101936	3/8" Lock Washer - Zinc (Four Required)
3	1011747	3/8-16 x 1" Bolt (Four Required)
4	10101938	3/8-16 Hex Nut (Four Required)
5	20PFHA60UA0606	3/8" (M) x 3/8" (F) 90° Swivel Union
6	10104498	Vacuum Header
7	10103736	T-Bolt Hose Clamp For 1" I.D. (10 Required)
8	10106509	1" 75W Marine Hose - 100 PSI
9	10104500	3/4" NPT x 1-1/2" Toe Nipple (Five Required)
10	10105287	Din Connector (Included with Item #16) (Five Required)
11	10104666	3/4" Diaphragm Valve with Solenoid (Five Required)
	10107192	Pilot Valve Repair Kit
_	10107193	Diaphragm Repair Kit

Figure 14: Pulser System Assembly




Figure 15: Filter Bag Pulsers

Item #	Part #	Description
Fig. 15		
1	10103736	T-Bolt Hose Clamp For 1" I.D. (10 Required)
2	10106509	1" 75W Marine Hose - 100 PSI
3	10104562	Pulser System Short Blowpipe (Two Required)
4	10104565	Pulser System Medium Blowpipe (Two Required)
5	10104680	1" Flexible Tubing For Blowpipes (Two Required)
6	10104567	Pulser System Long Blowpipe (Three Required)
7	10104633	Vacuum Baghouse Filter (37 Required)
_	10104634	Vacuum Baghouse Filter Cage (37 Required)





Figure 16: Emergency-Stop Station



Item #	Part #	Description
Fig. 16	3	
_	10107200	Remote Emergency-Stop Station (Includes Item #'s: 2, 4, 5, and 6 (100'))
1	1015552	Female Twist Lock Plug Two Prong
2	10104071	E-Stop Control Station
3	1015551	Male Twist Lock Plug Two Prong
4	10104703	Cord Grip, Nylon 1/2"-NPT .247 Diameter
5	10104063	Legend Plate - Emergency Stop
6	1015540	16/2 Xtreme Duty Power Cord - Red
_	1015009	8-32 x 1" Pan Head Phillips Screw (Four Required)
_	20000021	8-32 Zinc Nut (Four Required)
	20000018	#8 Zinc Lock Washer (Four Required)
_	20000019	#8 Zinc Flat Washer (Four Required)

Compressor Assembly

Item #	Part #	Description
Fig. 17		
_	10106612	Compressor Assembly
1	10106030	Compressor to PTO Adapter
2	10106031	M8 x 80MM Bolt (Four Required)
3	10106032	SAE A O-Ring
4	10101062	5/8-11 Hex Nut
5	10101061	5/8" Lock Washer
6	10106033	Compressor Gear
7	10106034	Compressor Body
8	10106035	SAE A 2-Bolt Cover With O-ring
9	10106036	M8 x 16MM Bolt (Two Required)
10	20PFHA60SA0204	1/8" (M) x 1/4" (F) Swivel Union
11	10106037	M8 x 25MM Bolt (Two Required)
12	10106042	PTO O-ring
13	10101941	1/2-13 Hex Nut (Two Required)
14	10106038	Metric Straight to NPT
15	10103615	M10 x 25MM Zinc Bolt (Two Required)
16	10106039	Compressor Bracket
17	10101002	1/2" x 1" 90° Elbow
18	10106040	Metric Straight To 1/2" Hose Barb (Two Required)
19	10PAF025	1/4" x 1/4" Push on Fitting
20	20PFHA60UA0808	1/2" (M) x 1/2" (F) 90° Swivel Union
21	10000057	1/2" x 1/2" Street Elbow (Two Required)
22	10L803035	Nipple
23	10105870	Filter Assembly
24	10106041	Metric Straight to NPT
	10106362	5 Micron Filter Element (Replacement Filter for 10105870)

Figure 17: Compressor Assembly






Figure 18: Compressor Governor



Item #	Part #	Description
Fig. 18		
1	10PAF025	1/4" x 1/4" Push-On Fitting (Four Required)
2	20PFHA60SA0204	1/8" (M) x 1/4" (F) Swivel Union
3	20PFHA25VJ02	1/8" Female Tee (Two Required)
4	1035046	5/16-18 Nut (Two Required)
5	10L805014	5/16" Lock Washer (Two Required)
6	1012905	1/8" Breather Muffler
7	10105816	Compressor Governor
8	1014112	5/16-18 x 3-1/4" Hex Bolt (Two Required)
9	10105717	1/8" Hollow Hex Pipe Plug Male (Four Required)
10	20PFHA24SA0202	1/8" Hex Nipple (Two Required)

Figure 19: Vacuum Hose Support Bracket




Item #	Part #	Description
Fig. 19		
1	10105264	Vacuum Hose Bracket
2	1011747	3/8-16 x 1" Bolt – Zinc (Three Required)
3	10101942	3/8" Flat Washer – Galvanized (Three Required)
4	10101936	3/8" Lock Washer – Zinc (Three Required)
5	10101938	3/8-16 Hex Nut – Galvanized (Three Required)
6	10106374	1.9" Diameter Conveyor Roller – 9" Long

Trailer

Item #	Part #	Description
Fig. 20		
_	10104455	7 Ton Double Axle Trailer
1	10104082	10,000# Heavy Spring Loaded Jack (Four Required)
2	10104087	2" Round LED Amber Clearance Light (Two Required)
3	10104088	2" Round Rubber Grommet (Six Required)
4	10104089	16" - 8 Hole Pattern Rim with Tire (Four Required)
5	10106084	7,000# Axle With Electric Brakes, Complete with Hubs and Springs 89" HF x 71" SC
6	10104079	Pintle Hitch with Flat Plate
7	10104085	Oval Rubber Grommet (Two Required)
8	10104084	Oval LED Red Tail Light (Two Required)
9	10104086	2" Round LED Red Clearance Light (Four Required)
10	10106086	Axle Hub Only – No Bearings or Seal (Two Required)
11	10106088	Right-Hand Electric Brake Assembly (Two Required)
12	10106087	Left-Hand Electric Brake Assembly (Two Required)
13	10104096	Tire - ST235/85R/16 - 14-ply (Four Required)
14	10106085	Axle Beam/Tube Only
15	10105746	5/8 x 2-1/2" Grade 8 Bolt (16 Required)
16	10105747	5/8" Reverse Lock Nut (16 Required)
17	10103398	5/8" Flat Washer (40 Required)
18	10103397	5/8" x 2" Grade 8 Bolt (Four Required)
19	10103393	5/8" Reverse Lock Nut (Four Required)
20	10107126	16" x 6" - 8-Hole White Rim
_	10105826	Redline 12V - 5AH Battery Sealed
_	10104081	Breakaway Kit
_	10104142	Wire Harness - Complete (Front, Middle & Rear)
_	10105827	Breakaway Switch with Pin
_	10104769	3/8" x 41" Safety Chain with Hook
_	10103879	2" x 6" x 6" Red/White Conspicuity Tape
_	10105829	Cable with Plug
_	10107329	Sidewind Crank

Figure 20: Trailer



Wear Plates and Baffles

Item #	Part #	Description	
Fig. 21	Fig. 21		
1	10101942	3/8" Flat Washer - Galvanized (35 Required)	
2	10101936	3/8" Lock Washer - Zinc (35 Required)	
3	10101938	3/8-16 Hex Nut (35 Required)	
4	1011747	3/8-16 x 1" Bolt (15 Required)	
5	10104489	Vacuum Wear Plates (Four Required)	
6	10104490	Vacuum Baffle (Three Required)	
7	10104705	3/8-16 x 1" Bolt Zinc (16 Required)	

Figure 21: Wear Plates and Baffles




Figure 22: Hydraulic Hoses

Item #	Part #	Description
Fig. 22	2	
1	10104664	Hydraulic Hose – 3/8" I.D. x 8' – 2600 PSI
2	10104663	Hydraulic Hose – 3/8" I.D. x 5' – 2600 PSI





Figure 23: Hazard Identification Decals



Item #	Part #	Description
Fig. 23	3	
1	1094579	Hopper Position Danger Decal
2	1091135	Rotating or Moving Parts Warning Decal
3	1094570	Ultra Low Sulfer Diesel Fuel Only Caution Decal
4	1094540	Hydraulic Oil Only Caution

Figure 24: Hazard Identification Decals (Cont.)




Figure 24: Hazard Identification Decals (Cont.)

Item #	Part #	Description
Fig. 24	ļ	
1	1094587	Do Not Raise Hopper Danger Decal
2	1094591	Do Not Climb On Warning Decal
3	1094609	Start-Up Operation Decal
4	1094589	Static Discharge Warning Decal
5	1094590	Loud Noise Hazard Warning Decal
6	1094569	Diesel Exhaust Fluid Only Warning Decal
7	1094546	Read Manual Warning Decal
8	1094599	Speed Limit Warning Decal
9	1094543	Rotating or Moving Parts Warning Decal
10	1094595	High Winds Warning Decal
11	1094596	Secure Hose Caution Decal
12	1094592	Power Line Warning Decal

Figure 25: Hazard Identification Decals (Cont.)



Figure 25: Hazard Identification Decals (Cont.)

Item #	Part #	Description
Fig. 25	•	
1	1094594	Do Not Open Door Warning Decal
2	1094581	No Not Vacuum Flammable Material Danger Decal
3	1094579	Hopper Position Danger Decal
4	1091135	Rotating or Moving Parts Warning Decal
5	1094580	Stay Clear Warning Decal
6	1094586	Powerful Suction Warning Decal
7	1091054	Confined Space Warning Decal

OPTIONAL ACCESSORIES

	VACUUM HOSE						
Part Numbers	Vacuum Hose I.D.	Length	Vacuum HG	Cover Material	Reinforcement Material	Liner	Hose Color
10VH11250	1-1/2"	50 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Black
10VH225	2"	25 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH250	2"	50 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH200	2"	100 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH2550	2-1/2"	50 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH325	3"	25 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH350	3"	50 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH300	3"	100 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH425	4"	25 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH450	4"	50 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH400	4"	100 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH525	5"	25 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH550	5"	50 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH500	5"	100 Ft.	29"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH625	6"	25 Ft.	25"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH650	6"	50 Ft.	25"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH600	6"	100 Ft.	25"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH825	8"	25 Ft.	25"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue
10VH850	8"	50 Ft.	25"	Pliovic®	Pliovic® PVC Helix	Polyurethane	Blue

OPTIONAL ACCESSORIES

Part	VACUUM HOSE REDUCERS
 Numbers	Size
10106712	8" x 4"
10106716	6" x 4"
10106872	6" x 5"

	Part	WYE ADAPTERS		
	Numbers	Size		
Y	10106719	4" x 2" x 2"		
T	10107485	6" x 2" x 2"		
Y	10106723	6" x 4" x 4"		
T	10106727	8" x 4" x 4"		

		VACUUM HOSE MENDERS			
	Part Numbers	Vacuum Hose I.D.	Mender Length	Thickness	Material
	10HM2	2"	8"	1/8"	Steel
	10HM3	3"	9"	1/8"	Steel
4	10HM4	4"	10"	1/8"	Steel
m Will Q UM	10HM5	5"	11"	1/8"	Steel
	10HM6	6"	12"	1/8"	Steel
	10HM8	8"	14"	1/8"	Steel

LITERATURE REFERENCES

Vacmaster® 15T Tier 4 Diesel Abrasive Vacuums

106M148	Part Numbers & Schematics Guide – Vacmaster® 15T Tier 4 Diesel Abrasive Vacuums
1090148	Operator's Manual – Vacmaster® 15T Tier 4 Diesel Abrasive Vacuums
109V044	Operator's Manual - Perkins® Engine
109V521	Operator's Manual - Blower
109V582	Operator's Manual - Behnke Trailer

MAINTENANCE NOTES

DATE	TYPE OF SERVICE	PART NUMBER

CONTACT CENTER

 3425 East Locust Street Davenport, IA 52803

ph: 800.BLAST.IT (800.252.7848)

ph: 563.324.2519 fax: 563.324.6258

REGIONAL BRANCH OFFICES

lowa

Davenport

• Louisiana

Gonzales Lafayette

• Ohio

Youngstown

Texas

Beaumont Corpus Christi Deer Park

40+ NATIONWIDE SHIPPING LOCATIONS



★ Marco Regional Branch Offices and Shipping Locations Direct Shipping Locations



ABRASIVES

BLASTING

COATING

DUST COLLECTION

RENTAL & SERVICE

SAFETY

VACUUMS

CONTACT MARCO

800.BLAST.IT (800.252.7848) 563.324.2519

FAX: 563.324.6258

WWW.MARCO.US SALES@MARCO.US