

# VACMASTER® 23T TIER III DIESEL ABRASIVE VACUUMS





PART NUMBERS AND SCHEMATICS GUIDE

#### **Company Profile**

Since 1944, Marco has developed a strong tradition of providing innovative and reliable products and services to the surface preparation and protective coatings industries. We are the world's premier provider of Abrasives, Blasting, Coating, Dust Collectors, Engineered Systems, Rental, Safety, Service, Repair, & Modernization, and Vacuums.

Through innovative designs and a total commitment to quality, Marco manufactures products that increase production rates, create a safer workplace, and reduce maintenance costs. Marco's industry experience, manufacturing capabilities, legendary customer service, product availability, logistics services, and technology leadership is your assurance that we deliver high quality products and services, providing the best value to you, our customer.

#### The Marco Difference

- Industry Experience With Marco on your team, you have access to expertise which can only come from decades of industry leadership. We have organized our engineering department, production specialists, customer operations, and safety support into a "Center of Competence." As a Marco customer, you have access to hundreds of years of cumulative experience related to your operations.
- Manufacturing Excellence Marco is a U.S. based, ISO 9001:2008 certified manufacturer of equipment for the Surface Preparation and Protective Coatings industries. Marco's engineers benchmark the industry to ensure that we design and manufacture superior products that set the "Gold Standard" for performance, safety, and quality.
- Legendary Customer Service Marco's legendary customer service team is staffed by friendly, highly-trained individuals who are focused on providing the highest level of product support, order accuracy, and customer satisfaction.
- Product Availability We stock over 10,000 SKU's and have more than 45 shipping locations to serve North
  American and International markets for all major brands of blasting and coating equipment. As the largest provider of
  surface preparation and protective coatings equipment in the world, our inventory levels and product availability are
  unmatched.
- Logistics Services Marco's in-house logistics team is dedicated to moving your shipment anywhere in the world. We move more than 14,000 truckloads every year, allowing you to save on freight costs by leveraging our buying power. Lower your process costs with a single invoice, which includes product and freight.
- Technology Leadership Our website provides: Operator's Manuals, Part Numbers and Schematics Guides, SDS information, and Features & Specifications Guides, providing access to information 24/7. Our Extranet application allows you to receive quotes and place orders online. Our Intranet maintains a complete record of your purchase history to assist with ongoing support of your existing equipment and future purchasing decisions.

#### **Vision Statement**

Marco is the world's premier provider of Abrasives, Blasting, Coating, Dust Collectors, Engineered Systems, Rental, Safety, Service, Repair, & Modernization, and Vacuums.

#### Mission Statement

Marco provides strong leadership and innovation to the surface preparation and protective coatings industries. We dedicate our efforts to the continuous improvement of our products, services, processes, people, and most importantly, the quality of our customer's experience.

#### Quality Statement

Marco is committed to providing superior quality in the design, manufacturing, distribution, rental, service, and repair of our products. Our ISO 9001:2008 certification extends throughout all operations in all locations. Continuous improvement of our processes and supply chain Integration comprise the core of our business strategy for delivering exceptional quality and value in all Marco products and services.

#### Management Philosophy

We are a company dedicated to the success of every customer and associate. We discuss, debate, challenge, measure, and test our ideas. We will be boundless and limitless in our passion to improve. Through sound leadership and dedicated associates, we will ensure a long term, profitable future for Marco, our associates, customers, and suppliers.

## **TABLE OF CONTENTS**

Company Profile	1
able of Contents	2
Part Numbers	3
pecifications	4
Part Numbers and Schematics	Ę
Front Assembly	Ļ
Rear Assembly	7
Right Side Front Assembly	ç
Center Assembly	11
Right Side Rear Assembly	3
Left Side Front Assembly	!
Left Side Rear Assembly	7
Double Lock Valve Assembly	9
Fuel Tank	2(
Fan Belt Assembly	<u>)</u> -
Vacuum Light Bar	23
Pneumatic Piston Vibrators	22
Pulser System Assembly	2 !
Filter Bag Pulsers	27
Emergency-Stop Stations	28
Compressor Assembly	25
Compressor Governor	31
Trailer	33
Wear Plates and Baffles	3 5
Hydraulic Hoses	37
Intake Filter Housing	38
iterature References4	.1



Complete unit with tier III diesel engine no longer available. See Tier 4 options.

#### **SPECIFICATIONS**

Capacity: MAX 3658 CFM

Filter Cartridge Style: Acrylic-Coated Filter Bags

37 Required

Filter Cleaning: Pulse System, 25–30 second intervals. Pulse Duration: 200–350 millisecond

Vacuum: 27" Hg

**Ducting Connections:** 6" I.D. Inlet with 4" adapter

**Inspection Ports:** One 10" Viewable to Filters with access ports to hopper

Material Removal: Automatic Direct Dump

Blower: Rotary lobe, positive displacement with jet inlet

**Engine:** Diesel, Tier 3, 250 Horsepower

Fuel Capacity: Capacity: 116 Gallons Type: Diesel

Air Compressor: On Board 13 CFM

Electrical System: 12-Volt DC

Engine Protection: Engine Monitoring System with automatic shutdown

Fluid Specifications: Hydraulic Oil: H46 or equivalent, 2 gallon capacity

Diesel Fuel: See Engine Operator's Manual for type, 116 gallon capacity

Grease/Lubricator: Shell Alvania Grease EP or equivalent Alcohol Evaporator: Alcohol 99 Isopropyl, 32 oz. capacity

Vibrator Lubricator: 4 oz. pneumatic air tool oil


Unit Dimensions: Weight: 13,950 pounds (empty)

Length: 22' 6"
Width: 8' 2"
Height: 11' 2"
Raised Height: 18' 6"
Dump Clearance: 8'

# **Front Assembly**

Item #	Part #	Description
Fig. 1		
1	10104812	Perkins Engine 250 Hp Tier III
2	10104776	Trailer
3	10103986	Clutch
4	10103972	Engine Control Panel
5	10104821	Wema Analog Fuel Level Gauge
6	10103974 10103970	Key Switch Perkins Key
7	10103969	Murphy PowerView
8	10103440R	3/4-10 UNC GR8 Draw Bolt (Two Required)
9	10103418	Washer - 3/4" - Grade 8 (Four Required)
10	10103420	3/4-10 UNC Grade 8 Nut (Four Required)
11	10104071	Remote Emergency-Stop Station (Includes 100 Ft. of Cord)
12	10104820	Pressure Guage
_	10104126	Oil Filter
_	10103958	Primary Fuel Filter
_	10104117	Secondary Fuel Filter
	10106547	Fuel Filter Water Bowl
_	10106593	Outer Air Filter
	10106594	Inner Air Filter

Figure 1: Front Assembly




## **Rear Assembly**

Item #	Part #	Description
Fig. 2		
1	10104673	0-50" Differential Pressure Gauge
2	10104705	3/8-16 FH SQ Neck x 1" Bolt Zinc (12 Required)
3	10104665	APV Series Piston Vibrator
4	10104506	Dump Door
5	10104411	Vacuum Hopper Cone
6	10106511	Vacuum Wear Door
7	10104638	Bulldog Trailer Jack
8	10104439	Knappco Hatch
9	10105334	Marco <sup>®</sup> Vacuum Light Bar
10	10104498	Vacuum Header
11	10104770	Blower Exhaust Silencer
12	10104771	Blower Intake Silencer
13	20PFHA60UA0406	1/4" (M) x 3/8" (F) 90° Swivel (Two Required)
14	10104667	2.5" Pneumatic Cylinder
15	10104668	Piston Rod Clevis
16	10104507	Dump Arm
17	10104234	3/8-16 x 1-1/4 Hex Bolt Zinc (Four Required)
18	10101942	3/8" Flat Washer - Galvanized (20 Required)
19	10101936	3/8" Lock Washer - Zinc (16 Required)
20	10101938	3/8 -16 Hex Nut (Four Required)
21	10104512	Dump Door Gasket
_	10104511	Dump Door Internal Plate
22	20100160	1/2-13 x 4-1/2" Zinc Hex Bolt
23	10100674	1/2" Flat Washer (Two Required)
24	20100124	1/2-13 Hex Lock Nut - Zinc
25	20PFHA25UA0404	1/4" Male 90° Elbow
26	1019044	1/4-20 x 1-3/4" Zinc Bolt (Two Required)

Item #	Part #	Description
27	1012323	1/4-20 Zinc Lock Nut with Nylon Insert (Two Required)
28	10104670	Solenoid
29	1019024	Breather Vent
30	10104676	Series MPR Mini Pressure Relief
31	10L803035	1/2" Close Nipple
32	1019025	1/2" Straight Conduit Body
33	10104703	Cord Grip, 1/2" Nylon .247 Diameter
34	10104678	1/8" Pressure Gauge 100 Psi
35	1080050	1/4" Ball Valve
36	20PFHA60SG0406	1/4" (F) x 3/8" (F) Swivel Union (Two Required)
37	20PFHA24SA0404	1/4" Hex Nipple (Three Required)
38	1014239	1/8" x 1/8" 90° Fitting
39	1011210	1/4" NPT x 1 1/2" Nipple
40	20PFHA60SA0806	1/2" (M) x 3/8" (F) Swivel Union
41	1011819	1/2" Street Elbow
42	20100571	1/2" NPT 3-Way Brass Ball Valve
43	1011818	1/2" x 1/4" Galvanized Bushing
44	10105189	Wear Door Liner
45	10105190	Wear Door
46	10101938	3/8 -16 Hex Nut GALV. (12 Required)
47	10104502	Dump Section Gasket
	10104302	Dump Occilon Gasket


Figure 2: Rear Assembly



# **Right Side Front Assembly**

Item #	Part #	Description	Item #	Part #	Description
Fig. 3			26	20100579	1/4" O.D. Tube x 1/8"
1	_	Pulse Timer Control Box			NPT PTC Swivel (Four
2	10104559	Vacuum Butterfly Cover	07	000000000000000000000000000000000000000	Required)
3	10104493	Vacuum Aux Header	27	20PFBA31095614	1/4" Tube x 1/4" NPT 90°
4	10104777	Blower Top Shaft Left Discharge	28	10104677	Fitting (Two Required) Liquid Filled Vacuum
5	10104071	E-Stop Control Station	20	4044044	Gauge
6	10104788	Vacuum Belt Guard Cover	29	1011844	1/4" Pipe Tee Galvanized
7	10104673	0—50" Differential Pressure	30 31	10104073 10101940	1/2" Panel Lock Nut 1/4" Flat Washer - Galv
8	10104614	10" x 8" x 4" Nema 4 Enclosure	32	10101939	(Four Required) 1/4-20 Stainless Steel
9	10104615	8" x 4" x 5" Fiberglass Qr Latch Enclosure			Lock Nut with Nylon Insert (Four Required)
10	10104704	116 Gal Rectangle Fuel Tank	33	20PFHA60UA0606	3/8" (M) x 3/8" (F) 90° Swivel Union (Four Required)
11	10104674	Lubricator, 1/2" NPT 156 CFM	34	10103631	3/8" Barb x 3/8" NPTF Brass (Seven Required)
12	10VH620B	6" I.D. Vacuum Hose 20' Section	35	1011809	3/8" NPT Tee (Two Required)
13	20RCG5050	1/2" NPT x .5—.625 Diameter Cord Grip	36	1011209	3/8 NPT Close Nipple
14	20100125	1/4-20 x 3/4" Zinc Hex Bolt (Eight Required)	37	1011747	3/8-16 x 1" Bolt - Zinc (Four Required)
15	10104703	1/2" NPT x .2—.47 Diameter Nylon Cord	38	10101942	3/8" Flat Washer - Galv (Four Required)
16	20RST9050	Grip (Six Required) 90° Liquid Tite	39	10101936	3/8" Lock Washer - Zinc (Four Required)
17	10104692	Connection Fitting	40	10101938	3/8-16 Hex Nut - Galv (Four Required)
18	20RST50	12-Volt Pilot Light - Red Straight Liquid Tite	41	20PFHA60SA0606	Union Swivel 3/8" (M) x 3/8" (F) (Two Required)
		Connection Fitting (Two Required)	42	10104048	6-32 x 3/8" L Pan Head Machine Screw (Three
19	10104686	10 Amp Circuit Breaker			Required)
20	10103305	Selector Switch - 2-Way (Three Required)	43	10108373	1/8" NPT Inline Air Filter
21	10106818	Vacuum Control Timer		10106896	Blower Oil 100
22	10104109	6 Amp 50-Volt Rectifier		10106807	For below 0° F Blower Oil 150
23	10105193	Enclosure Panel	_	10106897	For 0 – 32° F
24	20PFHA25VJ02	1/8" Female Tee (Two Required)	_	10105254	Blower Oil 220 For 32 – 90° F
25	10104672	Differential Pressure Switch	_	10106898	Blower Oil 320 For above 90° F
					. 3. 45010 33 1


Figure 3: Right Side Front Assembly



## **Center Assembly**

Item #	Part #	Description
Fig. 4		
1	10104703	1/2" Npt x .2—.47 Diameter Nylon Cord Grip (Two Required)
2	20000031	8-32 x 1-1/2" Machine Screw (Two Required)
3	10105897	Terminal Box
4	10101943	1/2-13 x 1-3/4" Hex Bolt (Eight Required)
5	10100674	1/2" Flat Washer (16 Required)
6	10100675	1/2" Lock Washer (Eight Required)
7	10101941	1/2-13 Hex Nut - Galvanized (Eight Required)
8	10104813	10-3/4" I.D. Hose (Two Required)
9	10103416	Banding Clamp (Four Required)
10	10104715	7/8-9 X 2" Grade 5 Zinc Bolt
11	10104716	7/8" Flat Washer - Zinc
12	10104717	7/8" Lock Washer - Zinc
13	10104772	Blower Intake Silencer Adapter
14	10104773	Silencer Exhaust Elbow
15	10100675	1/2" Lock Washer (Four Required)
16	10101941	1/2-13 Hex Nut - Galvanized (Four Required)


Figure 4: Center Assembly



## **Right Side Rear Assembly**

Item #	Part #	Description	Item #	Part #	Description
Fig. 5			28	1028617	3/8-16 x 1-3/4" Shoulder
1	10104559	Vacuum Butterfly Cover			Bolt
2	10101942	3/8" Flat Washer -	29	10101936	3/8" Lock Washer - Zinc
	40400400	Galvanized (Five Required)	30	10101938	3/8 -16 Hex Nut
3	10103400	3/8-16 x 3/4" Bolt (Four	31	10104597	Airline Drain
4	10104554	Required) Butterfly Cover Mount Weldment	32	20RCG5050	1/2" NPT x .5—.625 Diameter Cord Grip (Two Required)
5	10104537	12" Butterfly	33	10104671	Vibrator Solenoid
6	10107175	6.5" Extension Spring	34	10104703	1/2" Npt x .2—.47
7	10104668	Piston Rod Clevis			Diameter Nylon Cord
8	10104538	Vacuum Butterfly Cylinder Weldment	35	10101939	Grip (Three Required) 1/4-20 Stainless Steel
9	10104543	Butterfly Actuating Arm			Lock Nut with Nylon
10	20100125	1/4-20 x 3/4" Zinc Hex Bolt	0.0	40404040	Insert (Four Required)
11	10104667	2.5" Pneumatic Cylinder	36	10101940	1/4" Flat Washer - Galvanized (Four
12	1011824	1/4" Street Elbow			Required)
13	1011217	1/4" x 2" Nipple Galvanized	37	20100125	1/4-20 x 3/4" Zinc Hex Bolt (Four Required)
14	10104669	Solenoid For Butterfly	38	20PFHA60UA0606	3/8" (M) x 3/8" (F) 90°
15	20PFHA60UA0406	1/4" (M) x 3/8" (F) 90° Swivel (Three Required)	39	10101942	Swivel Union 3/8" Flat Washer - Galv.
16	10105287	Din Connector	39	10101942	(Eight Required)
17	10104706	3/8-16 x 2-1/2" Thread Stud	40	10101938	3/8 -16 Hex Nut GALV. (Four Required)
18	10100674	1/2" Flat Washer <i>(Eight Required)</i>	41	1011747	3/8 -16 x 1" Bolt - Zinc (13 Required)
19	20100124	1/2 - 13 Hex Lock Nut (Eight Required)	42	10104546 10106732	Vacuum Inlet Elbow Long Life Vacuum Inlet Elbow
20	10107176	6.5" Long Extension	43	10104496	Vacuum Inlet Insert
		Spring - Zinc	44	10104550	Vac Inlet Adapter
21	20PFHA60SA0606	Union Swivel 3/8" (M) x 3/8" (F) (Three Required)	45	10107797	4" Quick Disconnect Coupling Assy
22	1011209	3/8" NPT Close Nipple	46	10107204	Remote Control Pendant
23	20PFHA25UG0606	3/8" Street Elbow	_	10105292	Alcohol 99 Isopropyl - 16
24	20PFHA24SB0806	1/2" x 3/8" Reducing Bushing (Two Required)			Oz
25	10104674	Lubricator, 1/2" NPT 156 CFM			
26	1080060	3/8" NPT Full Port Brass Ball Valve (Two Required)			
27	10103624	1" Rubber Cushioned Loop Clamp			


Figure 5: Right Side Rear Assembly



## **Left Side Front Assembly**

Item #	Part #	Description
Fig. 6		
1	10104766	Intake Filter Housing
2	10104795	Tube Extension Assembly
3	_	Hopper Assembly
4	20PFHA60SA0606	3/8" (M) x 3/8" (F) Swivel Union
5	10104608	Support Arm
6	10104082	Jack Stand
7	10104611	Air Dryer
8	10104612	Alcohol Evaporator
9	10105779	12-Volt DC Hydraulic Power Unit
10	10103342	Battery Box
11	10104610	Horizontal Pressure Tank - 15 Gallon
12	20PFHA60UA0606	3/8" (M) x 3/8" (F) 90° Swivel Union
13	10104618	3 Outlet Pressure Manifold
14	20PFHA60SA0604	3/8" (M) x 1/4" (F) Swivel Union (Two Required)
15	1028617	3/8-16 x 1-3/4" Shoulder Bolt (Four Required)
16	10101942	3/8" Flat Washer - Galvanized (Eight Required)
17	10101936	3/8" Lock Washer - Zinc (Four Required)
18	10101938	3/8-16 Hex nut (Four Required)
19	10104681	1/2" NPT Pressure Relief Valve
20	10104602	Vacuum Shoulder Pin
21	10104640	6" Double Bolt Clamp
22	10VH620B	6" I.D. x 20' Vacuum Hose
23	10101943	1/2-13 x 1-3/4" Hex Bolt (Four Required)
24	10100674	1/2" Flat Washer (Eight Required)
25	10100675	1/2" Lock Washer (Four Required)
26	10101941	1/2-13 Hex Nut - Galvanized (Four Required)
27	10DSHP75	3/4" Square Head Pipe Plug (Two Required)
28	1011217	1/4" x 2" Nipple Galvanized
29	1011832	1/4" 90° Elbow Galvanized
30	10SME025	1/4" NPT x 1/4" (F) Straight Swivel
31	10104273	Document Holder
32	10105896	Tool Box
33	10105865	Battery Cables, 156" Long
34	10104708	Straight Grease Zerk - 1/4"-28
35	10106402	5/8-11 Grease Zerk Thru Bolt
36	10106403	3/16" x 5/8" Dowel Pin
37	10101061	5/8" Lock Washer
38	10104600	Vacuum Pin Cap
_	10103341	Battery (not shown)

Figure 6: Left Side Front Assembly



# **Left Side Rear Assembly**

Item #	Part #	Description
Fig. 7		
1	10104234	3/8-16 x 1-1/4" Hex Bolt Zinc (Eight Required)
2	10101942	3/8" Flat Washer - Galvanized (40 Required)
3	10101936	3/8" Lock Washer - Zinc (11 Required)
4	10101938	3/8 -16 Hex Nut (11 Required)
5	10104472	Vacuum Lid Lift
6	10104434	Vacuum Top Section
7	10104638	Bulldog Trailer Jack
8	10104728	Lift Arm Support Bracket (Two Required)
9	10104729	Lift Arm Support Bracket Pin (Two Required)
10	10104608	Support Arm Outer (Two Required)
	10104605	Support Arm Inner (Two Required) (not shown)
11	10103308	Elbow - 90° - JIC 8 x SAE 10 (Four Required)
12	10104645	Vacuum Lift Cylinders (Two Required)
13	10104646	Lift Cylinder Clevis (Two Required)
14	10104647	1" x 3-1/8" Pin (Four Required)
15	1011747	3/8-16 x 1" Bolt (12 Required)
16	20PFHA24SB0806	1/2" x 3/8" Reducing Bushing (Three Required)
17	20PFHA60UA0606	3/8" (M) x 3/8" (F) 90° Swivel Union (Three Required)
18	10104611	Haldex Air Dryer
_	10106512	Desiccant Element Kit for Haldex Air Dryer (not shown)
19	1012326	1/4" (M) x 1/4" (F) 90° Swivel Union
20	20PFHA60SA0806	1/2" (M) x 3/8" (F) Swivel Union
21	10104612	Haldex Alcohol Evaporator
22	10105290	3/16" x 1-5/8" Pin
23	10105838	1/2" x 168" Stainless Steel Braided Hose Assembly with 1/2" (M) NPT Ends
24	10104684	3/8" x 2' Braided Hose
25	10104683	3/8" x 4-1/2' Braided Hose
26	10104778	Silencer Mount
27	10101943	1/2-13 x 1-3/4" Hex Bolt (Four Required)
28	10100674	1/2" Flat Washer (Eight Required)
29	10100675	1/2" Lock Washer (Four Required)
30	10101941	1/2-13 Hex Nut - Galvanized (Four Required)
31	10104824	8" Raincap
32	10104709	1/2" x 3-1/2" Pin - Zinc

Figure 7: Left Side Rear Assembly




Figure 8: Double Lock Valve Assembly

Item #	Part #	Description
Fig. 8		
1	10104650	Double Lock Valve
2	10103309	Elbow - 90° - JIC 8 x SAE 8 (Two Required)
3	10105081	JIC 8 Tee (Two Required)
4	10104651	Union - Straight SAE 8 x JIC 8 (Two Required)
5	10103613	Union - Straight SAE 8 x SAE 8
6	10105288	Flow Restrictor SAE 8
7	10105286	5/16-18 x 2-1/2" Grade 5 Zinc Bolt (Two Required)
8	10L805014	5/16" Lock Washer (Two Required)
9	1035046	5/16-18 Nut (Two Required)





Figure 9: Fuel Tank



Item #	Part #	Description
Fig. 9		
1	10104704	116 Gallon Rectangle Fuel Tank
2	10103423	3/8" I.D. Fuel Hose (Per Foot)
3	20PFHA60UA0606	3/8" (M) x 3/8" (F) 90° Swivel Union
4	10103631	3/8" Barb x 3/8" NPT Brass Female Fitting
5	10103617	Withdraw Tube - 16"
6	20PFHA60SA0606	3/8" (M) x 3/8" (F) Swivel Union
7	10103618	3/8" NPT x 1/2" Straight
8	10104064	Clamp - 1/2" I.D. Hose
9	10103619	1/2" Flexible Fuel Line (Per Foot)
10	10104065	Oetiker Clamp - 3/8" I.D. Hose
11	10103968	Locking Fuel Cap with Keys
12	10104234	3/8-16 x 1-1/4" Hex Bolt Zinc (Two Required)
13	10101942	3/8" Flat Washer - Galvanized (Two Required)
	10104631	Fuel Tank Rubber Cushioning Pad (not shown)
_	10103620	3/8" Inline Filter (not shown)

# **Fan Belt Assembly**

Item #	Part #	Description
Fig. 10		
1	10101938	3/8" Galvanized Hex Nut (Four Required)
2	10101936	3/8" Zinc Lock Washer (Four Required)
3	10104790	Vacuum Belt Guard Mount
4	10104793	Belt Guard Clamp
5	10101942	3/8" Galvanized Flat Washer (15 Required)
6	10104234	3/8-16 x 1-1/4" Hex Bolt Zinc (Two Required)
7	10104786	Belt Guard Back
8	1011747	3/8-16 x 1" Bolt (Two Required)
9	1028617	3/8-16 x 1-3/4" Shoulder Bolt (Two Required)
10	10103486	Sheave 10.30" (Two Required)
11	10104815	4/5vp 1320 Banded Belt
12	10103485	Bushing 2.5" Bore (Two Required)
13	10103643	5/8" Key Cut (Two Required)
14	10100675	1/2" Lock Washer (Six Required) (Included with Item 12)
15	10102820	1/2-13 x 2-3/4" Gade 5 Bolt (Six Required) (Included with Item 12)
16	10103400	3/8-16 x 3/4" Bolt (Three Required)
17	10104788	Belt Guard Cover

Figure 10: Fan Belt Assembly






Figure 11: Vacuum Light Bar



Item #	Part #	Description		
Fig. 11				
1	10105334	Vacuum Light Bar (Includes Item #2)		
2	10104086	2" Round LED Red Clearance Light (Three Required)		
3	10104703	Cord Grip, Nylon 1/2" NPT .247 Diameter		
4	10101942	3/8" Flat Washer - Galvanized (Four Required)		
5	10101936	3/8" Lock Washer - Zinc (Two Required)		
6	1011747	3/8-16 x 1" Bolt (Two Required)		
7	10101938	3/8-16 Hex Nut (Two Required)		

**Figure 12: Pneumatic Piston Vibrators** 



Item #	Part #	Description
Fig. 12		
1	20100124	1/2-13 Hex Lock Nut - Zinc (Two Required)
2	10100674	1/2" Flat Washer (Two Required)
3	20PFHA60UA0406	1/4" (M) x 3/8" (F) 90° Swivel Union
4	10104665	APV Series Piston Vibrator

## **Pulser System Assembly**

Item #	Part #	Description			
Fig. 13	Fig. 13				
1	10101942	3/8" Flat Washer - Galvanized (Eight Required)			
2	10101936	3/8" Lock Washer - Zinc (Four Required)			
3	1011747	3/8-16 x 1" Bolt (Four Required)			
4	10101938	3/8-16 Hex Nut (Four Required)			
5	20PFHA60UA0606	3/8" (M) x 3/8" (F) 90° Swivel Union			
6	10104498	Vacuum Header			
7	10103736	T-Bolt Hose Clamp For 1" I.D. (10 Required)			
8	10106509	Air Hose 1" ID 200 psi - Red			
9	10104500	3/4" NPT x 1-1/2" Toe Nipple (Five Required)			
10	10105287	Din Connector (Included with Item #16) (Five Required)			
11	10104666	3/4" Diaphragm Valve with Solenoid (Five Required)			
	10107192	Pilot Valve Repair Kit			
_	10107193	Diaphragm Repair Kit			

Figure 13: Pulser System Assembly






Figure 14: Filter Bag Pulsers



Item #	Part #	Description
Fig. 14	,	
1	10103736	T-Bolt Hose Clamp For 1" I.D. (10 Required)
2	10103654	1-1/4" 75W Marine Hose - 100 PSI (Five Required)
3	10104563	Pulser System Short Blowpipe (Two Required)
4	10104566	Pulser System Medium Blowpipe (Two Required)
5	10104680	1" Flexible Tubing For Blowpipes (Two Required)
6	10104568	Pulser System Long Blowpipe (Three Required)
7	10104633	Vacuum Baghouse Filter (37 Required)
_	10104634	Vacuum Baghouse Filter Cage (37 Required)

**Figure 15: Emergency-Stop Stations** 




Item #	Part #	Description			
Fig. 15	Fig. 15				
_	10107200	Remote Emergency-Stop Station (Includes Item #'s: 2, 4, 5, and 6 (100'))			
1	1015552	Female twist lock plug two prong			
2	10104071	E-Stop Control Station			
3	1015551	Male Twist Lock Plug Two Prong			
4	10104703	Cord Grip Nylon 1/2"-NPT .247 Diameter			
5	10104063	Legend Plate - Emergency Stop			
6	1015540	16/2 Xtreme Duty Power Cord - Red			
_	1015009	8-32 x 1" Pan Head Phillips Screw (Four Required)			
_	20000021	8-32 Zinc Nut (Four Required)			
	20000018	#8 Zinc Lock Washer (Four Required)			
_	20000019	#8 Zinc Flat Washer (Four Required)			

# **Compressor Assembly**

item #	Part #	Description			
Fig. 16					
1	10108346	Compressor Bracket			
2	10106956	Bolt (Eight Required)			
3	10106601	SAE A O-Ring			
4	10108347	5/8-11 Hex Nut			
5	10108348	5/8" Lock Washer			
6	10108349	Compressor Gear			
7	10108350	Compressor Only - T418478			
8	10106035	SAE A 2-Bolt Cover With O-ring			
9	10106364	Assembly - Plate with 1/2" x 1" 90° Elbow			
10	10106358	1/2" NPT Female x M26 Male			
11	10106604	Fitting (Two Required)			
12	10106359	M26 Bonded Seal			
13	20PFHA60UA0808	1/2" (M) x 1/2" (F) 90° Swivel Union (Two Required)			
14	10106356	1/4" NPT Female x M12 Male			
15	20PFHA60SA0808	1/2" M x 1/2" F Swivel Union			
16	10105870	Filter Assembly			
17	10103507	1/2" Barb x 1/2" NPTF Brass			
18	10106357	M12 Bonded Seal			
_	10106395	Compressor Kit Includes items #s: 1,3,4,5,6,8,9,16			
_	10108495	Ball Bearing Service Kit (Includes: Ball Bearing, SAE Connector, M8 Screw, O-Ring, M6 Screws, Sump Plate Gaskets, Front Flange Gasket)			
_	10108496	Cylinder Head Kit (Includes: Complete Cylinder Head, Cylinder Head Bolts, Cylinder Head Gasket)			
_	10108497	ESS Kit (Includes: ESS Pistons, Cover Gasket, Screws, O-Rings, Springs, Balance Pistons, Grease Tubes)			
_	10108498	Piston Kit (Includes: Tapered Scraper Rings, Scraper Rings, Circlips, Pistons, Piston Pins)			
_	10108499	Gasket Kit (Includes: Cylinder Head Gasket, Valve Plate Gasket, Sump Plate Gaskets, O-Ring)			
_	10108500	General Service Kit (Includes: Cylinder Head Gasket, Valve Plate Gasket, Sump Plate Gaskets, O-Rings, Crankcase Gasket, Delivery Reeds, Inlet Reeds)			


Figure 16: Compressor Assembly



## **Compressor Governor**

Item #	Part #	Description
Fig. 17		
1	10PAF025	1/4" x 1/4" Push on Fitting (Three Required)
2	20PFHA60SA0204	1/8" (M) x 1/4" (F) Swivel Union (Two Required)
3	20PFHA25VJ02	1/8" Female Tee
4	1035046	5/16-18 Nut (Two Required)
5	10L805014	5/16" Lock Washer (Two Required)
6	1012905	1/8" Breather Muffler
7	10105816	Compressor Governor
8	1014112	5/16-18 x 3-1/4" Hex Bolt (Two Required)
9	10105717	1/8" Hollow Hex Pipe Plug Male (Three Required)
10	20PFHA24SA0202	1/8" Hex Nipple


Figure 17: Compressor Governor



#### Trailer

Item #	Part #	Description
Fig. 18	,	
_	10104333	Highway Trailer
1	10104141	10,000 # Heavy Spring Loaded Jack (Four Required)
2	10104087	2" Round LED Amber Clearance Light (Two Required)
3	10104088	2" Round Rubber Grommet (Six Required)
4	10104089	16 - 8 Hole Pattern Rim with Tire (Seven Required)
5	10106084	7,000 # Axle With Electric Brakes, Complete With Hubs And Springs 89" HF x 71" SC
6	10104079	Pintle Hitch with Flat Plate
7	10104085	Oval Rubber Grommet (Two Required)
8	10104084	Oval LED Red Tail Light (Two Required)
9	10104086	2" Round LED Red Clearance Light (Four Required)
10	10106086	Axle Hub Only - No Bearings or Seal (Two Required)
11	10106087	Left-Hand Electric Brake Assembly (Two Required)
12	10106088	Right-Hand Electric Brake Assembly (Two Required)
13	10104096	Tire - ST235/80R/16 - 10-ply (Seven Required)
14	10106085	Axle Beam/Tube Only
15	10105746	5/8 x 2-1/2" Gr 8 Bolt (20 Required)
16	10105747	5/8 Reverse Lock Nut (20 Required)
17	10103398	5/8" Flat Washer (40 Required)
18	10106089	Trailer Axle U-Bolt
19	10106090	Trailer Axle U-Bolt Nut
20	10106091	Trailer Axle Leaf Spring
21	10107126	16 x 6 8-Hole White Rim
_	10105826	Redline 12V - 5AH Battery Sealed
_	10104081	Breakaway Kit
_	10104142	Wire Harness - Complete (Front, Middle & Rear)
_	10105827	Breakaway Switch with Pin
_	10104769	3/8" x 41" Safety Chain with Hook
_	10103879	2" x 6" x 6" Red/White Conspicuity Tape
_	10105829	Cable With Plug
_	10105826	Redline 12V - 5AH Battery Sealed

Figure 18: Trailer



#### **Wear Plates and Baffles**

Item #	Part #	Description
Fig. 19		
1	10101942	3/8" Flat Washer - Galvanized (35 Required)
2	10101936	3/8" Lock Washer - Zinc (35 Required)
3	10101938	3/8 -16 Hex Nut (35 Required)
4	1011747	3/8-16 x 1" Bolt (15 Required)
5	10104489	Vacuum Wear Plates (Four Required)
6	10104490	Vacuum Baffle (Three Required)
7	10104705	3/8-16 FH Sq Neck x 1" Bolt Zinc (16 Required)

Figure 19: Wear Plates and Baffles




Figure 20: Hydraulic Hoses

Item #	Part #	Description
Fig. 20		
1	10104664	Hydraulic Hose 3/8" x 8' - 2600 PSI
2	10104663	Hydraulic Hose 3/8" x 5' - 2600 PSI





Figure 21:Intake Filter Housing



Item #	Part #	Description		
Fig. 21				
1	10104234	3/8-16 x 1-1/4" Hex Bolt Zinc		
2	10106508	Intake Filter Housing Cap		
3	10104727	Air Filter Housing Gasket		
4	10101936	3/8" Lock Washer - Zinc		
5	10101938	3/8-16 Hex Nut - Galvanized		
6	10107973	Intake Filter Housing		
7	10104716	7/8" Flat Washer		
8	10104717	7/8" Lock Washer		
9	10104715	7/8-9 x 2" Zinc Bolt		
10	10L363	1/2" Npt Full Port Ball Valve		
11	10L803035	Galvanized 1/2" Close Nipple		
12	10100674	1/2" Flat Washer		
13	10102005	Rubber Washer 1.25OD x .375ID x .13		
14	10101941	1/2-13 Hex Nut - Galvanized		
15	1011820	1-1/4" x 1/2" Bushing - Galvanized		
_	10102253	Filter Cartridge		

	VACUUM HOSE						
Part Numbers	Vacuum Hose I.D.	Length	Cover Material	Reinforcement Material	Vacuum HG	Liner	Hose Color
10VH11250	1-1/2"	50 Ft.	Pliovic®	Pliovic® PVC Helix	29 In.	Polyurethane	Black
10VH225	2"	25 Ft.	Pliovic®	Pliovic® PVC Helix	29 In.	Polyurethane	Blue
10VH250	2"	50 Ft.	Pliovic®	Pliovic® PVC Helix	29 In.	Polyurethane	Blue
10VH200	2"	100 Ft.	Pliovic®	Pliovic® PVC Helix	29 In.	Polyurethane	Blue
10VH2550	2-1/2"	50 Ft.	Pliovic®	Pliovic® PVC Helix	29 In.	Polyurethane	Blue
10VH325	3"	25 Ft.	Pliovic®	Pliovic® PVC Helix	29 In.	Polyurethane	Blue
10VH350	3"	50 Ft.	Pliovic®	Pliovic® PVC Helix	29 In.	Polyurethane	Blue
10VH300	3"	100 Ft.	Pliovic®	Pliovic® PVC Helix	29 In.	Polyurethane	Blue
10VH425	4"	25 Ft.	Pliovic®	Pliovic® PVC Helix	29 In.	Polyurethane	Blue
10VH450	4"	50 Ft.	Pliovic®	Pliovic® PVC Helix	29 ln.	Polyurethane	Blue
10VH400	4"	100 Ft.	Pliovic®	Pliovic® PVC Helix	29 ln.	Polyurethane	Blue
10VH550	5"	50 Ft.	Pliovic®	Pliovic® PVC Helix	29 ln.	Polyurethane	Blue
10VH500	5"	100 Ft.	Pliovic®	Pliovic® PVC Helix	29 ln.	Polyurethane	Blue
10VH620B	6"	20 Ft.	PVC	PVC Helix	25 ln.	Polyurethane	Black
10VH625	6"	25 Ft.	Pliovic®	Pliovic® PVC Helix	25 ln.	Polyurethane	Blue
10VH650	6"	50 Ft.	Pliovic®	Pliovic® PVC Helix	25 ln.	Polyurethane	Blue
10VH600	6"	100 Ft.	Pliovic®	Pliovic® PVC Helix	25 ln.	Polyurethane	Blue
10VH825	8"	25 Ft.	Pliovic®	Pliovic® PVC Helix	25 ln.	Polyurethane	Blue
10VH850	8"	50 Ft.	Pliovic®	Pliovic® PVC Helix	25 ln.	Polyurethane	Blue

	Part	VACUUM HOSE REDUCERS	
Numbers		Size	
	10106712	8" x 4"	
-	10106716	6" x 4"	
	10106872	6" x 5"	

	Part	WYE ADAPTERS	
	Numbers	Size	
Y	10106719	4" x 2" x 2"	
T	10107485	6" x 2" x 2"	
Y	10106723	6" x 4" x 4"	
T	10106727	8" x 4" x 4"	

		VACUUM HOSE MENDERS			
	Part Numbers	Vacuum Hose I.D.	Mender Length	Thickness	Material
	10HM2	2"	8"	1/8"	Steel
	10HM3	3"	9"	1/8"	Steel
	10HM4	4"	10"	1/8"	Steel
	10HM5	5"	11"	1/8"	Steel
	10HM6	6"	12"	1/8"	Steel
	10HM8	8"	14"	1/8"	Steel

## LITERATURE REFERENCES

## Vacmaster® 23T Tier III Diesel Abrasive Vacuums

105M126	Features & Specifications Guide – Vacmaster® 23T Tier III Diesel Abrasive Vacuums
106M126	Part Numbers & Schematics Guide – Vacmaster® 23T Tier III Diesel Abrasive Vacuums
1090126	Operator's Manual – Vacmaster® 23T Tier III Diesel Abrasive Vacuums
109V044	Operator's Manual - Perkins® Engine
109V039	Operator's Manual - Murphy PowerView®
109V520	Operator's Manual - Blower
109V040	Operator's Manual - Hydraulic Motor
109V582	Operator's Manual - Behnke Trailer

## **MAINTENANCE NOTES**

DATE	TYPE OF SERVICE	PART NUMBER	
		-	

#### **GLOBAL HEADQUARTERS**

 3425 East Locust Street Davenport, IA 52803

ph: 800.BLAST.IT (800.252.7848)

ph: 563.324.2519 fax: 563.324.6258

#### **REGIONAL BRANCH OFFICES**

lowa

Davenport

Louisiana

Gonzales Lafayette

Ohio

Youngstown

Texas

Beaumont Corpus Christi Deer Park

Marco

**ABRASIVES** 

**BLASTING** 

**COATING** 

**DUST COLLECTORS** 

**ENGINEERED SYSTEMS** 

RENTAL

SAFETY

SERVICE & REPAIR

**VACUUMS** 

#### **40+ NATIONWIDE SHIPPING LOCATIONS**



★ Marco Regional Branch Offices and Shipping Locations Direct Shipping Locations

## **CONTACT MARCO**

800.BLAST.IT (800.252.7848) 563.324.2519

FAX: 563.324.6258

WWW.MARCO.US SALES@MARCO.US